

THE INTERNATIONAL LILY REGISTER & CHECKLIST

TWENTY-SECOND SUPPLEMENT

The following list contains names registered between 1 October 2002 and 30 September 2003.

Raisers and introducers are urged to ensure that all their plants have been registered and are reminded that registration should take place before a plant is released. Registration forms can be obtained from the International Lily Registrar (address below), or downloaded from the RHS website (www.rhs.org.uk).

The International Cultivar Registration Authority (ICRA) is indebted to the regional representatives for the considerable effort they make to obtain and pass on information about lily cultivars. They are as follows:

Regional representative: Australia

Neil Jordan, 27 Scarfe Street, Camdale, Tasmania, 7320, Australia.

Regional representative: Czech Republic

Ing. Břetislav Mičulka, 687 07 Velehrad 225, Czech Republic.

Regional representative: The Netherlands

Dr Johan van Scheepen, Royal General Bulbgrowers' Association,
Postbus 175, NL-2180 AD Hillegom, The Netherlands.

Regional representative: New Zealand

Mrs Merle I. Lepper, P O Box 1394, Christchurch, New Zealand.

Regional representative: North America

Mrs Kathy Anderson, 7 Perth Drive, Wilmington, DE 19803, USA.

In addition, the ICRA is grateful to many other correspondents who have continued to bring new lilies to its attention.

This Supplement continues the use of a dual subdivision for every entry. Thus, both flower habit aspect (up-, out- or down-facing) and flower form (trumpet, bowl, flat or recurved) are indicated for each entry when this information is available. The existing lettering is retained, with flower aspect habit given first, separated from the flower form by a slash mark (/). An entry such as I(b/c) 'Aloft' therefore indicates that this is an Asiatic lily with out-facing, flat flowers. It is not a requirement that dual subdivisions should be used at all times. The way in which the information is presented means that, where it is necessary for a particular purpose, one (or both) can be ignored. Their inclusion, however, together with the division number, helps to present in an abbreviated form a quick 'picture' of the flower concerned. For a full account of any plant it is necessary to refer to the description.

This Supplement also includes a small number of entries for lilies whose epithets are not registered. Generally these are names that are unacceptable, but where it is unlikely that they will be changed. These form part of the Checklist function of this work.

Victoria Matthews, International Lily Registrar, 13 Chatsworth Close, Market Deeping, Peterborough PE6 8AZ, United Kingdom. Tel: +44 (0)1778 380 256. Email: rhslilyreg@aol.com

VIII(a/b) 'Advantage'

cv. (Seedling BG 95-60 × seedling AJ 94-15) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2003). Inside brilliant orange (25C), strong orange (25A) towards edges of each petal, throat light orange-yellow (24C); outside light orange-yellow (24C), midribs light yellow-green (144D), each petal brilliant orange (25C) towards edges and tip; spots dark red (59A); papillae strong orange (25A); nectaries strong orange (25A); pollen dark red (183A); stigma strong purplish red (59D). Fls 170 mm wide, slightly fragrant; petals 122 × 52 mm, margins slightly ruffled, tips slightly recurved. Lvs 155 × 24 mm. Stems 1.2 m, green, with c.5 fls. (A *longiflorum*/Asiatic hybrid)

I(b/c) 'Aegina'

cv. ('Schwefelblüte' × yellow-orange-flowered, Asiatic, brushmarked seedling) H: G. Steinbrück (1988), G: G. Steinbrück (1991), N: G. Steinbrück (2000), I: G. Steinbrück (2000), REG: G. Steinbrück (2003). Inside moderate orange (171C) with a slight red tinge; outside somewhat paler with beige midribs; unspotted; nectaries soft pink; pollen strong reddish orange (169A); stigma strong yellowish pink (37A). Fls 160 mm wide; petals 70 × 27 mm, margins smooth, tips not or very slightly recurved. Lvs alternate, 90 × 12 mm. Stems 1 m, mid green, with c.12 fls. Mid July. (Etymology: named after the Greek island. Nomenclatural standard: colour print provided by registrant (WSY 0038774)).

VIII(a/b) ALADDIN'S CHARM

Trade designation of 'Ceb Charm'.

I(a-b/-) ALASKA

Trade designation of 'Atoll'.

I(a/c) 'Albanie'

cv. (Seedling LARS 93-12 × seedling AM 95-13) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside moderate purplish pink (70D), midveins and petal margins deep purplish pink (70C), throat yellowish white (155D); outside pale purplish pink (62D), midribs flushed with greyish yellow-green (148D) and strong yellow-green (143C) at top, petal margins moderate purplish pink (66D); spots dark red (59A); papillae moderate purplish pink (70D); nectaries strong yellow-green (143C); pollen strong orange (168B); stigma deep purplish red (71A). Fls 220 mm wide; petals 120 × 55 mm, margins smooth, tips recurved. Lvs 140 × 25 mm. Stems 1.4 m, green with darker markings at base, with c.5 fls.

I(a-b/-) 'Albenga'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside and outside vivid yellow (12A-13A); spots and papillae absent; nectaries green; pollen light brown; stigma yellow with purple-red spots. Petal margins slightly ruffled, tips recurved. Stems medium to tall, with reddish markings. Midseason.

VII(a-b/-) 'Albertville'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside and outside yellowish white (155D); spots absent; papillae present; nectaries green; pollen red-brown; stigma grey with purple spots. Petal margins ruffled, tips strongly recurved. Stems of medium height. Midseason to late.

VII(a-b/b) 'Alicante'

cv. (Seedling 88-189 × seedling 91-10) H: Vletter & Den Haan Beheer B.V. (1994), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D), midveins light greenish yellow (5D), throat light yellow-green (145D); outside yellowish white (155D), midribs pale greenish yellow (2D); spots light greenish yellow (5D); papillae present; nectaries strong yellow-green (144B); pollen moderate reddish orange (171A); stigma light greenish grey (190D). Fls 270 mm wide, scented; petals 145 × 70 mm, margins slightly ruffled, tips recurved. Lvs alternate, 210 × 50 mm. Stems 1.03 m, light green, with c.6 fls.

IX(c/d) 'Almanzo'

See *michiganense* 'Almanzo'

I(a/-) 'Almyros'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside brilliant yellow (7A); outside brilliant yellow (7A), midribs paler; spots absent; papillae present; nectaries yellow-green; pollen brown; stigma purple-red. Petal margins ruffled, tips slightly recurved. Stems tall, with dark markings. Midseason.

I(a-b/-) 'Alyssa'

cv. (Parentage unknown) H: Mak-Leek, Inc. (1988), G: Mak-Leek, Inc. (1991), N: Mak-Leek, Inc. (1997), REG: Mak-Leek, Inc. (2003). Inside and outside deep pink (185D); spots and papillae present; nectaries green with a purple-red tinge; pollen red-brown; stigma purple. Fls 70 mm wide; petals 75 × 42.5 mm, margins slightly ruffled, tips recurved. Lvs 130 × 11 mm. Stems 1.1 m, with some darker markings, with 7 fls. Early.

VII(a/b-c) 'Amber'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside pale purplish pink (65C), throat yellowish white (155D); outside pale purplish pink (62D), midribs moderate purplish pink (62B); spots strong purplish red (63A); papillae present; nectaries brilliant yellow-green ((150B); pollen dark reddish orange (173A); stigma moderate purplish red to strong reddish purple (70A/72B). Fls 250 mm wide, slightly scented; petals 145 × 78 mm, margins slightly ruffled, tips recurved. Lvs alternate, 179 × 63 mm. Stems 0.86 m, green, with few fls.

I(a/b) 'Andalusie'

cv. (Seedling G 96-2 × seedling RS 91-1) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2000), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (9A), throat pale greenish yellow (1D); outside brilliant yellow (8A), each petal vivid yellow (9A) towards margin and strong yellow-green (144B) at tip with small strong red (46A) spot; spots many, strong red (46A); papillae pale greenish yellow (1D); nectaries light yellow-green (154D); pollen moderate orange (167A); stigma light greenish yellow (1C) with vivid reddish orange (34B). Fls 190 mm wide; petals 115 × 45 mm, margins smooth, tips slightly recurved. Lvs 120 × 23 mm. Stems 1.15 m, green with darker markings, with c.6 fls.

I(a/b) 'Angers'

cv. (Parentage unknown) H: Fa. Jaap Boon, REG: Fa. Jaap Boon (2003). Inside light purplish pink (63D), strong purplish pink (63C) towards edges and top of each petal, throat strong purplish pink (63C) with a little strong yellow-green

(143B); outside light purplish pink (62C), strong purplish pink (63C) towards edges of each petal; spots dark red (187B); papillae absent; nectaries greenish white (155C) with yellowish white (155D) mark above; pollen strong reddish orange (169A); stigma moderate to light purplish pink (65A/B). Fls 150 mm wide; petals 85 × 25-40 mm, margins ruffled, tips not recurved. Lvs 190 × 20 mm. Stems 1.3 m, light green, with c.3 fls.

I(a/-) 'Anviers'

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside vivid orange-pink (28A); outside vivid yellowish pink (30C); spots and papillae absent; nectaries orange; pollen orange-brown; stigma orange flushed with purple-red. Petal margins slightly ruffled, tips slightly recurved. Stems of medium height, with dark markings. Early to midseason.

I(a) APOLLO

Trade designation of 'Blizzard'.

VII(a/b) 'Argentina'

cv. (Parentage unknown) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (2001), REG; Vletter & Den Haan Beheer B.V. (2003). Inside vivid purplish red (57C), each petal with a light greenish yellow (6D) spot above nectary, throat yellowish white (155D); outside moderate purplish pink (66D), midribs light yellow-green (142C) at base changing to yellowish white (155D) at top with a strong yellow-green (143C) spot; spots and papillae moderate purplish red (58A); pollen strong orange (168A); stigma pale yellow-green (157C) with vivid purple (80A). Fls 235 mm wide, strongly scented; petals 150 × 72 mm, margins ruffled, tips slightly recurved. Lvs 195 × 58 mm. Stems 1 m, reddish brown, with c.3 fls.

VIII(a/b) 'Argos'

cv. (Seedling LAOR 93-2 × seedling AC 94-1) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (1992), REG; Vletter & Den Haan Beheer B.V. (2003). Inside strong orange (26A), strong orange (25A) along midveins and on margins and tip of each petal, throat pale orange-yellow (23D); outside light orange-yellow (22C), midribs strong yellow-green (144C), towards margins strong orange (25A), tips strong yellow-green (144C) with a small strong yellow-green (144A) spot; spots and papillae absent; nectaries moderate yellow-green (147C); pollen strong brown (172A); stigma strong yellowish pink (31C). Fls 200 mm wide; petals 135 × 55 mm, margins smooth, tips recurved. Lvs 155 × 28 mm. Stems 1.6-2.2 m, green, with 9-11 fls.

VIII(c/-) 'Aries'

cv. (Parentage unknown) R; Miyoshi & Co. Ltd, REG; P.F. Onings Bloembollenbedrijf B.V. (2003). Inside moderate to light purplish pink (65A/B); outside light purplish pink (65B); spots and papillae absent; nectaries green; pollen orange-yellow; stigma green. Stems of medium height. Midseason to late. (A *longiflorum*/Oriental hybrid.)

IX(c/d) 'Arkansas Traveler'

See *michiganense* 'Arkansas Traveler'

VIII(a-b/-) 'Arrivederci'

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside moderate purplish pink (65A), each petal lighter at tip; outside light purplish pink

(65B); spots and papillae present; nectaries green; pollen brown; stigma cream. Petal margins slightly ruffled, tips recurved. Stems tall. Early to midseason. (A *longiflorum*/Asiatic hybrid)

I(a-b/-) 'Aspin'

New name for 'Snow Storm' (registered in 1996) to which PBR have been granted under the name 'Aspin'. The name SNOW STORM thus becomes a trade designation of 'Aspin'.

I(a/-) 'Atletico'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid reddish orange to vivid yellowish orange (30B/C), strong orange (25A) along midvein; outside vivid yellowish orange (30C); spots and papillae present; nectaries orange; pollen red-brown; stigma purple-red. Petal margins slightly ruffled, tips recurved. Stems tall, with reddish markings. Early to midseason.

I(b/b) 'Bájný Fénix'

cv. ('Ohnivý Fénix' × tetraploid Asiatic) R: J. Kovář, N: J. Kovář, I: J. Kovář (2002), REG: J. Kovář (2002). Inside red, petal tips fading; outside red; spots numerous, large, oval, black, over a third of each petal; papillae very few; nectaries silver; pollen light brown; stigma pale rose. Petals 85 × 45 mm, tips slightly recurved; pedicels 100 mm long, very thick, much spotted, with secondary buds. Lvs alternate, 100 × 18 mm, mid green, semi-glossy. Stems 1.1 m, very thick, rigid, much spotted violet-brown, with numerous violet-brown bulbils. Late June. Tetraploid. (In comparison with 'Ohnivý Fénix', there are fewer spots and the fls are more globular.)

VII(a/b) 'Balaton'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside vivid purplish red (57C), throat yellowish white (155D); outside moderate purplish pink (66D); spots strong purplish red (63A); papillae present; nectaries strong yellow-green (144B); pollen strong orange to strong reddish orange (169B/A); stigma light purplish pink (68D). Fls 210 mm wide; petals 155 × 60 mm, margins slightly ruffled, tips recurved. Lvs alternate, 185 × 60 mm. Stems 1.2 m, green with darker markings, with c.3 fls.

VII(a-b/-) 'Balugo'

cv. (Parentage unknown) REG: Bottema-Lelie B.V. (2003). Inside and outside greenish white (155C), unspotted; papillae present; nectaries light green; pollen orange-brown; stigma purple. Stems medium to tall.

VII(a-b/-) 'Batavia'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish pink (73B), each petal lighter towards base and with edges almost white; outside light purplish pink (73C); spots and papillae present; nectaries yellow-green; pollen red-brown; stigma grey. Petal margins ruffled, tips recurved. Stems of medium height, with darker markings. Midseason.

VIII(a/b) 'Batistero'

cv. (Seedling LARS 93-12 × seedling AM 95-13) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside moderate purplish red (59C), throat pale greenish

yellow (2D); outside moderate purplish red (64A); spots dark red (59A); papillae moderate purplish red (59C); nectaries strong yellowish green (141C); pollen moderate reddish orange (171A); stigma moderate purplish red (70A). Fls 185 mm wide, slightly fragrant; petals 110 × 50 mm, margins smooth, tips slightly recurved. Lvs 150 × 50 mm. Stems 1.3-1.45 m, reddish brown, with 4-5 fls. (*longiflorum*/ Asiatic hybrid.)

VII(a-b/-) 'Beethoven'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish pink (68B), each petal lighter towards base and white towards margin, midveins deep red (53A) at base; outside strong purplish pink (68B); spots and papillae present; nectaries green; pollen red-brown; stigma grey. Petal margins ruffled, tips slightly recurved. Stems tall. Early to midseason.

I(a/b) 'Belfast'

cv. (Seedling G 93-25 × seedling AJ 94-8) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (12A), throat light greenish yellow (1C); outside light yellow (10C), midribs light yellow-green (145B), at top strong yellow-green (144B), each petal margin vivid yellow (9A); spots and papillae absent; nectaries strong yellow-green (143B); pollen vivid orange-yellow (23A); stigma brilliant greenish yellow (1A) with brownish orange (171B). Fls 195 mm wide; petals 115 × 62 mm, margins slightly ruffled, tips slightly recurved. Lvs 140 × 18 mm. Stems 1.4 m, reddish brown, with c.7 fls.

VII(a/b-c) 'Belgrado'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D) at base of each petal, changing to light purplish pink (62C) towards tip; outside yellowish white (155D) at base of each petal, changing to light purplish pink (65D), midribs light purplish pink (65B); spots yellowish white (155D); papillae present; nectaries light yellow-green (145B); pollen moderate reddish orange (171A); stigma light greenish grey (190D). Fls 280 mm wide, slightly scented; petals 150 × 85 mm, margins ruffled, tips recurved. Lvs alternate, 190 × 53 mm. Stems 1.14 m, with c.3 fls.

I(a/b-c) 'Benjamin'

cv. (('Red Carpet' × 'Lemon Glow') × ('Girls Only' × ('Red Carpet' × 'Sun Ray')))
H: Bischoff Tulleken Lelies B.V. (1987), G: Bischoff Tulleken Lelies B.V. (1991), N: Bischoff Tulleken Lelies B.V. (2001), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside pale purplish pink (65C/D); outside pale purplish pink (65D); spots and papillae absent; nectaries moderate yellow-green (143D); pollen vivid reddish orange (33B); stigma strong orange (169B/C). Fls 150 mm wide; petals 85 × 26 mm, margins smooth, tips slightly recurved. Lvs alternate, 80 mm long. Stems 0.44 m, green, with 5-8 fls. June.

I(a-b/-) 'Bento'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish pink (62A) ageing to moderate purplish pink (62B); outside between strong purplish pink (62A) and moderate purplish red (62B); spots absent; papillae few; nectaries green changing to pink; pollen orange-brown; stigma purple-red. Petal margins ruffled, tips slightly recurved. Stems tall, with reddish markings. Midseason to late.

I(a/c) 'Berliner Liebe'

cv. ('Mohykán' × 'Connecticut Melon') H: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2002), I: G. Steinbrück (2002), REG: G. Steinbrück (2003). Inside yellowish white (158D) with a light orange (26C) suffusion in centre of petal towards base; outside yellowish white (158D) with strongly beige midribs; spots few, small, deep red (53A) on basal quarter of each petal; nectaries pale yellow-green (155A), hoary; filaments pale yellow (158A); pollen dark reddish orange (178B); style pale yellow (158A); stigma vivid reddish orange (34B). Fls 120 mm wide; petals 60 × 35 mm, margins slightly ruffled, tips not recurved. Lvs alternate, 100 × 15 mm. Stems 0.8 m, dark green, with 5-8 noticeably broad-petalled fls. Late June to early July. (Nomenclatural standard: colour print provided by registrant (WSY 0038771).)

I(a/c) 'Berliner Morgenröte'

cv. ('Dawn Star' × Asiatic seedling) H: G. Steinbrück (1988), G: G. Steinbrück (1991), N: G. Steinbrück (1996), I: G. Steinbrück (2001), REG: G. Steinbrück (2003). Inside moderate purplish red (59C), throat flushed with light orange; outside similarly coloured; unspotted; nectaries conspicuous, pale yellow-green (157A); pollen dark brown; stigma pale brown. Fls 150 mm wide; petals 80 × 30 mm, glossy, margins smooth, tips not recurved. Lvs alternate, 70 × 9 mm. Stems 0.6 m, dark green, with 6-8 fls. Early to mid July. (Published in ELG sales list, 2001. Nomenclatural standard: colour print provided by registrant (WSY 0038772).)

I(a/c) 'Berliner Nacht'

cv. ('Andrea' × 'Willow Wood') H: G. Steinbrück (1988), G: G. Steinbrück (1992), N: G. Steinbrück (1998), I: G. Steinbrück (2001), REG: G. Steinbrück (2003). Inside moderate red (179A), throat strong red (46A); outside moderate red (179A); spots few, tiny, black, at base of each petal; nectaries light purple (80D); pollen vivid orange-yellow (23A); stigma light yellowish pink (159A). Fls 120 mm wide; petals 60 × 32 mm, margins smooth, tips not recurved. Lvs alternate, 110 × 60 mm. Stems 0.7 m, mid green, with c.8 fls. Mid June. (Published in ELG sales list, 2001. Nomenclatural standard: colour print provided by registrant (WSY 0038769).)

I(a/b-c) 'Berliner Panorama'

cv. ('El Paso' × 'Neptunsilber') H: G. Steinbrück (1992), G: G. Steinbrück (1995), N: G. Steinbrück (2002), I: G. Steinbrück (2002), REG: G. Steinbrück (2003). Inside and outside deep pink (48A); unspotted; nectaries grey-white-hoary; pollen orange; stigma deep pink (48A) on a long style; ovary very pale and conspicuous. Fls 160 mm wide; petals 85 × 35 mm, margins smooth, tips not recurved. Lvs alternate, 70 × 16 mm. Stems 1.4 m, dark green, with 8-10 fls. Late June. (Etymology: named after a viewing platform in Potsdamer Platz, Berlin. Nomenclatural standard: colour print provided by registrant (WSY 0038768).)

I(a/a) 'Bernadette'

cv. (Parentage unknown) H: Mak-Leek, Inc. (1990), G: Mak-Leek, Inc. (1992), N: Mak-Leek, Inc. (1998), REG: Mak-Leek, Inc. (2003). Inside vivid reddish orange (32A-33A); outside vivid reddish orange (32A) with strong yellowish pink (32C) midribs; dark red (187) spots on lower part of each petal; papillae vivid reddish orange (33A) in throat; nectaries vivid reddish orange (32A); pollen absent; stigma dark red (187A). Fls 130 mm wide; petals 60 × 25-30 mm. Lvs 80 × 15 mm, green. Stems 1 m, green, with 6 fls. Midseason.

I(a/c) ‘Beverly Ann’

cv. (Unnamed seedling × unnamed seedling) H: R. & H. Cocker (1997), G: R. & H. Cocker, N: R. & H. Cocker, I: R. & H. Cocker, REG: R. & H. Cocker (2003). Inside vivid yellow-orange (32A) at base, changing to moderate yellowish pink (37C) above; outside moderate yellowish pink (37C); spots dark maroon over two-thirds of each petal; nectaries white; pollen orange-yellow; stigma brown. Fls 160 mm wide; petals 80 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 105 × 14 mm. Stems 0.9 m, mid green, with 12-15 fls. Midseason. (Named after one of the raisers’s daughters.)

VII(a-b/-) ‘Beziers’

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish red (64C), midveins at first white, later green at base; outside strong purplish red to deep purplish pink (64C/D); spots and papillae present; nectaries green; pollen red-brown; stigma purple. Petal margins ruffled, tips recurved. Stems medium to tall. Very early.

VI(c/a) ‘Bikaver’

cv. (‘Schokolade’ × unknown) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka, REG: B. Mičulka (2003). Inside purple-pink with darker veining, throat apricot; outside very dark pink, midribs with brownish tint; pollen brown-orange; stigma whitish. Fls 115 mm wide; petals 135 × 45 mm, tips strongly recurved; pedicels 35 mm long, slightly spotted. Lvs 110 × 7 mm, dull dark green, dense. Stems 1.15 m, with sporadic spots, with a short inflorescence. Early July.

VII(a/b) ‘Bilbao’

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside very pale purple (69D), each petal with a yellowish white (155D) flame above nectary, throat yellowish white (155D); outside very pale purple (69D), each petal with a yellowish white (155D) flame; spots yellowish white (155D); papillae present; nectaries strong yellow-green (144C); pollen strong reddish orange (169A); stigma deep purplish red (59B). Fls 210 mm wide, slightly scented; petals 145 × 85 mm, margins smooth, tips slightly recurved. Lvs alternate, 200 × 53 mm. Stems 1.47 m, light green, with c.4 fls.

VIII(a/b) BIZET

Trade designation of ‘Zanlabizet’.

I(b/c) ‘Blankenfelder Riese’

cv. (‘Yukatan’ × Feldmaier Asiatic seedling (Fe4)) H: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2002), I: G. Steinbrück (2002), REG: G. Steinbrück (2003). Inside moderate red (179A), the strongly developed midveins tinged with light orange; outside moderate red (179A); spots many, moderate-sized, dark, scattered over three-quarters of each petal; nectaries inconspicuous, coloured as petals; filaments long, soft pink; pollen red-brown; style very long, red-brown; stigma pale brown. Fls 140 mm wide, petals 75 × 32 mm, margins smooth, tips slightly recurved. Lvs alternate, 70 × 16 mm. Stems 1.3 m, dark green lightly mottled reddish, with up to 20 fls (including some secondaries); buds white-hairy. Early July. (Etymology: Blankenfeld is the area of Berlin where the registrant’s lilies are grown. Nomenclatural standard: colour print provided by registrant (WSY 0038767).)

VII(a/b) 'Botero'

cv. (Seedling PP × seedling 91-66) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), midveins light yellow (10C), throat yellowish white (155D); outside yellowish white (155D), midribs light yellow-green (150D), light yellow (10C) towards top; spots brilliant yellow (10A); papillae present; nectaries brilliant yellow-green (150A); pollen (171A); stigma (183A). Fls 230 mm wide; petals 110 × 40-62 mm, margins slightly ruffled, tips recurved. Lvs 180 × 45 mm. Stems 1 m, light green, with c.8 fls.

I(a/c) 'Brandenburger Diplom'

cv. ('Diskus' × 'Impact') H: G. Steinbrück (1988), G: G. Steinbrück (1991), N: G. Steinbrück (1996), I: G. Steinbrück (2001), REG: G. Steinbrück (2003). Inside light orange (26C), slightly tinged with red, throat suffused with soft pale green in nectary area; outside light orange (26C), midribs soft green; spots few, small, black-red, towards base of each petal; nectaries soft pink towards margins, white-hoary, with deep furrow; pollen moderate reddish brown (175A); style long, green-white; stigma moderate purplish red (64A). Fls 140 mm wide; petals 60 × 35 mm, margins smooth, tips not recurved; pedicels long, dark. Lvs alternate, 75 × 14 mm. Stems 0.9 m, black-violet, with 5-8 fls. Mid July. (Published in ELG sales list, 1999. Nomenclatural standard: colour print provided by registrant (WSY 0038766).)

I(a/b) 'Brasil'

cv. (Unnamed seedling × unnamed seedling) H: Fa. A.J. van der Zwet, REG: Fa. A.J. van der Zwet (2003). Inside strong orange-yellow (17A), midveins and area above nectaries strong orange (25A), throat vivid yellow (14A); outside vivid orange-yellow (21A), midribs vivid yellow (17C); spots few, dark red (59A); papillae strong orange (25A); nectaries moderate yellowish green (137D); pollen strong orange (170A); stigma dark red (59A). Fls 165 mm wide; petals 105 × 60 mm, margins smooth, tips recurved. Lvs 140 × 25 mm. Stems 1.3 m, green, with 5-7 fls.

I(a/b) BRIGHT PIXIE

Trade Designation of 'Ceb Bright'.

I(a/-) BRIGHT YELLOW

Trade designation of 'Cordelia'.

I(a/c) 'Brushmark-Brillant'

cv. (Unnamed Asiatic seedling × 'Berliner Morgen') H: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2000), I: G. Steinbrück (2000), REG: G. Steinbrück (2003). Inside strong orange (169C), shading to pale orange-yellow (159B) at tips; outside pale apricot; spots numerous, small, dark red (59A) over the basal three-quarters of each petal, brushmarks small, dark red (59A); nectaries pale yellow (158B), hoary; pollen moderate reddish orange (171A); stigma moderate orange (170C). Fls 100 mm wide, star-shaped; petals 45 × 29 mm, margins smooth, tips not recurved. Lvs alternate, 80 × 14 mm. Stems 0.65 m, dark green, with 5-8 fls. Mid July. (Published in ELG sales list, 2001. Nomenclatural standard: colour print provided by registrant (WSY 0038765).)

VI(c/d) 'Bubbling Over'

cv. (('White Henryi' × *henryi*) × *henryi*) H: C. Helsley (1994), G: C. Helsley (1997), N: C. Helsley (2003), REG: C. Helsley (2003). Inside and outside pale yellow (18D), throat strong orange (25A) extending over lower half of each petal; dots and

lines strong brown (172A) over lower half of each petal and papillae over lower third of each petal; nectaries mid green; pollen golden brown; stigma green. Fls 80 mm wide, slightly scented; petals 85 × 20 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 135 × 28 mm. Stems 1.5 m, dark green dotted with dark red-violet, with c.15 fls (and some secondaries) in a long inflorescence. July.

I(b/c) 'Buchholzer Riese'

cv. ('Yukatan' × Feldmaier Asiatic seedling (Fe4)) H: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2000), I: G. Steinbrück (2000), REG: G. Steinbrück (2003). Inside moderate red (179A) with soft orange streaks near midveins; outside moderate red (179A); spots many, small, moderate brown (200C), on basal half of each petal; nectaries yellowish grey (156C); pollen strong brown (172A); stigma dark reddish orange (173A). Fls 150 mm wide; petals 75 × 31 mm, margins smooth, tips rounded, slightly recurved. Lvs alternate, 82 × 12 mm. Stems 1 m, dark green to dark violet, with 10-12 fls. Mid July. (Published in ELG sales list, 2001. Etymology: Buchholz is an area of Berlin-Pankow, where the registrant grows some of his plants. Nomenclatural standard: colour print provided by registrant (WSY 003876E).)

VII(a/b-c) 'Buckingham'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V., REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D), midveins light greenish yellow (8B), throat yellowish white (155D); outside yellowish white (155D) suffused with pale yellow (11D), some outer petals suffused with vivid purplish red (57D) and strong yellow-green (143C) at tip; spots light greenish yellow (8B); papillae present; nectaries light green (144C); pollen strong reddish orange (169A); stigma very pale purple (69D). Fls 300 mm wide, slightly scented; petals 170 × 60 mm, margins ruffled, tips recurved. Lvs alternate, 170 × 48 mm. Stems 1.04 m, green, with c.2 fls.

I(a/b) 'Bugatti'

cv. (Parentage unknown) H: Fa. A.J. van der Zwet, REG: Fa. A.J. van der Zwet (2003). Inside vivid reddish orange (34A/33A), midveins vivid red (45A) but in young fls midveins strong yellowish pink (32C), throat light yellowish pink (34C); outside vivid reddish orange (34B), each petal strong red (53C) at base, midribs and edges strong reddish orange (42C); spots many, strong red (46A); papillae vivid reddish orange (34A/33A); nectaries (53A); pollen moderate red (180A); stigma strong reddish orange (32B). Fls 150 mm wide; petals 105 × 55 mm, margins smooth, tips slightly recurved. Lvs 140 × 23 mm. Stems 1.3 m, green, with c.10 fls.

VII(a/-) 'Camargue'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish red (64B), midveins yellow at base; outside deep purplish pink (72D); spots and papillae present; nectaries green; pollen dark brown; stigma grey-green flushed with purple-red. Petal margins strongly ruffled, tips slightly recurved. Stems tall, with reddish markings. Early.

VIII(a/b) CAMBIA

Trade designation of 'Zanlabia'.

VII(a/b) 'Campinas'

cv. (Seedling of 'Star Gazer' × pink-flowered seedling) H: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies

B.V. (2002), I; Bischoff Tulleken Lelies B.V. (2002), REG; Bischoff Tulleken Lelies B.V. (2002). Inside yellowish white (155D) at base of petals, shading upwards and towards margins to light purplish pink (62B), throat yellowish white (155D); outside yellowish white (155D) at base of petals, shading upwards to pale purplish pink (65C); spots and papillae present; nectaries strong yellow-green; pollen strong reddish orange to strong orange (169A/B); stigma pale yellow-green (193D). Fls 190 mm wide; petals 110 × 60 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 140 × 30 mm. Stems 0.84 m, dark, with c.5 fls. July.

VII(a-b/-) ‘Canada’

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside and outside yellowish white (155D); spots absent; papillae present; nectaries green, the edges becoming purple-red with age; pollen red-brown; stigma dark purple. Petal margins slightly ruffled, tips strongly recurved. Stems medium to tall. Midseason.

I(a/c) ‘Canyon Echo’

cv. (up-facing tan-flowered seedling × ‘Wendy’s Choice’) H; E.E. Fox (1991), G; E.E. Fox (1993), N; E.E. Fox (1993), I; Fox Lily Ranch (2003), REG; E.E. Fox (2002). Inside light orange-yellow (22B), with large central splashes of moderate reddish brown (171A), throat strong yellowish pink (31C); outside light orange-yellow (22B), midribs greyish red (184A); spots absent; nectaries strong orange (25B), frosted; pollen dark reddish orange (175C); stigma dark reddish orange (175B). Fls 120 mm wide; petals 60 × 35 mm, margins slightly ruffled, tips not or slightly recurved. Lvs alternate, 100 × 18 mm. Stems 0.8 m, green mottled with black, with 15-17 fls. Late July. (Etymology: colour is reminiscent of the Grand Canyon, USA. Nomenclatural standard: hard copy of a scanned colour image provided by registrant (WSY 0034902).)

VII(a-b/-) ‘Caravaggio’

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside and outside yellowish white (155D); spots absent; papillae present; nectaries green; pollen orange-brown; stigma purple. Petal margins ruffled, tips strongly recurved. Stems of medium height. Midseason.

V(b/a) ‘Carmel’

cv. (Parentage unknown) R; A. Cohen (pre 1999), I; Agricultural Research Organisation, REG; Zabo Plant (2003). Inside pale yellow-green (155A), tinged with light yellow-green (145D), midveins strong yellow-green (144A) from the base, fading from strong yellow-green (144B) to strong yellow-green (144C) over two-thirds of the length, throat strong yellow-green (144B); outside pale yellow-green (155A) tinged with light yellow-green (150D), midribs strong yellow-green (145A), spots and papillae absent; nectaries strong yellow-green (144A); pollen vivid yellow (14A); stigma yellowish grey (194C). Fls 170 mm wide; petals 195 × 40 mm, margins smooth, tips not ruffled. Lvs 245 × 25 mm, dark green. Stems 0.47 m, dark green, with c.6 fls. Syn: ‘Mt Carmel’. (In 1999, PBR were granted in Israel to ‘Carmel’. In May 2003, European PBR were granted under the name ‘Mt Carmel’, which must be regarded as a synonym.)

VII(a/b) ‘Carribbean’

cv. (unknown × seedling 88-171) H; Vletter & Den Haan Beheer B.V. (1994), N; Vletter & Den Haan Beheer B.V. (2002), REG; Vletter & Den Haan Beheer B.V. (2002). Inside vivid purplish red (57D), midveins vivid purplish red (57C), throat

yellowish white (155D); outside of each petal yellowish white (155D) at base, shading into vivid purplish red (57D), with yellowish white (155D) margin at tip; spots moderate purplish red (58A); papillae present; nectaries strong yellow-green (144B); pollen strong brown (172A); stigma deep reddish purple to dark purple (77A/83A). Fls 250 mm wide; petals 150 × 80 mm, margins ruffled, tips slightly recurved. Lvs alternate, 200 × 50 mm. Stems 1.1 m, green with darker markings at base, with c.4 fls. (Despite the erroneous spelling of the name, this cv. was deliberately submitted for registration as ‘Caribbean’.)

I(a/b) ‘Casa Bella’

cv. ((‘Gran Paradiso’ × ‘Snowstar’) × seedling of ‘Aristo’) H; Bischoff Tulleken Lelies B.V. (1992), G; Bischoff Tulleken Lelies B.V. (1995), N; Bischoff Tulleken Lelies B.V. (2002), I; Bischoff Tulleken Lelies B.V. (2002), REG; Bischoff Tulleken Lelies B.V. (2002). Inside vivid orange (28A), throat light orange (28C); outside light orange (28C) shading to vivid orange (28B) towards petal margins; spots absent; papillae present; nectaries strong reddish orange (34C); pollen moderate red (181A); stigma moderate purplish red (59C). Fls 179 mm wide; petals 110 × 60 mm, margins smooth, tips recurved. Lvs alternate, 105 × 20 mm. Stems 0.84 m, green with dark markings, with c.5 fls. June.

VII(a/b) ‘Cassini’

cv. (Seedling 91-27 × seedling RM 95-73) H; Vletter & Den Haan Beheer B.V. (1998), N; Vletter & Den Haan Beheer B.V. (2002), REG; Vletter & Den Haan Beheer B.V. (2003). Inside vivid purplish red (57C), with strong red (53B) stripe along midveins, throat yellowish white (155D); outside light purplish pink (68D), deep purplish pink (68A) along midribs; spots moderate purplish red (59C); papillae present; nectaries strong yellow-green (144C) with light greenish yellow (3D) edges; pollen vivid reddish orange (34B); stigma strong to deep purplish red (60B/71A). Fls 230 mm wide, slightly fragrant; petals 140 × 80 mm, margins slightly ruffled, tips slightly recurved. Lvs 220 × 48 mm. Stems 1.17 m, green with darker markings, with c.4 fls. Syn: ‘Hermitage’.

VII(b/-) CASTOR

Trade designation of ‘Vlemora’.

VII(a/b) ‘Catalonie’

cv. (Seedling 89-14 × seedling RW 94-20) H; Vletter & Den Haan Beheer B.V. (1998), N; Vletter & Den Haan Beheer B.V. (2002), REG; Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D); outside yellowish white (155D), midribs pale yellow-green (4D); spots and papillae present; nectaries strong yellow-green (144C); pollen strong orange (169B); stigma light purplish pink (63D). Fls 210 mm wide, slightly scented; petals 143 × 55 mm, margins smooth, tips recurved. Lvs alternate, 180 × 50 mm. Stems 0.8 m, light green with darker suffusion at base, with c.3 fls.

VII(a-b/-) ‘Catamaran’

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside strong to moderate purplish pink (73B/65A), each petal lighter towards base and margins, midveins yellow at base; outside light purplish pink (65B); spots and papillae present; nectaries green; pollen light brown; stigma green, flushed with purple. Petal margins ruffled, tips recurved. Stems medium to tall, with reddish markings. Early to midseason.

I(a/b) 'Ceb Bright'

cv. (Seedling 113-81 × seedling A-456-84) H: Cebeco Lilies, Inc. (1989), G: Cebeco Lilies, Inc. (1991), N: Cebeco Lilies, Inc. (2002), I: Cebeco Lilies, Inc. (2002), REG: Cebeco Lilies, Inc. (2002). Inside vivid yellow (9A/B), throat pale greenish yellow (10D); outside light greenish yellow (5D) at base, shading to brilliant yellow (7B) above; spots greyish brown (166A); papillae absent; nectaries creamy white (159D); pollen brownish orange (172C); stigma moderate red (183D). Fls 135 mm wide; petals 70 × 40 mm, margins smooth, tips recurved. Lvs alternate, 80 × 12 mm. Stems 0.45 m, light green with darker markings, with c.5 fls.

I(a-b/-) 'Centerfold'

cv. (Parentage unknown) H: Mak-Leek, Inc. (1990), G: Mak-Leek, Inc. (1993), N: Mak-Leek, Inc. (2000), I: Euro Lelie, B.V. (2003), REG: Mak-Leek, Inc. (2003). Inside yellowish white (155D) with dark red (187B); outside yellowish white (155D); spots and papillae present; nectaries green; pollen light brown; stigma purple. Fls 170 mm wide; petals 90 × 45 mm, margins slightly ruffled, tips slightly recurved. Lvs 140 × 15 mm. Stems 0.95 m. Midseason.

VII(a-b/-) 'Chablis'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside and outside yellowish white (155D); spots absent; papillae present; nectaries yellow-green; pollen red-brown; stigma dark purple. Petal margins strongly ruffled, tips slightly recurved. Stems of medium height. Early to midseason.

VII(b/-) 'Chapeau'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside moderate purplish pink (65A), each petal white towards base; outside light purplish pink (68D); spots and papillae present; nectaries green changing to yellow; pollen orange-brown; stigma green. Petal margins slightly ruffled, tips recurved. Stems medium to tall, with reddish markings. Early to midseason.

I(a-b/-) 'Chatta Hoochee'

cv. (Parentage unknown) H: Mak-Leek, Inc. (1991), G: Mak-Leek, Inc. (1993), N: Mak-Leek, Inc. (2002), I: Euro Lelie B.V. (2002), REG: Mak-Leek, Inc. (2003). Inside strong pink (54C), greenish white (155C) at base; outside deep purplish pink to strong pink (54B/C); spots and papillae present; nectaries green; pollen light brown; stigma pink with purple spots. Fls 140 mm wide; petals 70-80 × 37.5-40 mm, margins slightly ruffled, tips slightly recurved. Lvs 120 × 12.5 mm. Stems 0.65 m, with some dark markings, with 8 fls. Early.

I(a/b) 'Cheops'

cv. (Seedling G 93-13 × seedling AJ 96-4) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong orange (24A), each petal vivid yellow (15A) towards margins and tip, and with a large vivid orange-pink (28A) spot above throat, throat light yellow-green (145D); outside brilliant yellow (13C), at the base strong yellowish green (141C), at the tip with a deep yellowish green (141A) spot, midribs a streak of strong orange-yellow (22A); spots absent; papillae vivid orange-pink (28A); nectaries strong yellowish green (141C); pollen greyish red (176A); stigma deep purplish red (59B). Fls 150 mm wide, slightly fragrant; petals 110 × 35 mm, margins smooth, tips slightly recurved. Lvs 155 × 16 mm. Stems 1.3 m, green, with c.7 fls.

VII(a/b) 'Cherbourg'

cv. (Seedling A 4 B × seedling RM 94-8) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), midveins brilliant yellow (9C), along midveins pale greenish yellow (9D); outside yellowish white (155D), along midribs pale yellow-green (4D) and towards top of midribs strong greenish yellow (151A); spots and papillae brilliant yellow (9C); nectaries strong yellow-green (144C); pollen strong reddish orange (169A); stigma dark purple (79A). Fls 240 mm wide, slightly fragrant; petals 155 × 57 mm, margins slightly ruffled, tips recurved. Lvs 220 × 43 mm. Stems 1.2 m, light green, with c.4 fls.

VII(a/b) 'Chili'

cv. (Seedling 88-111 × seedling RM 95-34) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside moderate purplish pink to strong purplish red (63B/64C), midveins deep red (53A), throat yellowish white (155D); outside moderate purplish pink (66D); spots deep red (53A); papillae present; nectaries strong yellow-green (144A); pollen greyish brown (166A); stigma very pale purple (85D). Fls 250 mm wide; petals 145 × 55 mm, margins slightly ruffled, tips recurved. Lvs alternate, 200 × 55 mm. Stems 0.97 m, light green with darker markings, with c.3 fls.

VI(b/b) 'Circus World'

cv. (Parentage unknown) H: W.T. Craig, G: W.T. Craig, N: C. Helsley (1998), I: C. Helsley, REG: C. Helsley (2003). Inside white, throat vivid yellow (14A) extending through lower two-thirds of each petal; outside white with broad strong yellow-green (145A) band along midribs; papillae very few on lower third of petals; nectaries strong yellow-green (144B); pollen strong orange (24A); stigma green. Fls 160 mm wide; petals 120 × 28-40 mm, margins slightly ruffled, tips slightly recurved; lower pedicels with secondary buds. Lvs alternate, 170 × 20 mm. Stems 1 m, mid green lightly blotched with darker green, with c.8 fls. Early July.

VI(b-c/a) 'Citadela'

cv. ((Copper King Group × unknown) × ('Danaj' × ('Oneida' × orange-flowered trumpet lily))) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside bright yellow; outside with dark mahogany midribs; unspotted; nectaries green; pollen ochre; stigma greyish. Fls 70 × 115 mm; petals 110 × 40 mm, margins smooth, tips somewhat recurved; pedicels 60 mm long, brown-spotted. Lvs 115 × 10 mm, dark green. Stems 1.25 m, thick, much spotted with dark brown. Early July.

VI(b/a) 'Claudius'

cv. (white-flowered polyploid trumpet hybrid × tetraploid trumpets and aurelians) R: J. Kovář, N: J. Kovář, I: J. Kovář (2002), REG: J. Kovář (2002). Inside white, with three-quarters of throat apricot-yellow; outside with rosy midribs; nectaries green; pollen apricot-brown; stigma grey. Fls fragrant; petals 140 × 55 mm, slightly recurved; pedicels 140 mm long, very thick, finely spotted, with secondary buds. Lvs alternate, 140 × 20 mm, dark and slightly shiny green. Stems 1.4 m, greyed green, thick, finely spotted. Bulb red-brown. Early July. Tetraploid.

VII(a/b) COBRA

Trade designation of 'Zantricot'.

I(a-b/-) ‘Cobra’

cv. (Parentage unknown) H: Peacock B.V., G: Peacock B.V., N: Peacock B.V., I: Peacock B.V. Inside strong purplish red (54A), midveins pale yellow (11C); outside strong pink (54C); spots and papillae present, nectaries strong purplish red (54A); pollen orange-brown; stigma purple. Petal margins ruffled, tips recurved. Stems of medium height, green with darker markings. Very early to early. (Unacceptable name, ICNCP Art. 17.2 (1995).)

VII(a/b) CONSTANTA

Trade designation of ‘Zantriconst’.

VIII(a/-) ‘Daivalen’

cv. (Parentage unknown) H: Koninklijke Van Zanten B.V., G: Koninklijke Van Zanten B.V., N: Koninklijke Van Zanten B.V., I: Koninklijke Van Zanten B.V., REG: Koninklijke Van Zanten B.V. (2003). Inside vivid orange (28B); outside strong orange (25A); spots and papillae absent; nectaries orange; pollen orange; stigma purple. Petal margins ruffled, tips recurved. Stems tall to very tall, green with darker stripes and spots. Midseason to late. (A *longiflorum*/Asiatic hybrid.)

I(a-b/b) ‘Dakar’

cv. ((Hallmark Group × (‘Nutmegger’ × ‘Abendglühen’)) × (‘Connecticut Yankee’ × ‘Windahloo’)) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka, REG: B. Mičulka (2003). Inside and outside golden yellow, throat paler, greenish; brushmarks mahogany, spots red-brown, scarce, dash-like, over a quarter of each petal; nectaries with yellow dust; pollen ochre; stigma pale brown. Fls 120 mm wide; petals 90 × 48 mm, tips scarcely recurved. Lvs 80 × 9 mm, mid green, slightly shiny, dense. Stems 0.55 m, green, thick. Late June.

VII(a/b) ‘Dandolo’

cv. (Seedling 87-122 × seedling 87-69) H: Vletter & Den Haan Beheer B.V. (1993), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside deep purplish pink (66C), each petal with a yellowish white (155D) flame above nectary, and basal third of midrib light greenish yellow (5D), throat yellowish white (155D); outside light purplish pink (65B), each petal with a very pale purple (69D) flame and moderate purplish pink margin, midribs dark greyish yellow (199D) flushed with red; spots light greenish yellow (5C); papillae present; nectaries strong yellow-green (144C); pollen strong orange (169B); stigma very pale green (192B) with some moderate purplish red (64A). Fls 215 mm, slightly scented; petals 125 × 73 mm, margins ruffled, tips recurved. Lvs alternate, 180 × 54 mm. Stems 1.25 m, green with darker markings, with c.5 fls.

I(a/b) DANDY PIXIE

Trade designation of ‘Ceb Dandy’.

VI(b-c/a) ‘Danubia’

cv. (‘Amethyst’ × ‘Eksotika’) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside pale pink on a creamy ground, petal margins veined pink, throat yellow; outside with each petal base brownish and margin veined pink, midribs pinkish; nectaries green; pollen chocolate-brown; stigma brown. Fls 125 mm wide; petals 135 × 47 mm, rigid, thick, tips strongly recurved; pedicels 80 mm long, profusely spotted. Lvs 100 × 9 mm, dull pale green. Stems 105 m, moderately thick, dotted with dark brown. Mid July.

I(b/c) 'Dark Star'

cv. ('Summer Night' × seedling (75-6) of 'Rochester') H: R. & H. Cocker (1997), G: R. & H. Cocker, N: R. & H. Cocker, I: R. & H. Cocker, REG: R. & H. Cocker (2003). Inside darker than dark red (59A) with slightly lighter tips; outside dark red (59A); spots dark, slightly raised; nectaries pinkish white; pollen dark brown; stigma maroon. Fls 125 mm wide; petals 65 × 30 mm, margins smooth, tips not recurved. Lvs alternate, 110 × 9 mm. Stems 1.4 m, dark green, with 12-15 fls. Midseason.

VII(a/-) 'Da Vinci'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish pink (68B), with yellow along nectaries, midveins green at base; outside light purplish pink (73C); spots and papillae present; nectaries green; pollen light brown; stigma purple. Petal margins strongly ruffled, tips recurved. Stems medium to tall, with reddish markings. Early to midseason.

VIII(a-b/a) 'Daytona'

cv. (Seedling 10.229-1 × seedling 88-01) H: World Breeding B.V. (1994), N: World Breeding B.V. (2001), I: World Breeding B.V. (2001), REG: World Breeding B.V. (2002). Inside strong orange (25A) on a strong orange (25B) ground, throat moderate orange-yellow (168D); outside strong orange (25A) on a strong orange (25B) ground, darker towards petal margins; spots few, moderate red (181A); papillae absent; nectaries strong yellow-green (144A); pollen moderate reddish brown (175A); stigma moderate red (181A). Fls 180 mm wide; petals 115 × 55 mm, margins smooth, tips recurved. Lvs alternate, 135 × 40 mm. Stems 1.13 m, green, with c.5 fls. (*A longiflorum*/Asiatic hybrid.)

VII(a/b) 'Deauville'

cv. (Seedling 88-111 × seedling 92-48) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish red (63A) in lower two-thirds, strong purplish red (63B) in upper third, strong purplish pink (63C) towards margins and tip, midveins strong purplish pink (63A), throat yellowish white (155D); outside vivid purplish red (57D) flushed with yellowish white (155D); spots dark red (59A); papillae present; nectaries strong yellow-green (143C); pollen strong brown (172B); stigma light yellow-green (138D). Fls 285 mm wide; petals 145 × 75 mm, margins ruffled, tips recurved. Lvs 170 × 45 mm. Stems 1.1 m, light green, with c.3 fls.

I(a/b) 'Denver'

cv. (Seedling OR 92-23 × seedling AW 94-4) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside pale orange-yellow (23D), brilliant orange-yellow (23B) above nectary and towards margin of each petal, throat pale orange-yellow (19D); outside pale yellow (20D), midribs light yellow-green (144D), light orange-yellow (23C) towards petal margin; spots few, moderate purplish red (59C); papillae brilliant orange-yellow (23B); nectaries strong yellowish green (141C); pollen strong reddish orange (169A); stigma moderate reddish brown (166B). Fls 175 mm wide; petals 100 × 55 mm, margins smooth, tips slightly recurved. Lvs 155 × 15 mm. Stems 1.4-2 m, green with darker markings, with c.6 fls.

I(a/b) 'Desperado'

cv. (('Chinook' × 'Wattle Bird') × 'Endeavour') R: B. Mićulka, N: B. Mićulka, I: B. Mićulka (2003), REG: B. Mićulka (2003). Inside greenish on opening, becoming yellow, throat pale green; outside paler; brushmarks dark crimson-brown, medium

to large; spots dark crimson-brown, few, small, on a quarter of each petal; nectaries white-granulated; pollen brown; stigma whitish. Fls 125 mm; petals 75 × 37 mm, rigid, margin slightly waved, tips scarcely recurved; pedicels 65 mm long, thin, slightly spotted. Lvs 80 × 10 mm, glossy yellowish green. Stems 0.9 m, moderately thick, slightly spotted with pale brown. Late June.

I(a/b) 'Detroit'

cv. (Seedling OR 90-9 × seedling OR 89-5) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid red (46B/45C), throat vivid yellowish orange (30C); outside moderate red (180A), petal margins vivid red (45A), tips with a moderate yellow-green (138B) spot; spots absent; papillae vivid yellowish orange (30C); nectaries moderate yellow-green (148A); pollen dark red (183B); stigma vivid reddish orange (33B). Fls 185 mm wide; petals 113 × 55 mm, margins smooth but some petals with notched margins, tips slightly recurved. Lvs 175 × 20 mm. Stems 1.45 m, green with darker markings, with c.7 fls.

VIII(a/b) DOLCE

Trade designation of 'Zanlalce'.

VII(b/d) DUET

Trade designation of 'Vlebur'.

I(a/b) 'Earliana'

cv. ('Preview' × 'Stellar Gleam') R: B. Mićulka, N: B. Mićulka, I: B. Mićulka (2003), REG: B. Mićulka (2003). Inside apricot, each petal with a crimson-red tip, throat crimson-red; outside pale apricot-yellow; spots dark crimson-red, oval, many, medium sized; papillae white; nectaries white-granulated; pollen orange-brown; stigma old rose. Fls 130 mm wide; petals 80 × 35 mm, tips slightly recurved; pedicels 50 mm long, brownish, thick, very hairy. Lvs 70 × 10 mm, slightly glossy. Stems 0.55 m, pale green, slightly spotted. Early July.

I(a-b/b-d) 'Elektron'

cv. (('Etienne' × 'Monte Rosa') × (('Parfait' × 'Wattle Bird') × ('Parfait' × 'Twilight')) R: B. Mićulka, N: B. Mićulka, I: B. Mićulka (2003), REG: B. Mićulka (2003). Inside dull deep rosy crimson; outside pale crimson with green-brown midribs; spots moderately numerous, small, red-brown, over two-fifths of each petal; nectaries semi-open, crimson-granulated; pollen blackish brown; stigma pale apricot. Fls 80 mm wide; petals 80 × 36 mm, thick, margins smooth, tips strongly recurved; pedicels 75 mm long, green. Lvs alternate, 120 × 14 mm, dull dark green. Stems 1.15 m, thick, dark green, with a moderate length inflorescence. Mid June.

VII(a-b/-) 'Enrosadira'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish pink (68B), midveins white at base; outside strong purplish pink (68B); spots and papillae present; nectaries light green; pollen red-brown; stigma purple. Petal margins strongly ruffled, tips recurved. Stems of medium height, with reddish markings. Very early to early.

VII(a/b) 'Estland'

cv. (Seedling 92-44 × seedling 93-2) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Petals yellowish white (155D) throughout; spots and papillae present;

nectaries light yellow-green (142C); pollen strong orange (169C); stigma pale yellow-green (157C). Fls 240 mm wide; petals 140 × 72 mm, margins ruffled, tips recurved. Lvs alternate, 180 × 45 mm. Stems 1.3 m, light green, with c.3 fls.

VIII(a/b) 'Eyellow'

cv. (Parentage unknown) H: World Breeding B.V., REG: Liliande B.V. (2003). Inside vivid yellow (12A) in basal half, changing towards top to light yellow (12C); outside light yellow (12C), midribs pale greenish yellow (10D); spots dark reddish orange (173A); papillae absent; nectaries strong yellow green (145A); pollen strong orange (169C); stigma light grey (191C), moderate red (183C) at edge. Fls 195 mm wide; petals 120 × 60 mm, margins smooth, tips recurved. Lvs 150 × 30 mm, dark green. Stems 0.7 m, dark green with some darker markings, with 1-6 fls.

VI(b/a) 'Faithful Return'

cv. (Parentage unknown) H: C. Helsley (1966), G: C. Helsley (c. 1969), N: C. Helsley (1996), I: C. Helsley (1996), REG: C. Helsley (2003). Inside white, throat light greenish yellow (3C); outside pale green brushed with moderate to light reddish brown (177A-B); spots and papillae absent; nectaries olive-green; pollen orange-brown; stigma dark grey-green. Fls 160 mm wide; petals 140 × 25-45 mm, twisted, margins slightly ruffled, tips slightly recurved. Lvs alternate, 140 × 4 mm. Stems 1 m, green brushed with darker grey-green, with c.10 fls. Late June.

VI(c/b) 'Fanfaron'

cv. (('Henrietina' × unknown) × ('Crème de la Crème' × unknown)) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside rich apricot, centre with sparse, deep rosy veins; outside paler with pale green midribs; minute brown speckles over a third of each petal; nectaries deep green; pollen brown; stigma green. Fls 135 mm wide; petals 105 × 48 mm, thick, margins wrinkled, tips slightly recurved (outer petals more so); pedicels 85 mm long, thin, spotted with dark brown. Lvs alternate, 110 × 11 mm, dark green, dull. Stems 1.25 m, moderately thick, with very dark red-brown dots, with a short inflorescence. Early July.

I(a-b/b) 'Fantagiro'

cv. (('Plavovláská' × ('Býlásek' × 'Mánes')) × ('Plavovláská' × 'Dekora')) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside bright orange, centre more reddish, petal tips paler; outside with pale brown-rosy midribs; spots not numerous, tiny, brown, over a quarter of each petal; nectaries white-granulated; pollen red-brown; stigma dark brown-purple. Fls 120 mm wide, very slightly out-facing; petals 90 × 38 mm, margins smooth, tips slightly recurved; pedicels 50 mm long, densely dotted with pale brown. Lvs alternate, 85 × 11 mm, dark green. Stems 0.65 m, moderately thick, densely dotted with pale brown, with a moderate length inflorescence. Mid June.

I(a/b) 'Fatal'

cv. (('dauricum' × unnamed seedling) × ('Cinnabar' × unnamed seedling)) H: Bischoff Tulleken Lelies B.V. (1992), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (1999), REG: Bischoff Tulleken Lelies B.V. (2002). Inside vivid reddish orange (42A), throat dark red (187B); outside vivid reddish orange (34B); with age the fl becomes strong red (46A); spots and papillae present; nectaries dark red (187B); pollen strong brown (172A); stigma deep purplish red (59B). Fls 155 mm wide; petals 95 × 43 mm, margins smooth, tips slightly recurved. Lvs alternate, 100 × 12 mm. Stems 1.12 m, green, with c.6 fls. June.

I(a/b) 'Faust'

cv. ('Cadans' × 'Ventoux') R; B. Mičulka, N; B. Mičulka, I; B. Mičulka (2003), REG; B. Mičulka (2003). Inside rich yellow, throat and centre brown-red, each petal with pale tip; outside brownish crimson; spots absent; nectaries yellow-green, granulated; pollen brown; stigma dark violet-brown. Fls 135 mm wide; petals 85 × 40 mm, rather rigid, margins waved, tips slightly recurved; pedicels 85 mm long, thin, dark brown. Lvs 95 × 11 mm, dull pale green. Stems 0.95 m, dark brown, thick, stiff. Late June.

VII(a/b) 'Fenice'

cv. (Parentage unknown) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (2002), REG; Vletter & Den Haan Beheer B.V. (2003). Inside very light purple (75C), each petal with a light greenish yellow (6D) spot at the base and light purple (75B) at the tip, throat yellowish white (155D); outside with outer petals light purple (75A), inner petals very pale purple (76C), basal half of midribs yellowish white (155D); spots deep purplish red (59B); papillae greenish yellow (6D); nectaries (151C); pollen pale yellow-green (196B); stigma greyish yellow-green (195B). Fls 230mm wide, slightly fragrant; petals 142 × 80 mm, margins slightly ruffled, tips slightly recurved. Lvs 210 × 56 mm, dark green. Stems 1 m, green with darker markings, with c.3 fls.

I(b/c) 'Feuerschein'

cv. ('Amurgold' × 'Jetfire') H; G. Steinbrück (1988), G; G. Steinbrück (1992), N; G. Steinbrück (1996), I; G. Steinbrück (2000), REG; G. Steinbrück (2003). Inside strong yellowish pink (34D) with a large, soft pale yellow (20C) blotch at base of each petal; outside strong yellowish pink (34D); spots tiny, red-violet, scattered, at base of each petal; nectaries soft green, edged with soft pink; filaments pink; pollen dark reddish orange (175C); style soft pink; stigma deep purplish red (59B). Fls 140 mm wide; petals 60 × 35 mm, margins slightly ruffled, tips not recurved. Lvs alternate, 80 × 13 mm. Stems 0.7 m, mid green, with 8-10 fls. Late June to early July. (Published in ELF sales list, 2000. Nomenclatural standard: colour print provided by registrant (WSY 0038764).)

VII(a/b) FIDANZA

Trade designation of 'Zantrifid'.

VII(a/-) 'First Love'

cv. (Parentage unknown) H; Koninklijke Van Zanten B.V., G; Koninklijke Van Zanten B.V., N; Koninklijke Van Zanten B.V., I; Koninklijke Van Zanten B.V. Inside strong purplish red (59D), midveins white flushed with pink, throat yellowish white (155D); outside yellowish white (155D) at base of each petal, changing to strong purplish red (59D) towards tip; papillae present; nectaries green; pollen orange; stigma yellow-green. Petal margins ruffled, tips recurved. Stems tall to very tall, green. (Unacceptable name, ICNCP Art. 17.2 (1995).)

I(a/b-c) 'Flammenzeichen'

cv. ('Ancona' × seedling Col 1) H; G. Steinbrück (1989), G; G. Steinbrück (1992), N; G. Steinbrück (1993), I; G. Steinbrück (2003), REG; G. Steinbrück (2003). Inside moderate reddish orange (178D); outside moderate reddish orange (178D); unspotted; pollen moderate red (180A); style moderate red (182A) with a similarly coloured stigma. Fls 150 mm wide; petals 80 × 35 mm, margins smooth, tips slightly recurved. Lvs alternate, 70 × 12 mm. Stems 0.8 m, dark green, with c.15 fls. Early to mid July.

VI(b/a) 'Forever in Love'

cv. (Parentage unknown) N; C. Helsley, REG; C. Helsley (2003). Inside moderate purplish pink (74D) blending to vivid to light reddish purple (74B-C) at edges, throat brilliant greenish yellow (5B); outside vivid to light reddish purple (74B-C); unspotted; nectaries yellow-green; pollen golden brown; stigma purplish. Fls 140 mm wide, strongly scented; petals 150 mm long, outer 40 mm wide, inner 60 mm wide, margins slightly ruffled, tips strongly recurved. Lvs alternate, 150 × 15 mm, light green. Stems 1.5 m, grey-green heavily brushed and dotted with dark red, with c.9 fls. Late June.

VIII(a/b) 'Formose'

cv. (Seedling LAG 93-9 × seedling G 91-18) H; Vletter & Den Haan Beheer B.V., G; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V., I; Vletter & Den Haan Beheer B.V., REG; Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (9A/B), a little darker at the petal margins, throat light yellow-green (154D); outside light greenish yellow (5C), each petal edged with vivid yellow (9A/B), midribs with a little strong yellow-green (144B) at base, outer petals tipped with strong yellow-green (143A); spots and papillae absent; nectaries light yellow-green (154D); pollen more or less deep orange-yellow (163A); stigma brilliant greenish yellow (3A). Fls 195 mm wide; petals 125-130 × 45-50 mm, margins smooth, tips recurved. Lvs alternate, 250 × 25 mm. Stems 1.3 m, green, with c.3 fls. (A *longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Frans Hals'

cv. (Seedling BG 96-59 × seedling AG 96-5) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (2001), REG; Vletter & Den Haan Beheer B.V. (2003). Inside light greenish yellow (3D), midveins and petal margins brilliant greenish yellow (5B), throat pale yellow-green (4D); outside pale yellow-green (4D), each petal strong yellow-green (144C) at base, brilliant yellow (9C) on margins and tip; spots and papillae absent; nectaries strong yellow-green (143B); pollen strong orange (170A); stigma brilliant greenish yellow (5A). Fls 190 mm wide; petals 140 × 65 mm, margins smooth, tips slightly recurved. Lvs 190 × 18 mm. Stems 1.3-1.65 m, green, with c.4 fls. (A *longiflorum*/Asiatic hybrid.)

VII(a/c) 'Free Choice'

cv. (Seedling of Little Rascal Group × unnamed seedling) H; Bischoff Tulleken Lelies B.V. (1990), G; Bischoff Tulleken Lelies B.V. (1994), N; Bischoff Tulleken Lelies B.V. (2002), I; Bischoff Tulleken Lelies B.V. (2003), REG; Bischoff Tulleken Lelies B.V. (2002). Inside yellowish white (155D) throughout; outside yellowish white (155D) with a pale greenish yellow (1D) stripe along midribs, and some petals flushed with strong purplish red (59D); spots and papillae present; nectaries strong yellow-green (144B); pollen moderate red (181A); stigma dark purple (79A). Fls 180 mm wide, slightly scented; petals 115 × 40 mm, margins slightly ruffled, tips recurved. Lvs alternate, 110 × 48 mm. Stems 0.5 m, green, with c.5 fls. July.

V(b/a) 'Galloway'

cv. (Parentage unknown) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (2001), REG; Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D); outside yellowish white (155D), midribs tinged with light yellow-green (145D); spots and papillae absent; nectaries strong yellow-green (144C); pollen vivid yellow (12A); stigma pale greenish yellow (2D). Fls 175 mm wide, fragrant; petals 190 × 65 mm, margins smooth, tips recurved. Lvs 180 × 37 mm, Stems 2 m, green, with c.5 fls.

VIII(a-b/-) 'Gauquin'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong to moderate purplish red (54A/184D), midveins green at base; outside strong purplish red (54A); spots present; papillae very few; nectaries green; pollen brown; stigma purple. Petal margins slightly ruffled, tips slightly recurved. Stems medium to tall, with reddish markings. Early. (*A longiflorum*/Asiatic hybrid)

VIII(a-b/-) 'Georgette'

cv. (Parentage unknown) H: Van der Salm Bulbfarm, Inc. (pre 1999), REG: J.A. Van der Salm (2003). Inside and outside brilliant yellow (14C), towards tips light to pale yellow (11B/C); spots yellow; papillae present; nectaries green; pollen light brown; stigma purple. Petal margins slightly ruffled, tips recurved. Early to midseason.

VIII(a/c) 'Gerrit Zalm'

cv. (Seedling BW 95-07 × seedling AG 94-09) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2003). Inside pale greenish yellow (2D), margins and tip of each petal light yellow-green (2C), throat pale greenish yellow (2D); outside pale greenish yellow (2D), margins and tip of each petal light yellow-green (2C), midribs strong yellow-green (144D); spots and papillae absent; nectaries strong yellow-green (143A); pollen moderate brown (165A); stigma deep yellowish pink (39B). Fls 215 mm wide; petals 125 × 65 mm, margins smooth, tips recurved. Lvs 135 × 23 mm. Stems 1.3 m, green, darker at base, with c.7 fls; buds hairy. (*A longiflorum*/Asiatic hybrid.)

VI(-/a) 'Gillian Grace'

cv. (Parentage unknown) G: (1999), N: A. & T. Buitenhuis (2000), REG: A. & T. Buitenhuis (2003). Inside and outside yellowish white (155D), unspotted, throat brilliant yellow (7A); nectaries strong greenish yellow (151A); pollen moderate reddish brown (175A). Fls 167 mm wide; petals 135 × 57 mm, margins smooth, tips slightly recurved. Lvs alternate, 134 × 13 mm, mid green. Stems 1.25 m, light green mottled with mid brown. December to January (in S hemisphere). (Named after the registrants's daughter.)

VII(a/b-c) 'Glasgow'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside vivid purplish red (57C), throat yellowish white (155D); outside each petal with a third yellowish white (155D) and two-thirds vivid purplish red (57C), midribs yellowish white (155D); spots vivid purplish red (57B); papillae present; nectaries strong greenish yellow (151A) shading to light greenish yellow (8B) along margin; pollen strong orange (168B); stigma moderate purplish pink (66D). Fls 240 mm wide, slightly scented; petals 130 × 62 mm, margins ruffled, tips recurved. Lvs alternate, 155 × 35 mm. Stems 0.81 m, dark, with few fls.

VI(b-c/b) 'Golden Beard'

cv. (Selection from seedlings of 'White Henryi') H: L. Woodriff (pre 1990), G: L. Woodriff, N: L. Woodriff (1990), I: Ozark Mountain Lilies, REG: C. Helsley (2003). Inside brilliant yellow (12B); outside similar but brushed with light green on midribs; papillae very dense, forming a 'beard' above nectaries on well-grown plants; nectaries mid green; pollen golden brown; stigma green. Fls 170 mm wide, strongly scented; petals 130 mm long, inner 52 mm wide, outer 32 mm wide,

margins smooth, tips slightly recurved. Lvs alternate, 124 × 22 mm. Stems 1 m, green heavily marked with dark red, with c.8 fls. July.

VI(b/a) ‘Golden Glimmer’

cv. (Parentage unknown) H: W.T. Craig (c. 1985), G: W.T. Craig (c. 1988), N: C. Helsley (2002), REG: C. Helsley (2003). Inside brilliant yellow (15C); outside similar but heavily brushed with greyish reddish orange (174C); unspotted; nectaries mid green; pollen yellow-orange; stigma green. Fls 150 mm wide, strongly scented; petals 150 mm long, inner 60 mm wide, outer 30 mm wide, margins smooth, tips slightly recurved. Lvs alternate, 140 × 15 mm. Stems 2 m, grey-green with faint red-green dots, with 8-12 fls. Late June. (Published in Ozark Mountain Lilies Seedlist 2003)

VII(a/c) ‘Golden Star’

cv. ((‘Rascal’ × ‘Star Gazer’) × unnamed seedling) H: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2003), REG: Bischoff Tulleken Lelies B.V. (2002). Inside yellowish white (155D), each petal with a flame of light greenish yellow (5C) along midvein, throat yellowish white (155D); outside yellowish white (155D), midribs with pale yellow-green flame; spots brilliant greenish yellow (5B); papillae present; nectaries strong yellow-green (144B); pollen brownish orange (171B); stigma dark purple (79B). Fls 230 mm wide, slightly scented; petals 135 × 65 mm, margins ruffled, tips recurved. Lvs alternate, 140 × 40 mm. Stems 0.9 m, green flushed darker, with c.6 fls. July.

VII(a/b) ‘Grenoble’

cv. (Seedling 92-55 × seedling 93-47) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside moderate purplish pink (65A), light purple (75B) towards margins of each petal which has a small yellowish white (155D) spot at the tip, throat yellowish white (155D); outside moderate purplish pink (66D), midribs brilliant yellow-green (142B) at base changing into yellowish white (155D); spots strong purplish pink (60B); papillae yellowish white (155D); nectaries light yellow-green (144D); pollen strong orange (168A); stigma deep purple (79C). Fls 240 mm wide, slightly fragrant; petals 143 × 72 mm, margins smooth, tips slightly recurved. Lvs 180 × 47 mm, dark green. Stems 1.2 m, green with darker markings, with c.5 fls.

VII(a/b) ‘Guyenne’

cv. (Seedling 93-50 × seedling 92-35) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside pale purplish pink (65D), midveins moderate purplish pink (65A) at top, throat yellowish white (155D); outside very pale purple (69A), midribs light yellow-green (142D) changing towards top to strong purplish pink (63B) with greenish tinge; spots and papillae yellowish white (155D); nectaries strong yellow-green (144B); pollen brownish orange (171B); stigma light grey (188D). Fls 220 mm wide; petals 123 × 66 mm, margins smooth, tips recurved. Lvs 152 × 48 mm, dark green. Stems 1 m, with c.5 fls.

VII(a/b) ‘Halifax’

cv. (Seedling 92-80 × seedling RM 96-2) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside dark red (59A); throat yellowish white (155D), changing into vivid

purplish red (57C); outside deep purplish red (59B), midribs light yellow-green (144D) at base, changing to yellowish white (155D) above; spots and papillae vivid purplish red (57C); nectaries strong yellow-green (145A); pollen moderate reddish orange (171A); stigma light olive-grey (197B). Fls 230 mm wide, slightly fragrant; petals 130 × 67 mm, margins slightly ruffled, tips recurved. Lvs 190 × 55 mm, dark green. Stems 1.2 m, light green, with c.3 fls.

VII(a/b) 'Happy Birthday'

cv. (Unnamed seedling × ('Star Gazer' × *auratum* type lily)) H: Bischoff Tulleken Lelies B.V. (1991), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2002). Inside yellowish white (155D), midveins with a brilliant yellow (13C) stripe from above nectary, throat yellowish white (155D); outside yellowish white (155D), midribs pale yellow-green (155A), the centre pale yellow-green (157A) becoming strong yellow-green (144A) at top; spots brilliant yellow (13B); papillae absent; nectaries strong yellow-green (144B); pollen dark reddish orange (173A); stigma dark red (187A). Fls 190 mm wide; petals 130 × 46 mm, margins ruffled, tips recurved. Lvs alternate, 135 × 40 mm. Stems 0.93 m, green, the basal third with darker markings, with c.4 fls. July.

VIII(a/b) 'Harvard'

cv. (Seedling BG 96-49 × seedling AG 95-14) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside brilliant yellow (13B), midveins, petal margins and tips vivid yellow (13A), throat pale greenish yellow (2D); outside brilliant yellow (12B), each petal light yellow-green (142C) at base changing into pale greenish yellow (2D), margins vivid yellow (13A); spots few, deep purplish red (59B); papillae absent; nectaries light yellow-green (142C); pollen moderate brown (165A); stigma pale yellow (12D) with strong purplish red (59D). Fls 200 mm wide, slightly fragrant; petals 135 × 65 mm, margins smooth, tips recurved. Lvs 133 × 20 mm. Stems 1.1 m, green with darker markings, with 3-5 fls. (*A longiflorum*/Asiatic hybrid.)

VIII(a/c) 'Hauptmann von Köpenick'

cv. ('Yukatan' × Longistar Group) H: G. Steinbrück (1988), G: G. Steinbrück (1992), N: G. Steinbrück (1996), I: G. Steinbrück (1997), REG: G. Steinbrück (2003). Inside pale orange-yellow (24D), edges of petals paler; outside similarly coloured, becoming pale pink towards base; spots large, purplish red, mostly below the large, strong reddish purple (72B) brushmark on basal half of each petal (brushmark itself marked with black-violet); nectaries grey-white-hoary; filaments long, pale pink; pollen reddish brown (166B); style long, pale pink; stigma beige. Fls 150 mm wide; petals 70 × 30 mm, margins smooth, tips not or slightly recurved; pedicels long. Lvs alternate, 80 × 13 mm. Stems 1.2 m, dark green, lightly mottled reddish, with up to 10 fls. Mid to late July. (Published in ELG sales list, 1999. Nomenclatural standard: colour print provided by registrant (WSY 0038762).)

I(a/b) 'Heraklion'

cv. (Seedling OR 90-10 × seedling G 91-4) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1994), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid orange (28B), throat light orange (28D); outside strong orange (25B), midribs light yellow-green (144D) with pale orange-yellow (24D) along midribs and vivid orange-pink (28A) towards petal margins; spots absent; papillae vivid orange (28B); nectaries vivid yellowish orange (30C); pollen dark red

(183B); stigma deep red (60A). Fls 145 mm wide; petals 100 × 55 mm, margins smooth, tips slightly recurved. Lvs 180 × 16 mm. Stems 1.2 m, green, with c.7 fls.

VII(b/b) 'Hidden Valley'

cv. (Parents unknown) H; Mak-Leek, Inc. (1991), G; Mak-Leek, Inc. (1994), N; Mak-Leek, Inc. (1999), REG; Mak-Leek, Inc. (2003). Inside white (155B), midveins pale greenish yellow (2D) fading towards tip; outside white (155B) tipped with strong yellow-green (144A); spots moderate reddish brown (166B) over two-thirds of each petal; papillae white (155B) and pale greenish yellow (2D) in throat; nectaries strong yellow-green (144B); pollen dark reddish orange (175B); stigma dark red (187A). Fls 210 mm wide; petals 105 × 40-55 mm. Lvs 180 × 50 mm, dark green. Stems 1.15 m, green, with 9 fls. Late.

I(a/-) HOFFRICA MARRAKECH

Trade designation of 'Marrakech'.

I(a/-) HOFFRICA VICKY

Trade designation of 'Vicky'.

VII(a/b) 'Houston'

cv. (Seedling 88-131 × seedling 93-14) H; Vletter & Den Haan Beheer B.V. (1996), N; Vletter & Den Haan Beheer B.V. (2002), REG; Vletter & Den Haan Beheer B.V. (2002). Inside light purplish pink (63D), throat very pale purple (69D); outside pale purplish pink (65C); spots deep purplish pink (66C); papillae present; nectaries strong yellow-green (141D); pollen moderate reddish orange (171A); stigma dark purple (79A). Fls 250 mm wide; petals 140 × 87 mm, margins smooth, tips slightly recurved. Lvs alternate, 155 × 38 mm. Stems 0.8 m, green, with c.3 fls.

VII(b/-) 'Huig'

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), midveins yellow-green at base; outside yellowish white (155D); spots absent; papillae present; nectaries green; pollen orange-brown; stigma grey. Petal margins slightly ruffled, tips slightly recurved. Stems short to medium, with reddish markings. Early to midseason.

VIII(a/b) 'Imperatore'

cv. (Seedling BG 96-49 × seedling AG 95-14) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (1999), REG; Vletter & Den Haan Beheer B.V. (2003). Inside brilliant yellow (7A), each petal with vivid yellow (9A) margins and tip, midveins vivid yellow (9A), throat yellowish white (155D); outside light greenish yellow (6D), each petal with brilliant yellow (7A) margins and tip; spots and papillae absent; nectaries light greenish yellow (3D); pollen moderate reddish brown (175A); stigma moderate red (181B). Fls 200 mm wide, slightly fragrant; petals 140 × 51 mm, margins slightly ruffled, tips recurved. Lvs 170 × 20 mm. Stems 1.1 m, green, with 3-5 fls. (*A longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Indian Diamond'

cv. (('Stella' × 'Mirella') × unnamed LA hybrid 93007-8) H; De Jong Lelies Holland B.V. (1996), G; De Jong Lelies Holland B.V. (1998), N; De Jong Lelies Holland B.V. (2002), I; De Jong Lelies Holland B.V. (c. 2003), REG; De Jong Lelies Holland B.V. (2002). Inside strong orange (25B), throat light orange-yellow (22D); outside brilliant orange (25C); spots and papillae absent; nectaries moderate orange-yellow (167D); pollen dark reddish orange (173A); stigma strong red (53D). Fls 175 mm wide; petals

125 × 57 mm, margins smooth, tips slightly recurved. Lvs alternate, 210 × 20 mm. Stems 1.4 m, green with dark markings, with c.6 fls. June. (*A longiflorum*/ Asiatic hybrid.)

VIII(b/b) INTRO

Trade designation of ‘Zanlaitro’.

I(a-b/b) ‘Jadran’

cv. ((‘Díblík’ × ‘Red King’) × (‘Korál’ × (‘Pyrit’ × unknown))) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside rich golden yellow, centre and throat brownish; outside tinged with rose; spots dark brown, not numerous, medium sized, on a quarter of each petal; nectaries green, white-granulated; pollen orange-brown; stigma dark brown. Fls 120 mm wide; petals 85 × 38 mm, tips slightly recurved (the outer more so); pedicels 55 mm long, spotted with rich brown. Lvs 115 × 15 mm, dull pale green. Stems 0.85 m, thick, stiff, heavily brown-dotted. Late June.

I(a/-) ‘Jaguar’

Syn. of ‘Sandokan’.

VII(a/b) ‘Jakarta’

cv. (Seedling 92-83 × seedling RM 95-84) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside light purplish pink (65B), each petal with a brilliant greenish yellow (6C) flame, throat yellowish white (155D); outside light purplish pink (65B), each petal with a yellowish white (155D) flame; spots brilliant greenish yellow (6C); papillae present; nectaries strong yellow-green (144C); pollen vivid reddish orange (32A); stigma moderate purplish red (59C). Fls 220 mm wide, slightly scented; petals 135 × 65 mm, margins ruffled, tips recurved. Lvs alternate, 200 × 37 mm. Stems 1.25 m, light green, with c.4 fls.

I(a-b/-) ‘James Ross’

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside light orange (28C); outside light orange (29B), midribs lighter; spots absent; papillae present; nectaries orange-green; pollen orange-red; stigma purple-red. Petal margins smooth, tips slightly recurved. Stems of medium height, with reddish markings. Midseason.

VIII(a-b/-) ‘Jan de Mooy’

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer (2003). Inside brilliant greenish yellow (2D), at first more intense, midveins green at base; outside pale yellow-green (4D); spots and papillae absent; nectaries green; pollen dark brown; stigma yellow with red spots. Petal margins smooth or very slightly ruffled, tips slightly recurved. Stems of medium height, with some reddish markings. Early. (*A longiflorum*/ Asiatic hybrid)

I(a/c) ‘Jansen’s Surprise’

cv. ((‘Showboat’ × ‘Franky’) × ‘Wing Commander’) H: E.E. Fox (1997), G: E.E. Fox (1999), N: E.E. Fox (2002), I: Fox Lily Ranch (2003), REG: E.E. Fox (2002). Inside dark red (59A), throat strong red; outside strong red (46A); spots very few, small, dark red (59A) deep in the throat; nectaries strong red (46A); pollen vivid reddish orange (33B); stigma blacker than dark red (59A). Fls 140 mm wide; petals 70 × 34 mm, margins smooth, tips slightly recurved. Lvs alternate, 165 × 17 mm, Stems 1 m, green mottled with dark brown, with 26-28 fls. Late July to

early August. (Etymology: named for Mrs Jansen, a friend of the registrant, who had admired the lily.)

VIII(a/-) 'Jan van Wolferen'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside light purplish red (62C), at first strong purplish red (62A) and greenish along nectaries; outside pale purplish pink (62D); spots and papillae present; nectaries green; pollen light brown; stigma light yellow. Petal margins slightly ruffled, tips recurved. Stems medium to tall. Early. (A *longiflorum*/Asiatic hybrid)

VI(b-c/b-c) 'Jolka'

cv. (('Oneida' × unknown) × 'Caramba') R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside rich orange-apricot, each petal with a narrow beige rim, and a quarter with short, darker, raised or papillate dashes; outside pale apricot, midribs pink-veined; pollen brown; stigma pink-brown. Fls 160 mm wide; petals 120 × 42 mm, margins wavy, tips moderately recurved; pedicels 75 mm long, green, slightly spotted. Lvs 110 × 16 mm, slightly glossy mid green. Stems 1.15 m, thick, stiff, slightly brown-spotted. Mid July.

I(c/c) 'Jubilantka'

cv. (unknown × ('Target' × 'Windahloo')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside dark brown-red, petal tips paler; outside bronze with green midribs; spots small, dark brown, scattered over a quarter of each petal; papillae in throat; nectaries white-granulated; pollen brown; stigma black. Fls 70 mm wide; petals 70 × 40 mm, margins wavy and slightly twisted, tough, tips slightly recurved; pedicels 75 mm long, slightly dotted. Lvs alternate, 90 × 9 mm, dark green, dull. Stems 0.85 m, thick, spotted, with a medium length inflorescence. Early June.

I(a/-) JUMBO AMBATO

Trade designation of 'Ambato'.

I(a/-) JUMBO CANDY DULFER

Trade designation of 'Candy Dulfer'.

VII(a-b/b) JUSTINA

Trade designation of 'Zantrijus'.

II(c/d) 'Kalna Karalis'

cv. (Parentage unknown) R: D. Hercbergs, G: D. Hercbergs (1998), N: D. Hercbergs (2002), I: D. Hercbergs (2003), REG: D. Hercbergs (2003). Inside dark red (59A), throat paler; outside dark red (59A), midribs brownish; spots few, red-purple with a yellow border; pollen brownish orange; stigma red-purple. Fls 50 mm wide; petals 38 × 16 mm, margins slightly ruffled, tips slightly recurved. Lvs whorled, 140 × 45 mm. Stems 1.6 m, green, with c.25 fls. Late June. (Etymology: Latvian for 'King of the Mountain'. Raised from seed obtained from NALS seed exchange.)

I(a/c) 'Karen Elizabeth'

cv. ('Mohykán' × 'Connecticut Melon') H: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2003), I: G. Steinbrück (2003), REG: G. Steinbrück (2003). Inside deep orange-yellow (163A), throat greenish white; outside orange-yellow, midribs light green; spots few, small, dark red (59A), at base of each petal; nectaries greenish white; filaments whitish yellow; pollen moderate reddish brown

(166B); stigma strong purple (80B) on a long style. Fls 130 mm wide; petals 80 × 40 mm, margins smooth, tips not recurved. Lvs alternate, 70 × 15 mm. Stems 0.9 m, dark green throughout, with 8-14 fls. Late June. (Etymology: named as a birthday present for Karen Elizabeth Turner. Awarded a 1st prize at the ELG International Exhibition in Machern near Leipzig in 2003.)

I(a/b) 'Karen Turner's Cottage'

cv. (Parentage unknown) G: Hartle-Gilman Gardens (1993), N: M. Hartle (2003), REG: Hartle-Gilman Gardens (2003). Inside light orange-yellow (23D), throat green; outside pale yellow (20D), midribs green; spots absent; nectaries light orange-yellow (23D), frosted; pollen brownish orange (172C); stigma very pale rust. Fls 135 mm wide; petals 67 × 38 mm, margins smooth, tips slightly recurved. Lvs alternate, 104 × 10 mm. Stems 0.9 m, spotted with brown, with 8 fls.

I(b/b-c) 'Karibik'

cv. ('Mirage' × ('Leandra' × 'Windahloo')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside red-brown with bronze over an apricot-yellow ground, petal margins apricot-yellow; outside with yellow midribs; unspotted; nectaries green, white-granulated; pollen apricot-brown; stigma pale yellow. Fls 135 mm wide, flat star-shaped; petals 85 × 37 mm, margins wavy, tips slightly recurved; pedicels 60 mm long, with very dark dots. Lvs alternate, 170 × 8 mm, mid green, dull. Stems 0.65m, thick, brown-red, with a medium-sized inflorescence. Mid June.

VI(b-c/b-c) 'Karolinka'

cv. (((*henryi* × unknown) × 'Gold Eagle') × (Palmer seedling 582821 × Palmer seedling 56221)) × ('Oneida' × Apricot Trumpets Group)) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside pastel yellow tinged with green, throat deeper yellow; outside with greenish midribs; nectaries green-yellow; pollen dark brown; stigma green. Fls 145 mm wide, flat bowl-shaped; petals 105 × 45 mm, thick, margins not wavy, tips strongly recurved; pedicels 90 mm long, brown-spotted. Lvs alternate, 105 × 17 mm, yellowish green, slightly shiny. Stems 1.25 m, dotted red-brown, with a medium-sized inflorescence. Mid July.

VIII(a/b-c) 'Kelso'

cv. (Seedling N 066 × seedling G 90-05) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside greenish white (155C), cream when young, throat light yellow-green (145D); outside greenish white (155C), midribs light yellow-green (145D) changing to light yellow-green (145B) at top; spots very few to absent; papillae absent; nectaries strong yellowish green (141C); pollen greyish brown (166A); stigma strong purplish red (60C). Fls 185 mm wide; petals 130 × 60 mm, margins smooth, tips slightly recurved. Lvs 164 × 23 mm. Stems 1.25 m, with dark markings, with 4-5 fls. (*A longiflorum*/ Asiatic hybrid.)

II(c/d) 'Kiara'

cv. (Parentage unknown) H: D. Hercbergs (1993), G: D. Hercbergs (1997), N: D. Hercbergs (2002), I: D. Hercbergs (2002), REG: D. Hercbergs (2003). Inside strong purplish red (60B), each petal lighter in centre, throat light green-red; outside strong purplish red (60B); pollen dark orange; stigma dark cherry-red. Fls 45 mm wide; petals 40 × 18 mm, margins smooth, tips strongly recurved. Lvs whorled, 150 × 40 mm. Stems 1.4 m, green, darker towards top, with c.25 fls; buds hairy. Late June. (Etymology: Kiara is a Latvian female name.)

I(a/c) 'Kleine Freude'

cv. ('Ancona' × seedling Col 1) H: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (1996), I: G. Steinbrück (1998), REG: G. Steinbrück (2003). Inside and outside moderate reddish orange (171A), the centre of the fl inside flushed with brilliant yellow (8A); spots numerous, medium-sized, moderate reddish brown (175A) on basal half of each petal; nectaries reddish pink, hoary; pollen brownish orange (172C); stigma pale yellow (158A). Fls 120 mm wide; petals 60 × 30 mm, margins smooth, tips not recurved. Lvs alternate, 75 × 13 mm. Stems 0.6 m, dark green, with 6-8 fls. Mid to late June. (Published in Steinbrück sales list, 1998. Nomenclatural standard: colour print provided by registrant (WSY 0038760).)

I(a/b) 'Krakonoš'

cv. ('Hanka' × ('Target' × 'Endeavour')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside red fading into orange-red, throat apricot; outside with centre of petals red-orange, midribs pale green-yellow; faintly mahogany-red brushmarks over half of each petal, and moderately numerous, large, brown-red spots over two-fifths of each petal; nectaries very white-felted; pollen cinnamon-brown; stigma pale beige. Fls 135 mm wide; petals 80 × 40 mm, margins smooth, tips scarcely recurved; pedicels 70 mm long, thick, green, hairy. Lvs alternate, 180 × 12 mm, dark green, dull. Stems 0.75 m, dark green, slightly dotted, with a short inflorescence. Mid June.

I(b/c-d) 'Kreolka'

cv. (('Advent' × 'Impact') × ('Koral' × ('Chinook' × 'Wattle Bird'))) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside salmon-apricot, each petal pale orange in centre, paler at tip; outside paler, midribs red-brown; brushmarks mahogany, linear; spots dark brown-crimson, few, medium to large, over a sixth of each petal; nectaries white-felted; pollen orange-brown; stigma dark brown. Fls 95 mm wide; petals 75 × 42 mm, thick, tips moderately recurved; pedicels 70 mm long, spotted. Lvs alternate, 100 × 12 mm, glossy pale green. Stems 0.95 m, rigid, insignificantly dotted. Mid June.

I(a-b/b) 'Kristián'

cv. (('Sorento' × 'Velehrad') × unknown) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside salmon-pink with brownish tinge, petals darker at base, with pale apricot around nectaries; outside with brown midribs; spots rose-brown, large, fairly numerous, over half of each petal; nectaries greyed olive-green, white-granulated; pollen orange; stigma dark old rose. Fls 130 mm wide; petals 90 × 43 mm, thick, tips slightly recurved (outer petals more so); pedicels 80 mm long, profusely brown-dotted, thick. Lvs alternate, 105 × 21 mm, dull yellowish green. Stems 0.95 m, profusely brown-dotted, thick. Late June.

I(a/b) 'Landini'

cv. (Seedling OR 93-16 × seedling AF 96-2) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside and outside dark red (187A), throat deep red (185A); spots and papillae dark red (187A); nectaries dark bluish green (133A); pollen moderate brown (165A); stigma dark red (187A). Fls 180 mm wide; petals 105 × 44 mm, margins smooth, tips recurved. Lvs 185 × 20 mm. Stems 1.3 m, green with darker markings, with c.6 fls.

I(a) LAVA

Trade designation of 'Apollo'.

VIII(a/b) 'Lillehammer'

cv. (Seedling BG 95-53 × seedling G 90-05) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (14A), throat pale greenish yellow (1D); outside brilliant yellow (13B), margins and tip of each petal vivid yellow (14B); spots absent; papillae vivid yellow (14A); nectaries moderate yellow-green (138B); pollen greyish red (176A); stigma brilliant greenish yellow (5A). Fls 185 mm wide, slightly fragrant; petals 120 × 55 mm, margins smooth, tips slightly recurved. Lvs 155 × 21 mm. Stems 1.2 m, green with c.5 fls. (A *longiflorum*/Asiatic hybrid.)

I(a/-) 'Linosa'

cv. (Seedling OR 91-15 × seedling G 93-7) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (12A), each petal vivid yellow (17B) at base; outside vivid to brilliant yellow (12A/B); spots absent; papillae present; nectaries yellow-green; pollen yellow-brown; stigma purple. Petal margins slightly ruffled, tips slightly recurved. Stems 1.25 m, with reddish markings. Early.

VIII(a/b-c) 'Litouwen'

cv. (Seedling BW 96-2 × seedling W 92-1) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), throat light yellow-green (145D); outside yellowish white (155D), at base light yellow-green (138D) changing to light purplish pink (62C) above; spots absent; papillae yellowish white (155D); nectaries moderate yellow-green (139C); pollen moderate reddish brown (176B); stigma light yellow-green (154D). Fls 230 mm wide, slightly fragrant; petals 130 × 73 mm, margins smooth, tips recurved. Lvs 170 × 27 mm. Stems 1.3 m, dark reddish, with c.5 fls. (A *longiflorum*/Asiatic hybrid.)

VII(a-b/-) 'Little John'

cv. ('Joy' (syn. 'Le Rêve') × unnamed seedling) H: P.N.A. van den Berg (1993), G: M.A. van den Berg (1995), N: M.A. van den Berg & J.A. van der Salm (2000), I: M.A. van den Berg & J.A. van der Salm (1999), REG: M.A. van den Berg & J.A. van der Salm (2003). Inside light purplish pink (73C), base of midveins yellow; outside light purplish pink/very pale purple (73C/D); spots and papillae present; nectaries green; pollen orange; stigma purple. Fls 160 mm wide; petals 80 × 50 mm, margins ruffled, tips slightly recurved. Lvs alternate, 95 × 37 mm, light green. Stems 0.45 m, with c.5 fls. Midseason.

VII(a/b) 'Little Rainbow'

cv. (Little Rascal Group ? × unnamed seedling) H: Bischoff Tulleken Lelies B.V. (1989), G: Bischoff Tulleken Lelies B.V. (1993), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2003), REG: Bischoff Tulleken Lelies B.V. (2002). Inside yellowish white (155D), with light greenish yellow (6D) above nectaries, throat yellowish white (155D); outside yellowish white (155D), midribs light yellow-green (150D) shading into brilliant yellow-green (150C) towards top; spots strong red (39A); papillae brilliant greenish yellow (6A); nectaries strong yellow-green (144C); anthers relatively large in comparison with fl size, pollen vivid orange-yellow (23A); stigma dark purple (79B). Fls 130 mm wide, scented; petals 80 × 52 mm, margins smooth, tips slightly recurved. Lvs alternate, 85 × 45 mm. Stems 0.34 m, green with dark markings, with c.2 fls.

VII(a/b) 'Loire'

cv. (Seedling 88-171 × seedling RM 96-24) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside light purplish pink (65B), petal margins deep purplish red (59B), throat very pale purple (69D); outside light purplish pink (65B), midribs moderate purple (79D) in lower third; spots moderate purplish red (64A); papillae present; nectaries strong yellow-green (144C); pollen strong brown (172A); stigma dark pink (182D). Fls 295 mm wide; petals 140 × 65 mm, margins slightly ruffled, tips recurved. Lvs 200 × 78 mm, dark green. Stems 1.25 m, light green, with c.3 fls.

VII(a-b/b) 'Lucera'

cv. (Seedling 93-25 × seedling RM 96-20) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside moderate purplish pink (66D), midveins deep purplish pink (66C), throat yellowish white (155D); outside deep purplish pink (66C), midribs light yellow-green (144D) at base, passing to yellowish white (155D) in lower third and deep purplish pink (66C) in upper two-thirds; spots strong purplish red (61B); papillae yellowish white (155D); nectaries strong yellow-green (144C); pollen moderate reddish orange (171A); stigma very pale green (192C). Fls 225 mm wide, slightly fragrant, older fls with light yellow (162C) stripes; petals 143 × 72 mm, margins ruffled, tips slightly recurved. Lvs 175 × 50 mm. Stems 1.1 m, green with darker markings, with c.4 fls.

I(a/d) 'Luckauer Gartenschau'

cv. ('Zitronenmädchen' × 'Connecticut Melon') H: G. Steinbrück (1989), G: G. Steinbrück (1993), N: G. Steinbrück (2000), I: G. Steinbrück (2000), REG: G. Steinbrück (2003). Inside light yellow (17D), petal tips and throat strong yellowish pink (34D); outside strong yellowish pink (34D); unspotted; nectaries light orange-yellow (25D), hoary; filaments light orange-yellow (25D); pollen moderate red (179A); style light orange-yellow (25D); stigma deep pink (180D). Fls 120 mm wide; petals 70 × 27 mm, margins smooth, tips strongly recurved. Lvs alternate, 150 × 8 mm. Stems 0.7 m, pale green, with 6-8 fls. Mid June. (Published in ELG sales list, 2000. Nomenclatural standard: colour print provided by registrant (WSY 0038756).)

I(a/c) 'Luckauer Schöne'

cv. ('Dawn Star' × mixed pollen of 'Brushmarks' and brushmarked seedlings) H: G. Steinbrück (1988), G: G. Steinbrück (1991), N: G. Steinbrück (1998), I: G. Steinbrück (2000), REG: G. Steinbrück (2003). Inside vivid yellow (17B), tips of petals cream (158D); outside vivid yellow (17B); spots numerous, small, vivid reddish orange (34A) on basal half of each petal; nectaries moderate yellow-green (138C), white-hoary, violet at top; filaments soft green; pollen strong reddish orange (169A); style soft green; stigma light purple (80C). Fls 125 mm wide; petals 70 × 30 mm, margins smooth, tips not recurved. Lvs alternate, 70 × 16 mm. Stems 0.7 m, dark green, with 8-10 fls. Early to mid July. (Published in ELG sales list, 2000. Nomenclatural standard: colour print provided by registrant (WSY 0038759).)

VII(a-b/b-c) 'Lucy'

Syn. of 'Miss Lucy'

VII(a-b/c) 'Luzia'

cv. (('Allright' × Little Rascal Group) × ('Allright' × unnamed seedling)) H: Bischoff Tulleken Lelies B.V. (1989), G: Bischoff Tulleken Lelies B.V. (1993), N: Bischoff

Tulleken Lelies B.V. (2002), I; Bischoff Tulleken Lelies B.V. (2003), REG; Bischoff Tulleken Lelies B.V. (2002). Inside yellowish white (155D), midveins light greenish yellow (5D) in lower two-thirds; outside yellowish white (155D), midribs pale greenish yellow (2D); spots light greenish yellow (6D); papillae present; nectaries strong yellow-green (144C); pollen greyish red to dark reddish orange (178A/B); stigma greyish red (178A). Fls 180 mm wide; petals 105 × 50 mm, margins ruffled, tips strongly recurved. Lvs alternate, 110 × 28 mm. Stems 0.58 m, green with darker markings, with c.8 fls. July.

I(a-b/-) ‘Maart vanden Haak’

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside and outside strong purplish pink (68B); spots and papillae present; nectaries green with white edge; pollen orange-brown; stigma light green with purple-red spots. Petal margins slightly ruffled, tips slightly recurved. Stems medium to tall, with reddish markings. Very early to early.

VII(a-b/-) ‘Madeleine K. Albright’

cv. (‘Vedea’ × seedling 88-131) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (1998), REG; Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), each petal light purplish pink (73C) towards margins; outside yellowish white (155D); spots and papillae present; nectaries green; pollen orange-brown; stigma purple. Petal margins strongly ruffled, tips recurved. Stems of medium height, with reddish markings. Early to midseason.

VIII(a/b) ‘Makiko’

cv. (Seedling 91.25.399 × seedling 86.65-1) H; World Breeding B.V. (1993), G; World Breeding B.V. (1995), N; World Breeding B.V. (2001), I; World Breeding B.V. (2001), REG; World Breeding B.V. (2002). Inside between moderate red (180C) and deep pink (48B), becoming paler with age, base of midveins orange-pink, throat deep pink (48B); outside deep pink (51C); spots and papillae absent; pollen orange-red; stigma purple-red. Petal margins slightly ruffled, tips slightly recurved. Stems with dark stripes and spots. Early. (*A longiflorum*/Asiatic hybrid.)

I(a/-) ‘Makkum’

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside light orange (28C/D); outside light orange (28D); spots present; papillae absent; nectaries greenish; pollen red-brown; stigma dark red-purple. Petal margins slightly ruffled, tips recurved. Stems of medium height, with reddish markings. Early to midseason.

VIII(a-b/b) ‘Manissa’

This is now the accepted cultivar name for ‘Manisa’ which was registered by Vletter & Den Haan Beheer B.V. in 2001 (see Twentieth Supplement). European PBR were granted to this lily under the name ‘Manissa’ in 2003 and the PBR name must be accepted.

VII(a/b) ‘Marcanti’

cv. (Parentage unknown) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (1999), REG; Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish red (60C), each petal with strong purplish red (71C) towards margins and tip, and strong yellowish pink (31C) spot above nectary, throat very pale purple (69D); outside strong reddish purple (70B), midribs strong yellow-green (145A) at base, changing to very pale purple (73D), with a small strong yellow-green (143A)

spot at top; spots moderate purplish red (59C); papillae brilliant yellow (11A); nectaries strong greenish yellow (151C), brilliant yellow (7A) at the base; pollen strong reddish orange (169A); stigma light purple (78C). Fls 210 mm wide; petals 130 × 70 mm, margins smooth, tips slightly recurved. Lvs 180 × 45 mm. Stems 1.1 m, green with darker markings, with c.4 fls.

VII(a-b/-) 'Marshfire'

cv. (Parentage unknown) H: J.W.A. van der Wereld B.V., G: J.W.A. van der Wereld B.V., N: J.W.A. van der Wereld B.V. (1994), REG: J.W.A. van der Wereld B.V. (2003). Inside strong purplish pink (64C), petals white at base and edged white, midveins yellow changing into red-purple; outside deep purplish pink (64D); spots and papillae present; nectaries green; pollen orange-brown; stigma dark purple (64D). Petal margins ruffled, tips recurved. Stems of medium height to tall, green with darker stripes and spots. Midseason to late.

VII(a/b) 'Maru'

cv. (Unnamed seedling × 'Allright') H: Bischoff Tulleken Lelies B.V. (1991), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2003), REG: Bischoff Tulleken Lelies B.V. (2002). Inside deep purplish red to dark red (59B/A), each petal with white margin, throat yellowish white (155D); outside moderate purplish red (64A), midribs and petal margins yellowish white (155D); spots dark red (187B); papillae absent; nectaries strong yellow-green (144A) changing into brilliant yellow-green (150C); pollen dark to moderate red (183A/182A); stigma dark purple (79A). Fls 160 mm wide; petals 100 × 35 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 140 × 35 mm. Stems 0.7 m, green, with c.4 fls. July.

VII(a/b) 'Matisse'

cv. (Seedling 86-323 × seedling RH 94-23) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside very pale purple (69B), each petal yellowish white (155D) at tip, throat very pale purple (69D); outside very pale purple (69A) with deep purplish pink (70C) along midribs; spots deep purplish pink (67C); papillae present; nectaries light yellow-green (145B) tipped pale greenish yellow (2D); pollen moderate reddish orange (171A); stigma dark purple (79A). Fls 230 mm wide; petals 145 × 75 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 230 × 55 mm. Stems 0.89 m, dark, with few fls.

I(a-b/-) 'Meribel'

cv. (Parentage unknown) REG: Peacock B.V. (2003). Inside strong purplish red (59D) on a pale yellow-green (155A) ground, each petal with a spot of pale yellow-green (155A) above the nectary, and brilliant yellow (12B) extending from the nectary to this spot; outside strong purplish red (59D) on a pale yellow-green (155A) ground, stronger-coloured towards petal margins; spots near nectaries, dark red (187A); papillae near nectaries, hairy or speckled; nectaries same colour as petals, hairy; pollen strong reddish orange (169A); stigma light orange-yellow (22D) with dark red (187B) hair. Fls 140 mm wide; petals 80 × 32.5 mm, margins smooth, tips scarcely recurved. Lvs 90 × 15 mm, mid green. Stems 0.85 m, mid green with some reddish markings, with c.7 fls. Midseason to late.

I(b-c/c) 'Merino'

cv. (unknown × ('Lady Alice' × 'Gold Eagle')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside pale yellow; outside with greenish

midveins; pale cinnamon dusting over half of each petal; nectaries green; pollen pale brown; stigma green. Fls 125 mm wide, flat star-shaped; petals 95 × 40 mm, margins wavy, tips moderately recurved; pedicels 115 mm long, slightly dotted. Lvs alternate, 100 × 20 mm, yellowish green, dull. Stems 1.3 m, thick, densely dotted with red-brown, with a medium length inflorescence. Mid July.

VI(c/d) 'Meteor Shower'

cv. (Parentage unknown) H: R. Prochaska (c. 1980), G: R. Prochaska (c. 1984), N: C. Helsley (1997), I: Ozark Mountain Lilies (1997), REG: C. Helsley (2003). Inside strong orange (24A), each petal with a strong to light orange-yellow (24B-C) area in centre of upper third, and dark reddish orange (172B) pencilling on edges of centre part; outside strong orange (24A); some papillae on edges of centre part of each petal; nectaries dark green; pollen mid brown; stigma green. Fls 100 mm wide, slightly scented; petals 90 × 30 mm, outer a little narrower, margins smooth, tips strongly recurved. Lvs alternate, 112 × 22 mm. Stems 1.25 m, green, heavily dark red-dotted, with c.15 (and some secondary) fls. Early July. (Published in Ozark Mountain Lilies Catalog 1997.)

IX(c/d) *michiganense* 'Almanzo'

cv. (*michiganense* × *michiganense*) R: C. Helsley (1987), N: C. Helsley (1996), I: Ozark Mountain Lilies (1996), REG: C. Helsley (2003). Inside vivid reddish orange (40B), throat strong orange (24A), blending into petal colour; outside vivid reddish orange (40B); spots reddish brown over lower two-thirds of each petal; nectaries green; pollen dark brown; stigma red, tinged with brown. Fls 75 mm wide; petals 80 × 20-27 mm, margins smooth, tips strongly recurved. Lvs whorled, 95 × 28 mm. Stems 2 m, green, with c.8 fls. Late June. (Published in Ozark Mountain Lilies Catalog 1996. Rescued from the wild, and selected by Calvin Helsley. Probably a tetraploid.)

IX(c/d) *michiganense* 'Arkansas Traveler'

cv. (*michiganense* × *michiganense*) R: C. Helsley (1987), N: C. Helsley (2002), REG: C. Helsley (2003). Inside vivid reddish orange (30A), throat vivid yellow (15B), blending into petal colour; outside vivid reddish orange (30A); spots light chocolate-brown over lower two-thirds of each petal; nectaries green; pollen orange-brown; stigma red, tinged with brown. Fls 55 mm wide; petals 85 × 18-20 mm, margins smooth, tips strongly recurved. Lvs whorled, 85 × 15 mm. Stems 1.25 m, green, with c.6 fls. Late June. (Rescued from the wild, and selected by Calvin Helsley.)

IV(c/d) 'Milden Orange'

cv. (Derived from seedlings of Bellingham Group) H: H. Kühne (1989), G: H. Kühne (1995), N: H. Kühne (2001), I: H. Kühne (2001), REG: H. Kühne (2003). Inside vivid orange-yellow (23A), with numerous red spots, those in the apical third appearing more orange; otherwise similar to 'Milden Red Ball'. Fls 65 mm wide; petal margins smooth, tips strongly recurved. Lvs whorled. Stems 1.8 m, green, with c.20 fls. Late June. (Etymology: 'Milden' is derived from Burg Mildenstein, a castle in the registrant's town in Germany. Published in ELG sales list, 2001. Nomenclatural standard: colour print provided by registrant (WSY 0037441).)

IV(c/d) 'Milden Red Ball'

cv. (Derived from seedlings of Bellingham Group) H: H. Kühne (1989), G: H. Kühne (1995), N: H. Kühne (2001), I: H. Kühne (2001), REG: H. Kühne (2003). Inside vivid reddish orange (42A), throat vivid orange-yellow (23A); spots large, red (187A), on the orange-yellow ground (when spots extend beyond this area they are

surrounded by an orange-yellow halo); nectaries moderate green (135B); pollen strong orange (25B); stigma dark red (187A). Fls 65 mm wide; petals 95-100 × 20-25 mm, margins smooth, tips strongly recurved giving the fl a ball-shape. Lvs whorled, 140 × 45 mm. Stems 1.8 m (in the open), strong yellow-green (145A), with some dark red (187A) spots, and up to 20 fls. Late June. (Etymology: see 'Milden Orange'. Published in ELG sales list, 2001. Nomenclatural standard: colour print provided by registrant (WSY 0037445).)

IV(c/d) 'Milden Red Start'

cv. (Derived from seedlings of Bellingham Group) H: H. Kühne (1989), G: H. Kühne (1994), N: H. Kühne (2001), I: H. Kühne (2000), REG: H. Kühne (2003). Flower colour similar to 'Milden Red Ball'. Fls 65 mm wide, opening with strongly recurved petals but soon changing to a more open 'sombbrero' shape; petal margins smooth, tips slightly recurved. Lvs whorled. Stems 2 m, green, with c.20 fls. Late June. (Etymology: see 'Milden Orange'. Published in ELG sales list, 2002 (listed erroneously as 'Red Start' in list of G. Ewald, 2000). Nomenclatural standard: colour print provided by registrant (WSY 0037442).)

VIII(a/b) 'Minsk'

cv. (Seedling LAW 93-1 × seedling W 92-1) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V., REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), throat light yellow-green (145D); outside yellowish white (155D), midribs light yellow-green (145D) with a little deep purplish pink (58D) at top; spots and papillae absent; nectaries strong yellow-green (143B); pollen dark red (183A); stigma moderate purplish pink (70D). Fls 170 mm wide; petals 110 × 60 mm, margins smooth, tips slightly recurved. Lvs 120 × 23 mm. Stems 1.2 m, green with darker flush, with c.6 fls. (A *longiflorum*/Asiatic hybrid.)

VI(c/a) 'Mission Chimes'

cv. (Orange-flowered seedling × yellow-flowered seedling) H: C. Helsley (c. 1980), G: C. Helsley (1984), N: C. Helsley (2002), REG: C. Helsley (2003). Inside brilliant yellow (20A); outside heavily brushed moderate reddish orange to strong yellowish pink (35B-C); unspotted; nectaries green; pollen vivid orange yellow (23A); stigma reddish. Fls 120 mm wide, strongly scented; petals 140 mm long, inner 70 mm wide, outer 30 mm wide, margins slightly ruffled, tips slightly recurved, the outer more so. Lvs alternate, 120 × 15 mm. Stems 1.5-2 m, grey-green, heavily dotted with dark red, with 5-8 fls. Mid June.

VII(a-b/b-c) 'Miss Lucy'

cv. (Parentage unknown) H: J.W. & V.M. Blay, N: Hoffgaarde B.V. (2001), REG: Hoffgaarde B.V. (2003). Inside yellowish white (155D), strong purplish pink (73B) towards top of some petals, ageing to white; outside yellowish white (155D); spots few, purple-red, papillae present; nectaries light green; stamens, style and stigma absent. Fls double; petal margins strongly ruffled, tips slightly recurved. Stems tall, with reddish markings. Early to midseason. Syn: 'Lucy'. (Etymology: named for the raisers' granddaughter.)

VIII(a/b) 'Mombasa'

cv. (Seedling BG 95-71 × seedling OR 93-20) H: Vletter & Den Haan Beheer B.V., G: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), I: Vletter & Den Haan Beheer B.V., REG: Vletter & Den Haan Beheer B.V. (2003). Inside deep red (185A) on a moderate red (185B) ground, suffused

with deep orange-yellow (163A) above nectary for a third of each petal, throat brilliant yellow-green (150C); outside with moderate yellow (160A) midribs flanked by deep pink (180D) and shading out to moderate red (183D) at margins; spots dark red (187B); papillae absent; nectaries moderate yellowish pink (179D); pollen strong orange (24A); stigma brilliant orange (25C). Fls 170 mm wide; petals 130 × 50-60 mm, margins smooth, tips recurved. Lvs alternate, 150-160 × 20-25 mm, mid green. Stems 1-1.3 m, green with darker markings, with c.4 fls. *Syn.*: 'Sonatina'. (*A longiflorum*/Asiatic hybrid. Originally registered in 2001 as 'Sonatina', but because of confusion with Mičulka's 'Sonatina', when Dutch and European PBR were granted in 2002 to the Dutch lily, the name was changed to 'Mombasa'.)

VII(a-b/b) 'Montezuma'

cv. (Parentage unknown) *H.*: Vletter & Den Haan Beheer B.V., *N.*: Vletter & Den Haan Beheer B.V. (2001), *REG.*: Vletter & Den Haan Beheer B.V. (2003). Inside dark red (59A), throat very pale purple (69D); outside deep purplish red (59B), midribs vivid purplish red (61C) with pale yellow-green (155A) base; spots deep reddish purple (77A); papillae present; nectaries brilliant yellow-green (150B); pollen strong orange (169B); stigma dark purple (79A). Fls 275 mm wide, strongly fragrant; petals 145 × 60 mm, margins smooth, tips slightly recurved. Lvs 190 × 55 mm, dark green. Stems 1.3, light green with darker markings, with c.4 fls.

I(a/b) MOON PIXIE

Trade designation of 'Ceb Moon'.

VIII(a/b) MOTET

Trade designation of 'Zanlatet'.

VII(a/b-c) 'Mother's Choice'

cv. (Parentage unknown) *H.*: Mak t' Zand B.V., *REG.*: Liliande B.V. (2003). Inside white (155D), midveins tinged with pale yellow (11D); outside white (155D), midribs pale yellow (11C), petal tips bright yellow (11A); spots absent; papillae white (155D); nectaries strong yellow green (144C); pollen strong reddish orange (169A); stigma moderate yellow-green (138B). Fls 210 mm wide; petals 120 × 60 mm, margins smooth, tips recurved. Lvs 200 × 70 mm, dark green. Stems 0.77 m, green, with c.5 fls. (European PBR were granted in 2003 as 'Mothers Choice', but under the provision of ICNCP Art. 32.14 (2004), this spelling is corrected to 'Mother's Choice'.)

VII(a/b) 'Mount Helena'

cv. (Parentage unknown) *H.*: Mak-Leek, Inc. (1989), *G.*: Mak-Leek, Inc. (1992), *N.*: Mak-Leek, Inc. (1999), *I.*: Mak-Leek, Inc. (1999), *REG.*: Mak-Leek, Inc. (2003). Inside yellowish white (155B); outside yellowish white (155B), midribs strong yellow-green (144C) tipped with strong yellow-green (144A); spots yellowish white (155B) and vivid purplish red (57C) over whole petal; papillae same colour as petals, in throat; nectaries strong yellow-green (143C); pollen greyish red (178A); stigma moderate red (183D). Fls 220 mm wide; petals 110 × 40-55 mm, margins ruffled towards tip, tips slightly recurved. Lvs alternate, 125 × 50 mm. Stems 1.2 m, green, with c.5 fls. Late.

VIII(a/b) MOZART

Trade designation of 'Zanlazar'.

V(b/a) 'Mt Carmel'

Syn. of 'Carmel'.

VIII(a/-) 'Mundial'

cv. (Seedling Lars 93-12 × seedling AM 95-13) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside and outside moderate to strong purplish red (59C/59D); spots and papillae present; nectaries green; pollen orange-brown; stigma purple-red. Petal margins slightly ruffled, tips slightly recurved. Stems 1.25 m, with reddish markings. Early to midseason. (A *longiflorum*/Asiatic hybrid)

VIII(a/b-c) Music

Trade designation of 'Zanlasic'.

VIII(a/b) 'Mystery Queen'

cv. (Seedling 91.20.0091 × seedling A 89.041) H: World Breeding B.V. (1993), G: World Breeding B.V. (1995), N: World Breeding B.V. (2001), I: World Breeding B.V. (2001), REG: World Breeding B.V. (2002). Inside yellowish white (155D), midveins green at base; outside pale yellow-green (155A); spots and papillae present; nectaries green; pollen orange-brown; stigma light purple. Petal margins slightly ruffled, tips slightly recurved. Stem with dark stripes and spots. Early to midseason. (A *longiflorum*/Asiatic hybrid.)

VII(a-b/b-c) 'Namours'

cv. (Seedling 93-78 × seedling RH 95-17) H: Vletter & Den Haan Beheer B.V., G: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), midveins brilliant yellow (10A); outside yellowish white (155D), midribs yellowish white (158D); spots and papillae vivid yellow (9B); nectaries strong yellow-green (144C) with small vivid yellow (9B) edge; pollen strong brown (172A); stigma greenish white (192D). Fls 250 mm wide; petals 135 × 70 mm, margins slightly ruffled, tips recurved. Lvs 177 × 52 mm. Stems 1.2 m, green, with c.6 fls.

VII(a/b) 'Natal'

cv. (Seedling 92-101 × seedling RF 94-5) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1993), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid purplish red (57B), each petal vivid purplish red (57C) towards margin and with a light greenish yellow (1C) spot above nectary, throat yellowish white (155D); outside light reddish purple (74C), midribs strong to moderate yellow-green (143C/143D), tip with a strong yellow-green (143A) spot; spots and papillae deep purplish red (59B); nectaries strong yellow-green (143C); pollen strong brown (172A); stigma deep purple (79C). Fls 203 mm wide, slightly fragrant; petals 115 × 73 mm, margins smooth, tips recurved. Lvs 165 × 50 mm. Stems 1.2-1.4 m, dark reddish brown, with 3-4 fls.

I(a-b/-) 'Nicolette'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (14B), midveins yellow at base; outside vivid yellow (14B); spots absent; papillae present; nectaries green; pollen brown; stigma purple-red. Petal margins slightly ruffled, tips recurved. Stems of medium height. Midseason.

I(a/c) 'Norik'

cv. ('Snowstar' × ('Dekora' × unknown)) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside cream, centre of each petal tinted apricot; outside slightly rosy, midribs pale green at tips; brushmarks very light brown-violet; spots very numerous, large oval, dark brown-violet, over three-fifths

of each petal; nectaries white-granulated, edged with yellow-green; pollen yellow; stigma dark brown. Fls 125 mm wide, nearly flat; petals 90 × 42 mm, thick, margins cupped in parts, tips scarcely recurved; pedicels 65 mm long, green. Lvs alternate, 85 × 12 mm, mid green, dull. Stems 0.75 m, thick, green, with a short inflorescence. Early June.

VII(a/b) 'Nostalgia'

cv. (Parentage unknown) H: Mak t' Zand B.V., N: Mak t' Zand B.V. (2001), REG: Liliande B.V. (2003). Inside and outside strong purplish pink (68B) on a white (155D) ground; outside with a strong yellow-green (145A) midvein; spots absent; papillae white; nectaries strong yellow-green (144B); pollen strong brown (172A); stigma pale yellow-green (193A). Fls 230 mm wide; petals 145 × 70 mm, margins ruffled, tips recurved. Lvs 210 × 60 mm, dark green. Stems 0.85 m, green with darker markings, with 4 fls.

VII(a/b-c) 'Nottingham'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside pale yellow-green (155A); outside pale yellow-green (155A), midribs pale yellow-green (4D); spots pale yellow-green (155A); papillae present; nectaries light yellow-green (145C); pollen strong orange (169C); stigma greyish yellow-green (148D) with small moderate purplish pink (66D) streaks. Fls 290 mm wide; petals 140 × 80 mm, margins ruffled, tips recurved. Lvs 200 × 60 mm. Stems 1.1 m, light green, with c.3 fls.

I(b/c) ON WISCONSIN

Trade designation of 'Winnipeggy'.

I(a-b/-) 'Orange Bowl'

cv. (Parentage unknown) REG: De Lijster Export B.V. (2003). Inside and outside vivid reddish orange (30B); spots few; papillae absent; nectaries orange; pollen red-brown; stigma dark purple. Petal margins slightly ruffled, tips recurved. Stems of medium height to tall, with reddish markings. Midseason.

VI(b-c/b-c) 'Orava'

cv. (('Lady Alice' × 'Carnival Queen') × (((*henryi* × unknown) × 'Lady Alice') × (*henryi* × unknown) × 'Gold Eagle')))) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside apricot-beige fading into beige-yellow; outside with greenish midribs; nectaries yellow-green; pollen apricot-brown; stigma green. Fls 150 mm wide; petals 120 × 46 mm, thick, tips slightly recurved; pedicels 100 mm long, thick, spotted. Lvs alternate, 120 × 60 mm, mid green, slightly shiny. Stems 1.35 m, pale brown, with medium-sized inflorescence with secondary buds. Mid July.

I(a/-) OSCAR

Trade designation of 'Sierra'.

VII(a/b) 'Osorno'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D); outside yellowish white (155D), with a pale yellow (8D) stripe along midribs; spots and papillae present; nectaries light yellow-green (145B); pollen strong orange (168A/B); stigma deep reddish purple

(77A). Fls 210 mm wide, slightly scented; petals 145 × 50 mm, margins slightly ruffled, tips recurved. Lvs alternate, 240 × 65 mm. Stems 1.15 m, light green, with c.3 fls.

VIII(a-b/-) ‘Ostia’

cv. (Seedling BG 95-20 × seedling G 92-10) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (9A); outside vivid yellow (9A/B); spots and papillae absent; nectaries green; pollen dark brown; stigma yellow. Petal margins slightly ruffled, tips slightly recurved. Stems 1.2 m. Early. (A *longiflorum*/Asiatic hybrid.)

I(a/b) PAINTED PIXIE

Trade designation of ‘Ceb Paint’.

I(a-b/b-c) ‘Paola’

cv. (unnamed seedling × ‘Vivaldi’) H: De Jong Lelies Holland B.V., N: De Jong Lelies Holland B.V. (1998), REG: De Jong Lelies Holland B.V. (2003). Inside between strong purplish pink (54A) and moderate purplish red (184D), lighter towards top of each petal; outside moderate purplish red (184D); spots and papillae present; nectaries green; pollen light orange-red; stigma light purple. Petal margins slightly ruffled, tips slightly recurved. Stems 1.3 m. Early to midseason.

VII(a-b/-) ‘Paramount’

cv. (Parentage unknown) H: Van der Salm Bulbfarm, Inc. (1996), REG: J.A. Van der Salm (2003). Inside strong red (53B) changing to deep purplish pink (64D), midveins yellow; outside deep purplish pink (64D); spots and papillae present; nectaries green; pollen light to dark brown; stigma dark purple. Petal margins ruffled, tips recurved. Stems 0.9 m, green with some darker markings. Early.

VII(a-b/b) ‘Password’

cv. (‘Allure’ × ‘Star Gazer’) H: Bischoff Tulleken Lelies B.V. (1989), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2002). Inside yellowish white (155D) in lower third of each petal, moderate purplish pink (62B) in upper two-thirds, midveins light greenish yellow in basal third; outside yellowish white in lower third of each petal, light purplish pink (62C) in upper two-thirds; spots strong purplish red (63B); papillae yellowish white (155D); nectaries light green; pollen strong reddish orange to brownish orange (169A/171B); stigma pale yellow-green (4D). Fls 225 mm wide; petals 125 × 63 mm, margins smooth, tips slightly recurved. Lvs alternate, 145 × 50 mm, light green. Stems 0.93 m, light green with some darker markings, with c.5 fls. July.

V(b/-) ‘Paula Edgington’

cv. (Unnamed seedling × unnamed seedling) H: Van den Bos Breeding B.V. (1989), G: Van den Bos Breeding B.V. (1991), N: Van den Bos Breeding B.V. (1998), REG: Van den Bos Breeding B.V. (2003). Inside yellowish white (155D), midveins with green base fading into cream; outside yellowish white (155D); spots and papillae absent; nectaries green; pollen orange-yellow; stigma green. Petal margins smooth to very slightly ruffled, tips recurved. Lvs glossy green. Stems 1.1 m, green, with 1-5 fls. Midseason to late.

I(b/b-d) 'Peachy Jeanne'

cv. (Parentage unknown) H: W. Lindsay, N: J. & D. Lindsay (2002), REG: J. & D. Lindsay (2002). Inside opening pale peach with a gold underlay, the gold fading with age, throat frosty green; outside peach, midribs mid gold; spots numerous, medium-sized, maroon to brownish, on basal half of each petal; nectaries frosted pale green; pollen rusty red; stigma orange. Fls 110-140 mm wide; petals 50-70 × 20-30 mm, margins smooth, tips slightly recurved. Lvs alternate, 75 × 6 mm. Stems 0.9-1 m, dark green, with many fls. Mid to late July. (Etymology: named for the hybridiser's wife, Jeanne Lindsay. Nomenclatural standard: colour print provided by registrant (WSY 0034925).)

I(c/d) 'Pennyworth'

cv. ('Noris Star' × 'Apricot Supreme') H: E.E. Fox (1990), G: E.E. Fox (1993), N: E.E. Fox (2000), I: Fox Lily Ranch (2003), REG: E.E. Fox (2002). Fls vivid reddish orange throughout (34B); spots middle-sized, blackish, over basal third of each petal; pollen dark reddish orange (175C); stigma dark red (59A). Fls 180 mm wide; petals 90 × 42 mm, margins smooth, tips strongly recurved. Lvs alternate, 180 × 26 mm. Stems 0.92 m, green mottled with plum, with 14-18 fls. Late July to early August. (Etymology: named for a comic book character, Humphrey Pennyworth.)

VI(c/c) 'Pepka'

cv. (((*henryi* × unknown) × 'Gold Eagle') × Palmer seedling 56227) × (((Palmer seedling 582812 × 'Gold Eagle') × 'Mimosa Star') F2) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside lemon-yellow, edges paler; outside greenish at base; nectaries green; pollen chocolate-brown; stigma dark crimson. Fls 115 mm wide, star-shaped; petals 105 × 37 mm, slightly twisted, margins very wavy, tips moderately recurved; pedicels 65 mm long, brown-dotted. Lvs alternate, 150 × 20 mm, mid green, dull. Stems 1.15 m, thick, very densely dotted brown-red, with a medium-sized inflorescence. Late July.

I(b-c/c) 'Perseida'

cv. ((('Juno' × (Hallmark Group × 'Odysseus')) × ((('Brandywine' × 'Connecticut Lemonglow') × (Hallmark Group × unknown)) × 'Juno')) × (((unknown × 'Hawaiian Punch') × (Hallmark Group × ('Nutmegger' × 'Abendglühen')) × ('Connecticut Red' × 'Connecticut Yankee')) × 'Blizzard') H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside very pale yellow, centre of each petal tinted with apricot; outside pale green-yellow, with green and brownish midribs; spots sparse, small, dark brown-pink over a third of each petal; nectaries green, finely granulated; pollen brown; stigma brown. Fls 115 mm wide; petals 75 × 40 mm, thick, margins slightly wavy, tips moderately recurved; pedicels 105 mm long, slightly dotted. Lvs alternate, 125 × 12 mm, dark green, slightly shiny. Stems 0.9 m, densely dotted with black-brown, with a medium-length inflorescence. Mid June.

VII(a-b/-) 'Peru'

cv. (Parentage unknown) N: Vletter & Den Haan Beheer B.V. (2000), REG: Vletter & Den Haan Beheer B.V. (2003). Inside deep purplish pink to moderate purplish pink (66C/D), almost white towards base of each petal; outside moderate purplish pink (66D); spots and papillae present; nectaries green; pollen red-brown; stigma purple. Petal margins ruffled, tips slightly recurved. Stems of medium height, with reddish marking. Late.

I(a/b-c) PETIT SAIGON

Trade designation of 'Saigon'.

VII(a/-) 'Piemonte'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside moderate purplish pink (62B) changing into yellowish white (155D) towards margins and base of each petal, midveins white changing into deep red (60A); outside moderate purplish pink; spots and papillae present; nectaries green; pollen orange-brown; stigma purple-red. Petal margins strongly ruffled, tips recurved. Stems medium to tall, with reddish markings. Midseason.

VII(a-b/b) 'Pink Mystery'

cv. (Parentage unknown) H: Bischoff Tulleken Lelies B.V., REG: Salmon Classic Group (2003). Inside moderate purplish pink (66D), each petal with a brilliant yellow (8A) base; outside moderate purplish pink (66D); spots yellow and brown; papillae present; nectaries green; pollen orange-brown; stigma yellow-green. Fls 240 mm wide; petal margins ruffled, tips recurved. Stems 1-1.1 m, with reddish markings. Midseason.

VI(c/b) 'Polydor'

cv. ('Tetra White Henryi' × (tetraploid *regale* × 'Tetra White Henryi')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside creamy white, basal two-thirds of each petal apricot; outside with faintly rosy-veined midribs; slight cinnamon dusting over two-fifths of each petal; nectaries green; pollen chocolate; stigma dark green. Fls 150 mm wide; petals 140 × 46 mm, margins slightly wavy, tips moderately recurved; pedicels 80 mm, thick, slightly dotted. Lvs alternate, 120 × 16 mm, mid green, dull. Stems 1.15 m, thick, dotted very dark brown, with a short inflorescence. Late July. Tetraploid.

VI(b-c/a-b) 'Polypet'

cv. ('Tetra White Henryi' × (tetraploid *regale* × 'Tetra White Henryi')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside creamy white, throat finely grooved, with apricot rays; outside with the apricot shining through, midribs green with weak rosy veining; papillae sparse, in throat; nectaries green; pollen brown; stigma green. Fls 165 mm wide, broadly trumpet-shaped; petals 150 × 57 mm, margins slightly wavy, tips moderately recurved; pedicels 90 mm long, thick, spotted. Lvs alternate, 100 × 15 mm, dark green, dull. Stems 1.15 m, moderately thick, strongly brown-spotted, with a short inflorescence. Mid July. Tetraploid.

VI(c/b) 'Polyram'

cv. ((tetraploid *regale* × 'Tetra White Henryi') × ('Tetra White Henryi' × tetraploid trumpet)) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside creamy white, throat apricot, the colour extending over basal half of each petal; outside with green midveins and rosy marbling; faint cinnamon dusting over one-fifth of each petal; nectaries green; pollen brown; stigma dark green. Fls 130 mm wide, broadly bowl-shaped; petals 130 × 53 mm, thick, tips slightly recurved; pedicels 60 mm long, very thick, brown-spotted. Lvs alternate, 130 × 20 mm, dark green, dull. Stems 1.05 m, thick, finely spotted red-brown, with a short inflorescence. Mid July. Tetraploid.

VII(a-b/b) 'Pompidou'

cv. (Seedling 92-36 × seedling RW 95-15) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer

B.V. (2003). Inside very light purple (75C), each petal strong purplish red (64C) towards margin, throat greenish white (155C); outside very light purple (75C), each petal strong purplish red (64C) towards margin and on midrib; spots greenish white (155C); papillae present; nectaries strong yellow-green (141D); pollen strong brown (172A); stigma light yellow-green (142C). Fls 255 mm wide; petals 125 × 75 mm, margins slightly ruffled, tips slightly recurved. Lvs 245 × 65 mm. Stems 1.3 m, light green, with c.3 fls.

I(b/c) 'Popelka'

cv. ('Tigrimount' × white-flowered tetraploid seedling) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside beige-old rose, petal tips and throat paler; outside rosy, with deeper-coloured midveins; spots numerous, large, oval, brown-black over three-fifths of each petal; nectaries white-felted; pollen brown; stigma crimson-red. Fls 115 mm wide; petals 95 × 43 mm, margins not wavy, tips strongly recurved; pedicels 90 mm long, densely brown-spotted. Lvs alternate, 135 × 12 mm, dark green, dull. Stems 1.05 m, thick, dotted with brown-black, with a medium-sized inflorescence. Early July. Triploid.

I(a/-) 'Port of Spain'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside and outside yellowish white (155D); spots and papillae absent; nectaries green; pollen light brown; stigma dark purple. Petal margins slightly ruffled, tips slightly recurved. Stems of medium height, with some reddish markings. Early.

VII(a/b) 'Port Said'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), midveins light greenish yellow (8B); outside yellowish white (155D), midribs strong yellow-green (141D), towards top changing from brilliant yellow-green (150C) to strong greenish yellow (151A); spots light greenish yellow (8B); papillae yellowish white (155D) and light greenish yellow (8B); nectaries strong yellow-green (143C); pollen strong reddish orange (169A); stigma light grey (188D) on a long style. Fls 230 mm wide, fragrant; petals 150 × 75 mm, margins ruffled, tips strongly recurved. Lvs 185 × 47 mm, dark green. Stems 1 m, green, with c.5 fls.

I(a/b-c) 'Positron'

cv. (((('Ginny of Millis' × 'Connecticut King') × ('Chinook' × 'Wattle Bird')) × (('Rusalka' × unknown) × unknown)) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside pale orange-red, throat whitish; outside pale orange, midribs pale pink; brushmarks brown-crimson, small, linear, spots dark brown-red, few, small, over a quarter of petals; nectaries dark olive-green, partly open; pollen orange; stigma brown-red. Fls 145 mm wide; petals 80 × 40 mm, margins slightly wavy, tips scarcely recurved; pedicels 60 mm long, profusely brown-dotted. Lvs alternate, 70 × 12 mm, dull pale green. Stems 0.85 m, slightly brown-dotted, thick. Early July.

I(b/c) 'Postilión'

cv. (('Baltais Star' × unknown) × (First Impression Group × 'Windahloo')) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside light orange, each petal with paler tip, throat pale orange; outside paler in centre of each petal, midribs green; spots numerous, large, oval, deep rosy brown over half of each petal; nectaries white-granulated; pollen orange-brown; stigma red-brown. Fls

145 mm wide, irregular; petals 85 × 45 mm, margins downcurved, tips of outer petals slightly recurved; pedicels 75 mm long. Lvs alternate, 100 × 14 mm, dark green. Stems 0.9 m, green, very thick, with a short inflorescence. Early June.

I(a/c) 'Predosa'

cv. (Seedling G 93-8 × seedling AJ 95-11) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid orange-yellow (23A), each petal with narrow strong orange (25B) margin, throat pale orange-yellow (24D); outside light orange-yellow (23C), each petal with brilliant orange-yellow (23B) margin and tip, midribs strong yellow-green (141D) with deep yellowish green (141B) top; spots absent; papillae strong orange (25B); nectaries light orange-yellow (23C); pollen dark reddish orange (173A); stigma deep red (60A). Fls 180 mm wide; petals 100 × 57 mm, margins smooth, tips slightly recurved. Lvs 130 × 16 mm. Stems 1.15 m, green with darker markings, with c.6 fls.

I(a-b/b) 'Primánka'

cv. (('Rosita' × unknown) × ('Plavovláska' × 'Dekora')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside salmon-rose, centre of each petal tinted deeper apricot, tips rosy; outside with brownish midribs; unspotted; nectaries white-granulated; pollen red-brown; stigma red-brown. Fls 130 mm wide, nearly up-facing, broadly bowl-shaped; petals 80 × 37 mm, thick, margin finely wavy, tips scarcely recurved; pedicels 70 mm long, densely dotted. Lvs alternate, 110 × 11 mm, dark green, dull. Stems 0.85 m, brown-dotted, with a short inflorescence. Early June.

VI(b/a) 'Primrose Beacon'

cv. (Parentage unknown) R: E. Robinson, N: E. Robinson, I: E. Robinson (1978), REG: C. Helsley (2003). Inside and outside brilliant yellow (12B); unspotted; nectaries light olive-green; pollen golden brown; stigma green. Fls 150 mm wide, strongly scented; petals 140 mm long, inner 60 mm wide, outer 30 mm wide, margins slightly ruffled, tips strongly recurved. Lvs alternate, 140 × 15 mm. Stems 1.5 m, grey-green, faintly red-dotted, with c.15 fls. Late June. (Formerly called 'Primrose Bells'. Listed (as unregistered) in the 1982 *Register* p. 248.)

I(a/b-c) 'Prince Favourite'

cv. (Seedling of 'Mont Blanc' × 'Apollo') H: Bischoff Tulleken Lelies B.V. (1989), G: Bischoff Tulleken Lelies B.V. (1993), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2002). Fls yellowish white (155D) throughout, with dark red (59A) spots at base of each petal; papillae present; nectaries yellowish white (155D); pollen moderate orange (172D); stigma moderate purplish red (59C). Fls 145 mm wide; petals 90 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 95 × 21 mm. Stems 0.53 m, green, with c.7 fls. June

VIII(a-b/b) 'Printal'

cv. (Seedling 92.10.229-1 × seedling 91.88.01) H: World Breeding B.V. (1994), G: World Breeding B.V. (1996), N: World Breeding B.V. (2001), I: World Breeding B.V. (2001), REG: World Breeding B.V. (2002). Inside pale yellow-green (4D), becoming paler with age, midveins green at base, throat pale yellow-green (4D); outside pale yellow-green (4D); spots and papillae absent; nectaries green; pollen orange-brown; stigma orange-yellow. Fls 180 mm wide; petals 115 × 55 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 135 × 40 mm. Stems 1.15 m, dark, with c.5 fls. Midseason. (*A longiflorum*/Asiatic hybrid.)

VII(a/b) 'Priority'

cv. (Seedling 86-282 × seedling 89-48) H: Vletter & Den Haan Beheer B.V. (1993), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D); outside yellowish white (155D), with pale yellowish green (1D) stripe along midribs; spots and papillae present; nectaries light yellow-green (145B); pollen vivid orange (28A/B); stigma yellowish pink (36D). Fls 260 mm wide; petals 140 × 65 mm, margin smooth, tips recurved. Lvs alternate, 155 × 50 mm. Stems 1.1 m, green, with c.4 fls.

VII(a-b/-) 'Quo Vadis'

cv. (Parentage unknown) H: Mak-Leek, Inc. (1990), G: Mak-Leek, Inc. (1993), N: Mak-Leek, Inc. (2000), REG: Mak-Leek, Inc. (2003). Inside yellowish white (155D) with light yellow (10B) midveins; outside yellowish white (155D); spots yellow; papillae present; nectaries green; pollen brown; stigma purple-red. Fls 200 mm wide; petals 120 × 50-60 mm, margins ruffled, tips strongly recurved. Lvs 190 × 40-50 mm, moderate yellowish green (138A). Stems 0.95 m, with 5 fls. Midseason.

I(b-c/b-c) 'Radar'

cv. ('Tigrimount' × ('Hornback's Gold' × 'Tetra Mountaineer') × cream-flowered tetraploid seedling) H: B. Mićulka, N: B. Mićulka, I: B. Mićulka (2003), REG: B. Mićulka (2003). Inside orange-apricot, centre of each petal tinted red; outside pale orange, edges of outer petals slightly rosy, midribs yellow with brown and green base; spots fairly numerous, large, oval, dark brown-pink over half of each petal; nectaries white-granulated; pollen brown; stigma brown. Fls 145 mm wide; petals 85 × 52 mm, very thick, margins slightly wavy, tips (especially of outer petals) slightly recurved; pedicels 50 mm long, thick, brown-dotted. Lvs alternate, 125 × 19 mm, deep yellowish green, dull. Stems 0.9 m, very thick, with fine pale brown dots, and a short inflorescence. Late June. Polyploid.

I(b-c/d) 'Radegast'

cv. ('Tigrimount' × ('Pinegos Ares' × 'Bold Knight')) H: B. Mićulka, N: B. Mićulka, I: B. Mićulka (2003), REG: B. Mićulka (2003). Inside deep red, petal tips paler, throat orange; outside paler orange-red; spots large, black, over two-thirds of each petal; nectaries glassy-granulated; pollen brown-red; stigma dark brown-red. Fls 115 mm wide; petals 85 × 38 mm, compressed turban-shaped, tips strongly recurved; pedicels 70 mm long, very dark brown-dotted. Lvs alternate, 130 × 18 mm, light green, dull. Stems 0.95 m, thick, spotted very dark brown, with a medium-length inflorescence. Late June. Polyploid.

VI(a/a-b) 'Radion'

cv. (Parentage unknown) H: B. Mićulka, N: B. Mićulka, I: B. Mićulka (2003), REG: B. Mićulka (2003). Inside white, slightly rosy-veined, petals with deeper edges, throat lemon-yellow, colour extending to two-fifths of petals; outside rosy-veined, midribs rosy; nectaries dark green; pollen apricot; stigma pale yellow-green. Fls 145 mm wide and 125 mm long; petals 150 × 65 mm, thick, tips recurved; pedicels 60 mm long, thick, spotted. Lvs alternate, 120 × 10 mm, dark green, dull. Stems 1.4 m, with fine brown dots. Early July.

I(a/c) 'Randa Lou'

cv. (Unnamed seedling × unnamed seedling) H: R. & H. Cocker (1981), G: R. & H. Cocker, N: R. & H. Cocker, I: R. & H. Cocker, REG: R. & H. Cocker (2003). Inside deep pink (51C) shading to strong red (51A), edge paler, throat white; outside deep pink (51C), midribs greenish yellow; very dark spots on two-thirds of each

petal; papillae white; nectaries green; pollen red-brown; stigma maroon. Fls 150 mm wide; petals 75 × 40 mm, margins not ruffled, tips not recurved. Lvs alternate, 125 × 10 mm. Stems 1 m, dark green, with 8-10 fls. Midseason. (Named after one of the raisers' daughters.)

VIII(c/d) 'Random Bliss'

cv. (*martagon* var. *hirsutum* × 'Nightingale') H: N. Martschinke (1973), G: N. Martschinke (1978), N: E.E. Fox, I: Fox Lily Ranch, REG: E.E. Fox (2002). Inside very light purple (75C) in basal two-thirds of each petal, with a deep purplish red (59B) blotch of varying distribution in the top third, throat strong purple (77B); outside strong purple (77B), midribs deep reddish purple (77A); spots dark maroon with a paler halo on central part of each petal; nectaries deep reddish purple (77A); pollen vivid orange-yellow (23A); stigma deep reddish purple (77A). Fls 52 mm wide; petals 40 × 16 mm, margins smooth, tips strongly recurved. Lvs whorled, 40 × 16 mm. Stems 1.2 m, dark green, with 18-22 fls. Late June to early July. (A rare Div. II × Div. IV hybrid. Etymology: the configuration of the apical blotch is random, varying from flower to flower. Nomenclatural standard: hard copy of a scanned colour print provided by registrant (WSY 0034905).)

VI(b-c/d) 'Rapid'

cv. (((Palmer seedling 582812 × 'Gold Eagle') × 'Mimosa Star') × ('Oneida' × 'Toni')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside yellow with an apricot tint, petal tips paler, centre of each petal lightly tinted gold; outside pastel yellow, midribs light rose with green base; spots tiny, raised, pale apricot, over two-thirds of each petal; nectaries deep green; pollen orange-chocolate; stigma green. Fls 125 mm wide; petals 100 × 35 mm, thick, margins smooth, tips moderately recurved; pedicels 85 mm long, green. Lvs alternate, 152 × 23 mm, pale green, dull. Stems 1.15 m, with pale black-brown dots, and a medium length inflorescence. Early July.

I(a-b/-) 'Reale'

cv. (Seedling W 93-3 × seedling W 93-10) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2000), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), midveins green at base; outside yellowish white (155D); spots and papillae absent; nectaries green; pollen orange-brown; stigma green with purple spots. Petal margins slightly ruffled, tips slightly recurved. Stems medium to tall. Midseason.

VIII(a-b/b) 'Red Classic'

cv. (*longiflorum* hybrid × Asiatic hybrid) H: Bischoff Tulleken Lelies B.V., N: Salmon Classic Group (2001), REG: Salmon Classic Group (2003). Inside moderate to deep red (179A/185A), changing to moderate red (179A/B) towards top of each petal, midveins deep red (185A) fading into the petals, throat deep red (185A); outside moderate reddish orange (35A/B), vivid reddish orange (34A/B) towards petal edges; spots few in throat, dark red (187A); papillae present; nectaries similar to petals; pollen strong reddish orange (169A); stigma deep red (185A). Fls 210 mm wide; petals 110 × 40-50 mm, margins slightly ruffled, tips recurved. Lvs 145-160 × 15-25 mm. Stems 1.15 m, green, with reddish markings in lower part, with c.10 fls. Very early. (A *longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Red Label'

cv. (dark red-flowered Asiatic × ('Aristo' × *longiflorum*)) H: Bischoff Tulleken Lelies B.V. (1992), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies

B.V. (2002), I; Bischoff Tulleken Lelies B.V. (2002), REG; Bischoff Tulleken Lelies B.V. (2002). Inside deep red (185A), throat very pale purple (75D); outside vivid purplish red (57C), each petal moderate purplish red (59C) towards margin; spots dark red (59A); papillae absent; nectaries strong yellowish pink (43D); pollen strong reddish orange (169A); stigma deep purplish red (59B). Fls 180 mm wide; petals 130 × 53 mm, margins smooth, tips slightly recurved. Lvs alternate, 195 × 17 mm. Stems 0.92 m, green, with c.2 fls. June. (A *longiflorum*/Asiatic hybrid.)

I(a/b) ‘Red Lion’

cv. (Parentage unknown) R; De Vries Veredeling B.V. Inside moderate to strong red (47A/B), midveins yellow-green at base; outside moderate red to deep yellowish pink (47A-47C), deep pink (47D) along midribs; spots and papillae present; nectaries green; pollen light brown; stigma purple. Petal margins slightly ruffled, tips recurved. Stems tall, with some dark coloration. Early to midseason. (Unacceptable name, ICNCP Art. 17.2 (1995).)

VIII(a-b/b) ‘Red Planet’

cv. (*longiflorum* hybrid × Asiatic hybrid) H; Bischoff Tulleken Lilies B.V., N; Fa. W.F. Houdijk en Zn. (2001), REG; Fa. W.F. Houdijk en Zn. (2003). Inside deep to strong red (53A/B); outside moderate red (180C/182A); spots and papillae present; nectaries orange; pollen red-brown; stigma light purple-red. Fls 220 mm wide; petal margins slightly ruffled, tips slightly recurved. Stems 1-1.1 m, with reddish markings. Very early. (A *longiflorum*/Asiatic hybrid.)

VII(a-b/-) ‘Red Shine’

cv. (Unnamed seedling × unnamed seedling) H; P.N.A. van den Berg (1987), G; M.A. van den Berg (1990), N; M.A. van den Berg, I; M.A. van den Berg (2000), REG; M.A. van den Berg & J. van der Salm de Goede (2003). Inside between deep red (60A) and strong purplish red (60D), white towards margins, midveins with yellow base; outside strong purplish pink (63C); spots and papillae present; nectaries green; pollen orange-brown; stigma purple. Fls 210 mm wide; petals 105 × 60 mm, margins strongly ruffled, tips strongly recurved. Lvs alternate, 140 × 50 mm. Stems 1 m, with c.5 fls. Midseason.

I(a-b/-) ‘Residence’

cv. (Parentage unknown) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (1999), REG; Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D); outside yellowish green (155D), midribs green; spots and papillae present; nectaries green; pollen orange-brown; stigma green with purple spots. Petal margins slightly ruffled, tips slightly recurved. Stems 1.15 m. Early to midseason.

I(a/-) ‘Richelieu’

cv. (Parentage unknown) N; Vletter & Den Haan Beheer B.V. (2001), REG; Vletter & Den Haan Beheer B.V. (2003). Inside and outside yellowish white (155D); spots and papillae present; nectaries green; pollen orange-yellow; stigma green. Petal margins slightly ruffled, tips slightly recurved. Stems medium to tall, with reddish markings. Midseason.

VIII(b-c/b) ‘Robert Swanson’

cv. (Parentage unknown) H; R. Griesbach, N; Lico Company B.V. (2002), REG; Lico Company B.V. (2003). Inside brilliant orange-yellow (23B), each petal with a strong red (53B) flame and a brilliant yellow (11A) spot above the nectary, throat

light greenish yellow (8C); outside pale yellow (11C), light orange-yellow (23C) towards edges, midribs flushed with light yellow-green (145C); spots deep red (53A), papillae absent; nectaries strong yellow-green (144A); pollen strong brown (172A); stigma very light green (130C). Fls 170 mm wide, slightly fragrant; petals 100 × 36 mm, margins smooth, tips recurved. Lvs 108 × 23 mm, with a small moderate reddish brown (176B) spot at top of leaf-stalk. Stems 1.42 m, green marked with reddish.

VII(a/b) RODINA

Trade designation of 'Zantirod'.

I(a-b/-) 'Rodiso'

cv. (Parentage unknown) REG: G. Bottema (2003). Inside with inner petals vivid reddish orange to vivid red (34A/44A), outer petals vivid red (45A), each petal vivid reddish orange (33B) towards base; outside vivid reddish orange (34A); spots and papillae absent; nectaries orange; pollen orange-brown; stigma dark purple. Petal margins ruffled, tips strongly recurved. Stems tall, with reddish markings. Midseason to late.

I(a/c) 'Romanze in Rheinsberg'

cv. (Asiatic seedling NN D.4.25 (ex Neumann) × mixed pollen of 'Impact' and brushmarked seedling) H: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2002), I: G. Steinbrück (2003), REG: G. Steinbrück (2003). Inside dark red (187A) suffused with blackish, tips moderate red (179A), vivid reddish orange (34A) streaks continuing the line of the nectaries, throat dark red (187A); outside dark orange to dark red, edge of petals with slight beige tinge; spots numerous, tiny, inconspicuous, black, over three-quarters of each petal; nectaries white, hoary; filaments long, dark; anthers large with moderate red (183C) pollen; stigma deep purplish red (187D). Fls 110 mm wide; petals 60 × 30 mm, margins smooth, tips not recurved. Lvs alternate, 72 × 12 mm. Stems 0.8 m, dark green, with c.9 fls. Early July. (Nomenclatural standard: colour print provided by registrant (WSY 0038757).)

VI(b-c/b) 'Romulus'

cv. (Parentage unknown) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside beige-apricot, petal tips paler; outside paler apricot, with mid mahogany midribs; sparse cinnamon dusting over a third of each petal; nectaries green; pollen brown; stigma whitish-brown. Fls 115 mm wide; petals 85 × 37 mm, tips strongly recurved; pedicels 50 mm long, slightly brown-dotted. Lvs alternate, 95 × 10 mm, dark green, dull. Stems 0.85 m, dark green, dotted at base, with a short inflorescence. Mid July.

I(a/c) 'Rose Coral'

cv. (tall seedling with up-facing pink fls × short seedling with red and white bicolor fls) H: E.E. Fox (1991), G: E.E. Fox (1993), N: E.E. Fox (1997), I: Fox Lily Ranch (2003), REG: E.E. Fox (2002). Inside moderate reddish orange (35B), each petal with light orange (29B) margin and tip, throat deep yellowish pink (39B); outside moderate reddish orange (35B), midribs vivid yellow (16A); spots small, blackish, finely sprinkled over basal quarter of each petal; nectaries moderate reddish orange (35B), frosted; pollen vivid orange (28A); stigma light orange-yellow (22B). Fls 160 mm wide; petals 80 × 42 mm, margins smooth, tips not or slightly recurved. Lvs alternate, 160 × 25 mm. Stems 0.75 m, green, with 18-22 fls. Late July. (Etymology: name describes fl colour. Nomenclatural standard: hard copy of a scanned colour image provided by registrant (WSY 0034903).)

I(a/b-c) 'Rostock'

cv. (Seedling Col 1 × 'Parisienne') H: G. Steinbrück (1989), G: G. Steinbrück (1991), N: G. Steinbrück (2002), I: G. Steinbrück (2002), REG: G. Steinbrück (2003). Inside and outside moderate purplish red (185C) throughout; spots numerous, medium-sized, dark brown on three-quarters of each petal; nectaries moderate purplish red (185C); pollen brownish orange (166C); style long, light orange (26C); stigma moderate reddish orange (35A). Fls 150 mm wide; petals 80 × 30 mm, margins smooth, tips slightly recurved; pedicels long. Lvs alternate, 60 × 14 mm. Stems 0.9 m, dark green, with 8-10 fls. Mid July. (Etymology: named for the north German town where the International Garden Exhibition was held in 2003. Nomenclatural standard: colour print provided by registrant (WSY 0036755).)

VII(a/b) 'Roubaix'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1995), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside moderate purplish pink (65A) with deep purplish pink (66C) stripes along midveins, throat light purplish pink (68D); outside light purplish pink (73C); spots deep purplish pink (68A); papillae present; nectaries light yellow-green (145B); pollen moderate reddish orange (171A); stigma light blue-violet. Fls 220 mm wide, slightly scented; petals 130 × 73 mm, margins slightly ruffled, tips recurved. Lvs alternate, 205 × 50 mm. Stems 1.25 m, dark, with c.4 fls.

VIII(a-c/-) 'Rovigno'

cv. (Seedling BG 95-53 × seedling AG 95-11) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (14A), midveins with yellow-green base; outside vivid yellow (14A/B); spots and papillae absent; nectaries green; pollen light brown; stigma yellow. Petal margins slightly ruffled, tips slightly recurved. Stems 1.25 m, marked with reddish. Early to midseason. (A *longiflorum*/Asiatic hybrid.)

VI(b-c/a) 'Rowena Sunshine'

cv. (unknown × Golden Splendor Group) H: W. Lindsay (1999), N: D. Lindsay (2002), REG: D. Lindsay (2002). Inside butter-yellow, throat green at base; outside of inner petals lemon-yellow with a narrow brownish purple midrib, outside of outer petals yellow, overlaid with brownish purple, except at margins; spots absent; nectaries light yellow-green; pollen burnt orange; stigma light green. Fls 180 mm wide, strongly scented; petals 140 × 50 mm, margins not or slightly ruffled, tips strongly reflexed. Lvs alternate, 90 × 10 mm. Stems 0.6 m, green with dark speckling, with 3-4 fls. Late July to mid August. (Etymology: named for the raiser's mother, Rowena Lindsay. Nomenclatural standard: colour print provided by registrant (WSY 0034921).)

VIII(a-b/-) 'Royal Diamond'

cv. (Seedling E-81-3 × seedling PM 16) H: J.W.A. van der Wereld B.V. (1990), G: J.W.A. van der Wereld B.V. (1992), N: J.W.A. van der Wereld B.V. (1993), REG: J.W.A. van der Wereld B.V. (2003). Inside and outside strong pink (54C), each petal moderate purplish red (186B) at base; spots and papillae present; nectaries pink; pollen orange-brown; stigma orange. Petal margins ruffled, tips recurved. Stems of medium height, green with reddish stripes and spots. Early to midseason. (A *longiflorum*/Asiatic hybrid.)

VII(a-b/-) 'Royal Wedding'

cv. (Parentage unknown) H: Bischoff Tulleken Lelies B.V., N: Bischoff Tulleken Lelies B.V., REG: Combinatie Strijwaco (2003). Inside yellowish white (155D), midveins light yellow (10B); outside yellowish white (155D); spots yellow; papillae present; nectaries green; pollen red-brown; stigma dark purple. Petal margins ruffled, tips recurved. Stems of medium height to tall. Late.

I(c/d) 'Rumpelstilzchen'

cv. ('Vishenka' × 'Snowcap') H: G. Steinbrück (1988), G: G. Steinbrück (1992), N: G. Steinbrück (1998), I: G. Steinbrück (2000), REG: G. Steinbrück (2003). Inside deep purplish red (59B); outside similarly coloured, with soft green-yellow midribs; spots small to medium-sized, black, over a third of each petal; nectaries grey-white, hoary; filaments long, pink shading to white at base; pollen moderate reddish orange (173B); style long, moderate red (179B); stigma moderate reddish brown (175A). Fls 110 mm wide; petals 60 × 36 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 80 × 13 mm, Stems 0.4-0.6 m, dark green, brown-spotted, with 6-8 fls. Mid June. (Published in ELG sales list, 2000. Etymology: this short lily was named after Rumpelstilzchen (Rumpelstiltskin) - a dwarf in a fairy tale.)

I(a/b) 'Saba Jewel'

cv. ('Nove Cento' × 'Monaco' (syn. 'Mona')) H: De Jong Lelies Holland B.V. (1991), G: De Jong Lelies Holland B.V. (1993), N: De Jong Lelies Holland B.V. (2002), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2002). Inside vivid orange (28A/B), throat light orange (28D); outside strong orange (25B), each petal with vivid orange (28B) margins; spots absent; papillae present; nectaries strong orange (30D); pollen dark reddish orange (173A); stigma moderate purplish red (59C). Fls 175 mm wide; petals 97 × 41 mm, margins smooth, tips recurved. Lvs alternate, 110 × 20 mm. Stems 0.93 m, dark, with c.7 fls. June.

VII(a/b) 'Samoa'

cv. (Seedling 92-45 × seedling RM 95-17) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1994), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), each petal with a large patch of light greenish yellow (8C) on lower two-thirds, midveins brilliant yellow (12B); outside yellowish white (155D) flushed with pale yellow (11D) or sometimes reddish, midribs pale yellow (11D); spots and papillae brilliant yellow (12B); nectaries strong yellow-green (144B); pollen moderate reddish orange (171A); stigma deep purple (79C). Fls 260 mm wide, slightly fragrant; petals 155 × 68 mm, margins ruffled, tips slightly recurved. Lvs 210 × 52 mm, light green. Stems 1.5 m, light green flushed with reddish brown, with c.6 fls.

I(a/b) 'San Sebastian'

cv. (Seedling G 91-18 × seedling AG 95-16) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid yellow (9A), throat pale greenish yellow (1D); outside brilliant yellow (7A), midribs brilliant yellow-green (150C) with a moderate green (135B) spot at top; spots few, dark red (59A); papillae vivid yellow (9A); nectaries strong yellowish green (135C); pollen strong to moderate orange (170A/B); stigma dark red (59A). Fls 190 mm wide; petals 100 × 58 mm, margins smooth, tips recurved. Lvs 150 × 18 mm, dark green. Stems 1.2 m, green with c.12 fls.

I(a/c) ‘Santa Clara’

Originally published in the *Twenty-first Supplement* p. 44 (2003). The registrant has revised the description as follows: Inside and outside strong reddish orange (169A); spots orange, tiny, scattered in centre of fl. All other details are correct.

VII(a-b/b-c) ‘Santander’

cv. (Seedling RW 94-21 × seedling 96-1) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2000), REG: Vletter & Den Haan Beheer B.V. (2003). Inside greenish white (155C); outside greenish white (155C), midribs with some light yellow-green (145D) at the top; spots white; papillae present; nectaries light yellow-green (145B); pollen moderate reddish orange (171A) in large anthers; stigma dark purple (79B). Fls 300 mm wide; petals 150 × 85 mm, margins slightly ruffled, tips recurved. Lvs 215 × 60 mm. Stems 1.1 m, light green, with 3-6 fls.

I(a-b/b) ‘Šarada’

cv. ((‘Polednice’ × (‘Wattle Bird’ × ‘Heloma’)) × ‘Velehrad’) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside yellow-apricot, petal tips paler; outside of petals paler in centre, midribs green; light, linear brushmarks and scattered, medium-sized, oval, mahogany spots over a quarter of each petal; nectaries green, white-granulated; pollen ochre-brown; stigma pale apricot. Fls 125 mm wide, nearly up-facing; petals 78 × 48 mm, margins strongly wavy (outer petals less so), tips slightly recurved; pedicels 45 mm long, green, hairy. Lvs alternate, 90 × 12 mm, dark green (tips paler), dull. Stems 0.7 m, thick, green, hairy, with a short inflorescence. Mid June.

II(c/d) ‘Šarmanta’

cv. (Parentage unknown) R: D. Hercbergs, G: D. Hercbergs (1998), N: D. Hercbergs (2002), I: D. Hercbergs (2002), REG: D. Hercbergs (2003). Inside pink, throat orange-yellow; outside pink, midribs green, edges spotted light yellow; spots brownish red on yellow to white blush; pollen light brown. Fls 55 mm wide; petals 43 × 13 mm, margins smooth, tips slightly recurved. Lvs whorled, 135 × 50 mm. Stems 1.4 m, green, with c.22 fls. Late June to early July. (Raised from seed obtained through NALS seed exchange.)

VII(a/b) ‘Savoje’

cv. (Seedling 86-282 × seedling 89-14) H: Vletter & Den Haan Beheer B.V. (1994), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D), each petal with strong yellow-green (144C) tip, throat yellowish white (155D); outside yellowish white (155D), each petal with pale yellow-green (4D) along midrib and strong yellow-green (144C) tip; spots and papillae present; nectaries strong yellow-green (144B); pollen strong orange (170A); stigma pale yellow-green (157C). Fls 230 mm wide, slightly scented; petals 135 × 50 mm, margins slightly ruffled, tips recurved. Lvs alternate, 190 × 68 mm. Stems 1.1 m, green, with c.3 fls.

VI(b-c/a-b) ‘Saxana’

cv. ((‘Andrea’ × ‘Sommertraum’) × ((Copper King Group × ‘Life’) × ‘Cayuga’)) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside creamy white, throat with apricot rays extending along basal half of each petal; outside with green and mahogany midribs; nectaries green; pollen ochre-brown; stigma green. Fls 130 mm wide; petals 145 × 46 mm, margins not wavy, tips moderately recurved; pedicels 75 mm long, slightly brown-dotted. Lvs alternate, 110 × 15 mm, pale green, dull. Stems 1.05 m, with fine brown dots, and a short inflorescence. Mid July.

VII(a/b) 'Seattle'

cv. (Seedling 91-35 × seedling RF 95-07) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside moderate purplish red (64A), each petal with yellowish white (155D) tip, throat yellowish white (155D); outside moderate purplish red (70A), each petal with white base and tip; spots and papillae present; nectaries strong yellow-green (145A) with a narrow brilliant greenish yellow (5A) margin; pollen moderate orange (167A); stigma pale purplish pink (65D). Fls 210 mm wide, slightly scented; petals 145 × 55 mm, margins slightly ruffled, tips recurved. Lvs alternate, 190 × 53 mm. Stems 0.8-0.9 m, light green, with 2-3 fls.

I(a/b) 'Selma'

cv. (Unnamed seedling × 'Vivaldi') H: De Jong Lelies Holland B.V., N: De Jong Lelies Holland B.V. (1998), REG: De Jong Lelies Holland B.V. (2003). Inside pale purplish pink (55D), lighter towards petal edges, midveins white at base; outside light to pale purplish pink (55C/D); spots and papillae present; nectaries green; pollen orange-yellow; stigma light purple-red. Petal margins slightly ruffled, tips slightly recurved. Stems 1.3-1.4 m. Early to midseason.

VII(a/b) 'Senegalo'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside pale yellow-green (155A), midveins brilliant yellow (10A); outside pale yellow-green (155A), midribs pale yellow (8D); spots vivid yellow (9A); papillae present; nectaries strong yellow-green (145A) edged with brilliant yellow (10A); pollen strong reddish orange (169A); stigma light yellow-green (145D) with small strong purplish pink (68B) streaks. Fls 295 mm wide; petals 140 × 70 mm, margins slightly ruffled, tips recurved. Lvs 225 × 55 mm. Stems 1.3 m, light green, with c.9 fls.

VII(a/b) 'Sestriere'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D) with a light yellow (12C) stripe along midveins, throat yellowish white (155D); outside yellowish white (155D), some outer petals with midribs vivid purplish red (57D) shading into light yellow-green (154D) and strong yellow-green (144B) at top; spots light yellow (12C); papillae present; nectaries strong yellow-green (144B); pollen dark reddish orange (172A); stigma greenish white (192D). Fls 260 mm wide, slightly scented; petals 155 × 55 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 220 × 50 mm. Stems 1.13 m, green, the lowest 30 cm dark, with c.4 fls.

VII(a/c) SHEILA

Trade designation of 'Zantrishi'.

VII(a-b/b) 'Siberia'

cv. (Parentage unknown) H: Mak-Leek, Inc. USA, REG: Siberia Oriëntal B.V. (2003). Inside and outside yellowish white (155D); spots white; papillae absent; nectaries green changing to white; pollen light brown; stigma purple-red. Fls 220 mm wide; petals 150 × 45-75 mm, margins ruffled, tips strongly recurved. Lvs 130-230 × 35-60 mm. Stems 1 m, with 3-8 fls. Midseason to late.

I(a/b) 'Silverstone'

cv. (Seedling W 91-28 × seedling AW 95-7) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), throat light yellow-green (142C); outside yellowish white (155D), midribs light yellow-green (145C); spots and papillae absent; nectaries strong yellow-green (143C); pollen brownish orange (171B); stigma brilliant greenish yellow (1B). Fls 160 mm wide; petals 59 × 53 mm, margins smooth, tips slightly recurved. Lvs 150 × 20 mm. Stems 1.2 m, green with darker markings, with c.5 fls.

VIII(a/b) 'Simone Kleinsma'

cv. (LA hybrid (93081-4) × 'Sancerre') H: De Jong Lelies Holland B.V. (1995), G: De Jong Lelies Holland B.V. (1998), N: De Jong Lelies Holland B.V. (2002), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2002). Inside yellowish white (155D), throat yellow-green (143C); outside yellowish white (155D), each petal light yellow-green at base (142D), flushed with light purplish pink (63D), brilliant yellow-green (150A) at tip; spots absent; papillae present; nectaries yellowish white (155D); pollen brownish orange (164A); stigma light yellow-green (154D). Fls 190 mm wide; petals 125 × 47 mm, margins smooth, tips slightly recurved. Lvs alternate, 135 × 35 mm. Stems 1.2 m, green, darker at base, with c.4 fls. June. (A *longiflorum*/Asiatic hybrid.)

VII(a-b/-) 'Skyros'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), midveins yellow-green at base; outside yellowish white (155D); spots absent; papillae present; nectaries green; pollen orange-brown; stigma grey. Petal margins ruffled, tips recurved. Stems medium to tall. Early to midseason.

I(a-b/-) SNOW STORM

Trade designation of 'Aspin'.

VII(a/b) 'Southampton'

cv. (Seedling 93-13 × seedling 92-35) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish pink (73B), each petal pale yellow (8D) and pale yellow-green (155A) at base, throat greenish white (155C); outside light purplish pink (73C), midribs and petal margins greenish white (155C); spots strong purplish red (60D); papillae present; nectaries greenish white (155C); pollen brownish orange (171B); stigma pale yellow-green (157A). Fls 235 mm wide; petals 115 × 65 mm, margins ruffled, tips slightly recurved. Lvs 155 × 42 mm. Stems 1.1 m, light green, with c.7 fls.

I(a/c) 'Spätsommer'

Syn. of 'Wartburgmelodie'.

VIII(a/b) SPICCATO

Trade designation of 'Zanlacato'.

I(a/c) 'Spree-Romanze'

cv. ('Connecticut Red' × 'Lime Ice') H: G. Steinbrück (1988), G: G. Steinbrück (1992), N: G. Steinbrück (2002), I: G. Steinbrück (2003), REG: G. Steinbrück (2003). Inside moderate red (47A), the tips somewhat darker, moderate red (180A), petal margins with slight beige border, throat moderate red (47A); outside red-

brown, beige in area of midrib; spots numerous, small, black, on basal half of each petal; nectaries grey-white, hoary; filaments moderate purplish red (59C); pollen moderate orange (167A); style moderate purplish red (59C); stigma dark purple (79A). Fls 120 mm wide; petals 60 × 35 mm, margins smooth, tips not recurved. Lvs alternate, dense, 110 × 8 mm. Stems 0.8 m, dark green, mottled red in inflorescence, with c.10 fls. Late June. (Nomenclatural standard: colour print provided by registrant (WSY 0038754).)

I(b/c) ‘Spresonne’

cv. (‘Impala’ × Weidemann Asiatic seedling AS 12) H: G. Steinbrück (1988), G: G. Steinbrück (1991), N: G. Steinbrück (1995), I: G. Steinbrück (1998), REG: G. Steinbrück (2003). Inside light orange-yellow (22D), centre of each petal and throat tinged with red; outside golden yellow with citron-yellow midribs; spots numerous, small to medium-sized, dark purple (79A) on basal half of each petal (but not near margins); nectaries soft yellow-green (150C), hoary; pollen greyish brown (166A) in very large anthers; style dark greenish yellow (152D); stigma dark red (59A). Fls 170 mm wide; petals 90 × 44 mm, margins not or slightly wavy, tips not recurved. Lvs alternate, dense, 50 × 16 mm. Stems 1 m, dark green, with 6-8 fls. Late June. (Published in Steinbrück sales list, 1998. Large-flowered for an Asiatic lily. Nomenclatural standard: colour print provided by registrant (WSY 0038752).)

VI(b-c/b-c) ‘Stadion’

cv. (‘Holubice’ × unknown) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003) Inside pale beige-apricot; outside with brownish midribs, rosy-veined; nectaries yellow-green; pollen apricot-brown; stigma greyish. Fls 145 mm wide; petals 100 × 52 mm, thick, margins not wavy, tips slightly recurved; pedicels 85 mm long, brown-dotted. Lvs alternate, 125 × 16 mm, dark green, dull. Stems 1.15 m, dark green, spotted at base, with medium-length inflorescence. Early July.

VIII(a/b) STANZA

Trade designation of ‘Zanlanza’.

I(a/b) ‘Stockholm’

cv. (Seedling AW 94-9 × seedling AW 95-7) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D); outside yellowish white (155D), midribs light yellow-green (145D), strong yellow-green (145A) at top; spots and papillae absent; nectaries strong yellow-green (144C); pollen moderate reddish orange (171A); stigma pale greenish yellow (1D). Fls 155 mm wide, fragrant; petals 90 × 53 mm, margins smooth, tips slightly recurved. Lvs 130 × 18 mm. Stems 1.2 m, green with darker markings, with 3-5 fls.

VIII(a/b) ‘Strasbourg’

cv. (Seedling J 57 × seedling W 88-12) H: Vletter & Den Haan Beheer B.V. (1996), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside and outside moderate purplish pink (66D), each petal becoming deep purplish pink (66C) towards margin, throat yellowish white (155D); spots and papillae present; nectaries yellowish white (156D); pollen deep orange-yellow (163A); stigma light yellow-green (145C). Fls 210 mm wide; petals 125 × 50 mm, margins smooth, tips slightly recurved, rounded and slightly hairy. Lvs alternate, 170 × 22 mm. Stems 1.38 m, green with darker markings, with c.4 fls. (A *longiflorum*/Asiatic hybrid.)

I(a/c) 'Strathmore'

cv. ('Edith' × up-facing yellow-flowered seedling) H: E.E. Fox (1991), G: E.E. Fox (1993), N: E.E. Fox (1998), I: Fox Lily Ranch (2003), REG: E.E. Fox (2002). Inside brilliant greenish yellow (6B), throat light greenish yellow (6D); outside brilliant greenish yellow (6C), midribs strong yellowish pink (31C); spots numerous, dark red (59A) over basal third of each petal; nectaries brilliant greenish yellow (6B); pollen vivid orange-yellow (23A); stigma light yellow (10C). Fls 170 mm wide; petals 85 × 46 mm, margins smooth, tips slightly recurved. Lvs alternate, 150 × 46 mm. Stems 0.75 m, green mottled with brown, with 12-14 fls. Late July. (Etymology: named for a location in Alberta, Canada. Nomenclatural standard: hard copy of scanned colour image provided by registrant (WSY 0034904).)

VIII(a/b) STRAUSS

Trade designation of 'Zanlauss'.

VIII(a/b) STRETTO

Trade designation of 'Zanlatto'.

VII(a/b) 'Strombolie'

cv. (Seedling 93-24 × seedling RW 95-20) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D); outside yellowish white (155D), midribs yellowish white (155B); spots yellowish white (155D); papillae present; nectaries strong yellow-green (144C); pollen brownish orange (172C); stigma light greenish grey (190D). Fls 250 mm wide, slightly scented; petals 160 × 60 mm, margins ruffled, tips recurved. Lvs alternate, 195 × 45 mm. Stems 0.98 m, green, with 2-3 fls.

I(a/c) 'Sugar Jewel'

cv. ((Seedling of 'Michella' × 'Sanciro') × tetraploid 'Unique') H: De Jong Lelies Holland B.V. (1993), G: De Jong Lelies Holland B.V. (1995), N: De Jong Lelies Holland B.V. (2002), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2002). Inside yellowish white (155D) at base, shading into light purplish pink (73C) and then to deep purplish red (59B) at tips, throat strong purplish pink (59D); outside deep purplish pink (64D); spots and papillae present; nectaries deep purplish red (59B); pollen moderate reddish brown (175A); stigma dark red (59A). Fls 160 mm wide; petals 95 × 35 mm, margins smooth, tips slightly recurved. Lvs alternate, 135 × 22 mm. Stems 1.4 m, dark, with c.11 fls. June.

I(a/b) SUN PIXIE

Trade designation of 'Pac Sun'.

VII(a/b) 'Suzette'

cv. (Parentage unknown) H: Mak-Leek, Inc. (1984), G: Mak-Leek, Inc. (1987), N: Mak-Leek, Inc. (1996), REG: Mak-Leek, Inc. (2003). Inside yellowish white (155B); outside yellowish white (155B) with light yellow-green (154D) midribs, changing into brilliant yellow-green (154C), tipped strong yellow-green (143B); spots yellowish white (155B) on two-thirds of each petal; papillae white (155B); nectaries strong yellow-green (145A); pollen strong reddish orange (169A); stigma deep purplish red (71A). Fls 200 mm wide; petals 105 × 30-45 mm. Lvs 110 × 25 mm, dark green. Stems 0.45 m, green, with 4 fls. Early.

VI(b/d) ‘Sweet Eloquence’

cv. (Parentage unknown) H: W.T. Craig, G: W.T. Craig, N: C. Helsley (2000), REG: C. Helsley (2003). Inside white, petals occasionally edged with moderate purplish pink (66D), throat vivid yellow (12A) extending to lower half of petals; outside moderate purplish pink (66D); unspotted; nectaries mid green; pollen golden brown; stigma dark red. Fls 145 mm wide; petals 120 mm long, inner 34 mm wide, outer 22 mm wide, margins slightly ruffled, tips strongly recurved. Lvs alternate, 170 × 24 mm. Stems 1.75 m, with c.12 fls. Early July.

I(a/b) ‘Sweet Irene’

cv. ((‘Tetra Ambrosia’ × ‘Tetra Mont Blanc’) × (‘Parisienne’ × ‘Tetra Capri’)) H: W.S. Summers, G: W.S. Summers, N: W.S. Summers, I: Hartle-Gilman Gardens, REG: W.S. Summers (2003). Inside pale orange-yellow (23D) in lower third, moderate pink (49B) in top third, strong pink (54C) each side of the midvein, throat moderate pink (49B); outside deep purplish pink (54B), midribs red over green; tiny black spots scattered in area where throat merges into orange-yellow; nectaries green (130) with very fine ridges on either side; filaments pale pink; pollen moderate red (179A); stigma tan-rose; style brownish. Fls 150 mm wide; petals 85 × 38 mm, margins smooth, tips slightly recurved. Lvs alternate, 140 × 15 mm. Stems 1 m, speckled with moderate olive-green (137A), with 10-14 fls. Tetraploid.

VI(b-c/b) ‘Sylvester Cleveland’

cv. (Parentage unknown) H: D. Sylvester (c. 1980), G: D. Sylvester (c. 1984), N: C. Helsley (1996), I: Ozark Mountain Lilies (1996), REG: C. Helsley (2003). Inside white, with brilliant yellow (13B) midveins, throat brilliant yellow (13B) blending into white; outside white, lightly brushed with pinkish brown on lower half; speckled with strong reddish orange (169A) over lower third of each petal; nectaries mid green; pollen orange-brown; stigma green. Fls 170 mm wide, strongly scented; petals 140 mm long, outer 50 mm wide, inner 30 mm wide, margins slightly ruffled, tips slightly recurved. Lvs alternate, 170 × 17 mm. Stems 1.5 m, grey-green, heavily dotted with dark red, with c. 10 fls. Late June. (Published in Ozark Mountain Lilies Catalog 1996.)

VIII(a/-) ‘Taiwan’

cv. (Seedling J 57 × seedling W 92-13) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V.(1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish red/strong purplish pink (63B/73B), each petal with a large white base, midveins with green base; outside strong purplish red (63B); spots and papillae present; nectaries green; pollen light brown; stigma grey-green. Petal margins slightly ruffled, tips recurved. Stems 1.4 m. Early. (A *longiflorum*/Asiatic hybrid.)

I(a-b/b) ‘Tajfun’

cv. (‘Pinegos Ares’ × ‘Tetra Tabasco’) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside dark blood-red, petal tips and throat paler; outside with centre of each petal lighter orange, midribs brownish, slightly hairy; spots many, large, red-brown, over two-thirds of each petal; papillae very dense in the throat; nectaries slightly rose-pink, granulated; pollen red-chocolate; stigma red-chocolate. Fls 125 mm wide, nearly out-facing; petals 75 × 40 mm, tips slightly recurved; pedicels 85 mm long, thick, densely dotted. Lvs alternate, 110 × 11 mm, dark green, dull. Stems 1 m, dark brown-dotted, with a medium-length inflorescence. Late June. Tetraploid.

VII(a-b/-) 'Tallahassee'

cv. (Parentage unknown) H: Mak-Leek, Inc. (1988), G: Mak-Leek, Inc. (1991), N: Mak-Leek, Inc. (2001), I: Mak-Leek, Inc. (2002), REG: Mak-Leek, Inc. (2003). Inside light purplish pink (65B), midveins with white base; outside pale purplish pink (65C); spots and papillae present; nectaries green; pollen light brown; stigma grey-green with purple spots. Fls 200 mm wide; petals 105 × 40-55 mm, margins strongly ruffled, tips recurved. Lvs 180 × 40-50 mm, mid green. Stem 1.1 m, green with darker coloration present, with 7 fls. Early to midseason.

VIII(a-b/-) 'Teramo'

cv. (Seedling J 57 × seedling W 91-24) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside strong purplish pink/deep pink (54A/185D); outside strong purplish pink (54A); spots absent; papillae present; nectaries green; pollen red-brown; stigma light purple. Petal margins slightly ruffled, tips slightly recurved. Stems 1.4 m. Early to midseason.

I(a-b/b-c) 'Terno'

cv. ('Grün-Weiss' × ('Windahloo' × 'Endeavour')) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside yellowish cream, centre of each petal slightly deeper, throat greenish; outside with green and brown midribs; medium-sized, dark mahogany brushmarks and fairly numerous, large, oval, dark mahogany spots over a third of each petal; nectaries white-granulated; pollen ochre; stigma brown. Fls 125 mm wide, nearly up-facing; petals 80 × 40 mm, margins not wavy, tips scarcely recurved; pedicels 50 mm long, green, with short hairs. Lvs alternate, 125 × 14 mm, mid green, dull. Stems 1.05 m, thick, brownish, with a short inflorescence. Early June.

I(c/d) 'Thrasher'

cv. (Harlequin Group × Tango Group) G: G. Brundrett (1997), N: R. Martin (1999), I: G. Brundrett (2003), REG: G. Brundrett (2003). Inside with light yellowish pink (159A) ground; outside with moderate purplish pink (65A) towards base and on midribs, remainder light yellow (11B) especially at edges, and with narrow areas of deep purplish red (59B) towards base; spots, brushmarks and papillae all deep purplish red (59B) covering 80% of each petal, the elliptic spots coalescing in throat; nectaries deep purplish red (59B); pollen strong orange (168B); stigma moderate red (180B). Fls 110 mm wide; petals 70 × 25 mm, margins smooth, tips strongly recurved. Lvs alternate, 100 × 10 mm. Stems 1.1 m, strong yellow-green (144B), with c.13 fls. Early July. (Etymology: named for a strongly spotted bird native to Ontario where this cv. was raised. Grown from seed ex NALS seed exchange 1995.)

I(c/d) 'Thüringer Nachtigall'

cv. ('Dawn Star' × 'Pohls Weinrote') H: G. Steinbrück (1988), G: G. Steinbrück (1991), N: G. Steinbrück (2002), I: G. Steinbrück (2003), REG: G. Steinbrück (2003). Inside strong reddish orange (169A), tips paler; outside pale orange, yellowish white in area of midribs; spots many, small, deep purplish red (71A) on basal three-quarters of each petal; nectaries grey-white, hoary; filaments pale yellow-green (157B); pollen moderate red (181B); style pale yellow-green (157B); stigma dark red (183B). Fls 140 mm wide; petals 75 × 31 mm, margins not ruffled, tips slightly recurved. Lvs alternate, dense, 180 × 11 mm. Stems 0.7 m, dark green, brown-spotted, with 5-7 fls and with stem bulbils. Late June. (The leaves are unusually long for an Asiatic lily. Nomenclatural standard: colour print provided by registrant (WSY 0038750).)

VII(a/b) TIARA

Trade designation of 'Tiararoyal'.

VII(a/b) 'Tiararoyal'

This is now the accepted name for 'Tiara' registered by Trior Lelie B.V. in 1996. European PBR were granted to this lily under the name 'Tiararoyal' in 1999 and the PBR name must be accepted.

I(a/b) 'Tibet'

cv. (Parentage unknown) H: Mak-Leek, Inc. (1992), G: Mak-Leek, Inc. (1995), N: Mak-Leek, Inc. (1998), REG: Mak-Leek, Inc. (2003). Inside pale yellow-green (155A) and deep purplish pink (54B); outside strong pink (54C) on a paler ground, midribs strong yellow-green (143B/C), tip strong yellow-green (143A); dark red spots (187A) in throat; papillae absent; nectaries (144B); pollen strong orange (169B); stigma dark greyish yellow (199D). Fls 140 mm wide; petals 70 × 25-30 mm, margins smooth, tips recurved. Lvs 70 × 15 mm, dark green. Stems 0.85 m, green, with 9 fls. Midseason.

VII(a/b) 'Tintoretto'

cv. (Seedling 92-6 × seedling RH 99-13) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1999), REG: Vletter & Den Haan Beheer B.V. (2003). Inside yellowish white (155D), midveins brilliant yellow (8A), throat light greenish yellow (8C); outside yellowish white (155D), midribs pale yellow (8D), strong yellow-green (143B) at top; spots and papillae brilliant yellow (8A); nectaries strong yellow-green (144C); pollen moderate reddish orange (171A); stigma light greenish grey (188C) with moderate purple (79D) edge. Fls 280 mm wide, slightly fragrant; petals 160 × 75 mm, margins ruffled, tips recurved. Lvs 205-265 × 50-60 mm. Stems 1.2 m, green with darker markings at top, with c.3 fls.

I(a/b) 'Tirza'

cv. (Parentage unknown) H: De Jong Lelies Holland B.V., N: De Jong Lelies Holland B.V. (1998), REG: De Jong Lelies Holland B.V. (2003). Inside of inner petals deep purplish pink to strong pink (54B/C), of outer petals strong purplish red to deep purplish pink (54A/B); outside deep purplish pink to strong pink (54B/C); spots and papillae present; nectaries green; pollen red-brown; stigma purple. Petal margins slightly ruffled, tips slightly recurved. Stems 1 m, with reddish markings. Early.

VII(a-b/b) 'Tobruk'

cv. (Seedling RM 94-22 × seedling RM 96-9) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1993), REG: Vletter & Den Haan Beheer B.V. (2003). Inside vivid purplish red (57C), midveins strong orange-yellow (22A) to halfway, area around nectaries light greenish yellow (8C), throat yellowish white (155D); outside light purplish pink (63D), towards top of each petal strong purplish red (64C), midribs light yellow-green (145D), towards top strong purplish pink (62A) flushed with brown-green, and with a moderate yellow-green (137B) spot at top; spots many, strong purplish red (64B); papillae light greenish yellow (8C); nectaries strong yellow-green (144C); pollen strong orange (25A); stigma greenish white (157D). Fls 240 mm wide, slightly fragrant; petals 135 × 70 mm, margins ruffled, tips recurved. Lvs 165 × 60 mm, dark green. Stems 1 m, green with darker markings, with c.3 fls.

VII(a/b) 'Toledo'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside

vivid purplish red (57D), midveins light greenish yellow (6D) in lower half, vivid purplish red (57C) in upper part, throat yellowish white (155D); outside vivid purplish red (57C), midribs with a light yellow-green (144D) spot at base, changing to yellowish white (155D), and becoming vivid purplish red to light purple (57C/85A) at top; spots moderate purplish red (58A); papillae light greenish yellow (6D); nectaries strong yellow-green (144C); pollen strong reddish orange (169A); stigma pale purplish pink (62D). Fls 255 mm wide; petals 145 × 75 mm, margins ruffled, tips recurved; pedicels with dark markings. Lvs 180 × 42 mm. Stems 1.3 m, green with darker markings, with c.3 fls.

I(a/-) ‘Torelli’

cv. (Parentage unknown) REG; Vletter & Den Haan Beheer B.V. (2003). Inside vivid orange (28A/B); outside brilliant orange (29A); spots and papillae present; nectaries green; pollen red-brown; stigma red. Petal margins slightly ruffled, tips slightly recurved. Stems tall to very tall, with some reddish markings. Midseason.

VIII(b/b) TRIUMPHATOR

Trade designation of ‘Zanlophator’.

VII(a/b) ‘Trumao’

cv. (Parentage unknown) H; Vletter & Den Haan Beheer B.V. (1998), N; Vletter & Den Haan Beheer B.V. (2002), REG; Vletter & Den Haan Beheer B.V. (2002). Inside strong purplish red (64B), with moderate purplish red (64A) along midveins, throat yellowish white (155D); outside deep purplish pink (66C), midribs with a light yellow-green (145C) stripe, suffused with purplish pink; spots strong purplish red (71B); papillae present; nectaries strong yellow-green (144C), becoming light greenish yellow (3C) towards edges; pollen moderate reddish orange (171A); stigma light to very light purple (76A/B). Fls 220 mm wide, slightly scented; petals 140 × 70 mm, margins ruffled, tips slightly recurved. Lvs alternate, 190 × 60 mm. Stems 1.02 m, green with darker markings, with c.3 fls.

I(a/c) ‘Tsjaikowski’

cv. (Seedling RS 90-21 × seedling RS 92-13) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (2001), REG; Vletter & Den Haan Beheer B.V. (2003). Inside pale purplish pink (62D), each petal light purplish pink (62C) towards margin and tip; throat pale yellow-green (157C); outside pale purplish pink (65D), each petal moderate purplish pink (65A) towards margin; spots few, deep red (53A); papillae pale purplish pink (62D); nectaries strong yellow-green (143C); pollen brownish orange (165B); stigma dark red (59A). Fls 205 mm wide; petals 100 × 55 mm, margins smooth, tips slightly recurved. Lvs 180 × 15 mm. Stems 1.4-1.7 m, green with darker markings, with 6-7 fls.

VII(a/b-c) ‘Universal’

cv. (Seedling 90-27 × seedling RM 95-73) H; Vletter & Den Haan Beheer B.V., N; Vletter & Den Haan Beheer B.V. (1995), REG; Vletter & Den Haan Beheer B.V. (2003). Inside vivid purplish red (57D), light greenish yellow (6D) along nectaries, midveins light orange-yellow (19A); outside light purple (75B), midribs brilliant yellow-green (150D) changing to brilliant yellow-green (149C) towards top; older fls becoming light purple (76A); spots and papillae strong purplish red (60B); nectaries brilliant greenish yellow (151D); pollen strong orange (168A); stigma dark purple (79B). Fls 235 mm wide, slightly fragrant; petals 138 × 80 mm, margins slightly ruffled; tips slightly recurved. Lvs 230 × 57 mm, light green. Stems 1.1 m, light green with darker markings, with c.2 fls.

VII(c/d) 'Unter den Linden'

Syn. of 'Colonna'.

I(a/b) 'Valaška'

cv. (Thomas seedling 4 × 'Tetra Aristo') R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside apricot-orange, darker around nectaries, base of throat paler; outside pale orange, midribs pale yellow-green; spots many, large, dark brown-crimson, over half of each petal, papillae in throat; nectaries white-granulated; pollen red-brown; stigma pink-brown. Fls 130 mm wide; petals 90 × 45 mm, margins slightly waved, tips scarcely recurved (the outer more so); pedicels 60 mm long, thick, profusely brown-dotted. Lvs alternate, 145 × 21 mm, dull dark green. Stems 0.85 m, very thick, profusely brown-dotted. Mid July.

VIII(b/b) 'Valdemar'

cv. (Seedling PG 95-39 × seedling A 4 B) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (1994), REG: Vletter & Den Haan Beheer B.V. (2003). Inside light greenish yellow (8C), each petal with brilliant yellow (8A) base and midvein, throat pale yellow-green (4D); outside pale yellow-green (4D), midribs light yellow-green (144D) at base; spots brilliant yellow (8A); papillae present; nectaries strong yellow-green (143C); pollen strong orange (25A); stigma dark purple (79A). Fls 250 mm wide, slightly fragrant; petals 150 × 78 mm, margins slightly ruffled, tips recurved. Lvs 210 × 50 mm, dark green. Stems 1.1 m, with c.2 fls. (An Orienpet lily.)

VIII(a/b) 'Valparaiso'

cv. (Seedling PH 95-48 × seedling RH 95-17) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside: inner petals brilliant yellow (13C), pale yellow-green (4D) towards margin and tip, outer petals light greenish yellow (4C) towards margin and greenish white (157D) towards tip, throat pale yellow-green (4D); outside: inner petals brilliant yellow (13C), pale yellow-green (4D) towards margin, outer petals pale yellow-green (4D), towards margin and on midribs light greenish yellow (4C); spots and papillae brilliant yellow (13C); nectaries strong yellow-green (144B); pollen strong brown (172A); stigma light olive-grey (197B) flushed with purple. Fls 280 mm wide, slightly fragrant; petals 170 × 75 mm, margins ruffled, tips recurved. Lvs 180 × 35 mm, dark green. Stems 1.1 m, with c.2 fls. (An Orienpet lily.)

I(a-b/b-c) 'Vampýr'

cv. (('Plavovláška' × 'Blizzard') × ('Roma' × ('Red Echo' × 'Mánes')))) H: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside white tinged with light salmon, petal tips white, throat deep purple-pink, the colour extending to three-fifths of each petal; outside pale pink with deeper midribs; spots medium-sized, dark brown-pink, scattered over a quarter of each petal; nectaries white-granulated; papillae linear; pollen ochre; stigma pink-brown. Fls 125 mm wide, nearly up-facing; petals 80 × 30 mm, margins slightly wavy, tips slightly recurved. Lvs alternate, 85 × 11 mm, dark green, moderately glossy. Stems 0.75 m, dotted with black-brown, with a short inflorescence. Late June.

VIII(b/b-c) 'Velasquez'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside pale greenish yellow (13D), each petal light orange-yellow (23C) in basal third and

along midvein, throat pale yellow (20C); outside pale orange-yellow (19D), each petal flushed with light yellow (20B) in basal third, midribs brilliant yellow-green (150C), strong purplish pink (63C) along midribs of outer petals; spots vivid orange-yellow (23A); papillae present; nectaries strong greenish yellow (151A); pollen moderate brown (200C); stigma deep red (60A). Fls 250 mm wide; petals 140 × 70 mm, margins slightly ruffled, tips recurved. Lvs 250 × 40 mm, dark green. Stems 1.45 m, green with darker margins, with c.4 fls. (An Orienpet lily.)

VII(a/b) 'Venezuela'

cv. (Seedling 92-59 × seedling RM 95-73) H: Vletter & Den Haan Beheer B.V. (1998), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside yellowish white (155D) with brilliant yellow (8A) along midveins; outside yellowish white (155D), each petal with strong yellow-green tip; spots brilliant yellow (8A); papillae present; nectaries strong greenish yellow (151A/B); pollen greyish brown to moderate reddish brown (166A/B); stigma light greenish grey (190D). Fls 190 mm wide; petals 145 × 45 mm, margins ruffled, tips slightly recurved. Lvs alternate, 215 × 68 mm. Stems 1 m, green, with c.5 fls.

VIII(a-b/b) 'Ventimiglia'

cv. (Seedling PH 95-48 × seedling A 4 B) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside brilliant yellow (12B), each petal pale greenish yellow (2D) towards margin and tip, throat light yellow (12C); outside pale greenish yellow (2D), midribs light yellow-green (145B), along midribs pale yellowish pink (159D); spots vivid yellow (12A); papillae present; nectaries strong yellow-green (145A); pollen moderate reddish brown (177A); stigma moderate reddish brown (177A). Fls 250 mm wide, strongly fragrant; petals 130 × 75 mm, margins slightly ruffled, tips slightly recurved. Lvs 195 × 45 mm, dark green. Stems 1.2 m, light green with darker markings, with c.3 fls. (An Orienpet lily.)

VIII(a/b) 'Vera Cruz'

cv. (Red-flowered seedling × ('Snowstar' × 'Gran Paradiso')) H: Bischoff Tulleken Lelies B.V. (1993), G: Bischoff Tulleken Lelies B.V. (1996), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2002). Inside moderate reddish orange (35A) with a strong orange (24A) flame, throat strong orange (168B); outside strong to vivid reddish orange (34C/B); spots greyish red (176A); papillae present; nectaries strong orange (168A); pollen vivid reddish orange (34B); stigma dark red (187C). Fls 180 mm wide; petals 125 × 50 mm, margins smooth, tips slightly recurved. Lvs alternate, 160 × 18 mm, light green. Stems 0.98 m, dark, with c.4 fls. July. (*A longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Veronese'

cv. (Seedling PH 96-59 × seedling RH 96-4) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside light greenish yellow (5D), each petal brilliant greenish yellow (5B) at base and along midvein, throat yellowish white (155C); outside pale yellow green (4D), each petal light greenish yellow (4C) along margin and midrib flushed with vivid purplish red (61C); spots brilliant yellow (7A); papillae present; nectaries strong yellow-green (144A); pollen dark reddish orange (175B); stigma dark purple (79B). Fls 250 mm wide; petals 140 × 70 mm, margins slightly ruffled, tips strongly recurved. Lvs 250 × 50 mm, dark green. Stems 1.5 m, green, with c.4 fls. (An Orienpet lily.)

VIII(a/-) 'Vicenza'

cv. (Parentage unknown) H: Vletter & Den Haan Beheer (2003). Inside strong purplish red to strong purplish pink (63B-C), redder in young fls, midveins green at base; outside strong purplish pink (63C), darker along margins; spots and papillae present; nectaries green; pollen brown; stigma green. Petal margins ruffled, tips slightly recurved. Stems medium to tall. Early. (*A longiflorum*/Asiatic hybrid.)

VIII(a-b/b) 'Vina del Mar'

cv. (Seedling PH 95-48 × seedling A 4 B) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2001), REG: Vletter & Den Haan Beheer B.V. (2003). Inside brilliant yellow (12B), each petal pale greenish yellow (10D) towards margin and tip, throat pale greenish yellow (10D); outside pale greenish yellow (10D), midribs pale yellow (11D) flushed with light pink; spots vivid yellow (13A); papillae present; nectaries strong yellow-green (144B); pollen moderate reddish brown (166B); stigma moderate brown (165A). Fls 260 mm wide, strongly fragrant; petals 140 × 70 mm, margins slightly ruffled, tips slightly recurved. Lvs 195 × 70 mm. Stems 1.2 m, light green, with c.3 fls. (An Orienpet lily.)

VII(a/b) VIVIANA

Trade designation of 'Zantriana'.

I(a-b/b-c) 'Vlasta'

cv. (Cream-flowered tetraploid × ('Gran Paradiso' × 'Tetra Aristo')) R: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside pale old rose, centre of each petal cream with apricot tint, throat cream; spots numerous, large, dark brown-rose over half of each petal; nectaries white-granulated; pollen orange-brown. Fls 145 mm wide; petals 85 × 42 mm, margins smooth, tips not recurved; pedicels 55 mm long, very thick, slightly spotted. Lvs alternate, 130 × 20 mm, dark dull green. Stems 0.9 m, very thick, slightly spotted, with a short inflorescence. Mid June. Tetraploid.

VII(a/-) VLETAL

Trade designation of 'Almeria'.

VII(a/b) VLETGOR

Trade designation of 'Corso'.

VII(a/-) VLETDOR

Trade designation of 'Dordogne'.

VI(a/-) VLETGEN

Trade designation of 'Genova'.

VII(a/-) VLETROUS

Trade designation of 'Rousillon'.

VII(a/-) VLETSOL

Trade designation of 'Soldera'.

VII(a/b) VLETSPA

Trade designation of 'Spain'.

VII(a-b/-) VLETTOP

Trade designation of 'Topsy'.

VII(b/b) VLETWIN

Trade designation of 'Windsor'.

I(a-b/-) 'Vranac'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside and outside yellowish white (155D); unspotted; papillae present; nectaries green; pollen brown; stigma green and purple. Petal margins slightly ruffled, tips slightly recurved. Stems medium to tall. Midseason.

VII(a/b) 'Wagner'

cv. (Seedling 88-111 × seedling RM 95-34) H: Vletter & Den Haan Beheer B.V. (1998), G: Vletter & Den Haan Beheer B.V. (2002), N: Vletter & Den Haan Beheer B.V. (2002), REG: Vletter & Den Haan Beheer B.V. (2002). Inside moderate purplish pink (65A), with strong purplish pink (68B) along midveins, throat yellowish white (155D); outside light purplish pink (65B); spots moderate purplish red (64A); papillae present; nectaries strong yellow-green (142A) shading into light greenish yellow (3D); pollen strong orange (168A); stigma pale yellow-green (157C). Fls 230 mm wide, slightly scented; petals 140 × 80 mm, margins smooth, tips slightly recurved. Lvs alternate, 170 × 33 mm. Stems 1.1 m, dark, with c.2 fls.

I(a/c) 'Warnemünde'

cv. ('Skywatcher' × 'Goldprinzessin') H: G. Steinbrück (1989), G: G. Steinbrück (1993), N: G. Steinbrück (2002), I: G. Steinbrück (2003), REG: G. Steinbrück (2003). Inside and outside brilliant yellow (21C) with a slight reddish tinge; Spots few, small, moderate red (184B) over half of each petal; nectaries grey-violet; pollen dark red (183A); stigma dark red (183A). Fls 140 mm wide, star-shaped; petals 70 × 27 mm, margins smooth, tips pointed, not recurved. Lvs alternate, 80 × 13 mm. Stems 0.9 m, dark green, with c.10 fls. Mid July. (Etymology: named for the venue where the International Garden Exhibition was held in 2003.)

I(a/c) 'Wartburgmelodie'

cv. ('Aelita' × Yellow Blaze Group) H: G. Steinbrück (1991), G: G. Steinbrück (1994), N: G. Steinbrück (2002), I: G. Steinbrück (2002), REG: G. Steinbrück (2003). Inside light orange-yellow (22D), throat somewhat stronger-coloured; outside light orange-yellow (22D); spots many, large, deep purplish red (59B) over three-quarters of each petal; nectaries grey-white, tinged with soft green at ends; filaments soft yellow; pollen strong reddish orange; stigma deep red (53A). Fls 150 mm wide; petals 85 × 37 mm, margins smooth, tips not recurved. Lvs alternate, 60 × 14 mm. Stems 1 m, dark green, with 10-12 fls. Late July to early August. Syn: 'Spätsommer'. (Was first circulated as 'Spätsommer', but that name was rejected for registration. Nomenclatural standard: colour print provided by registrant (WSY 0038751).)

I(a/b) 'Wayne's Dream'

cv. (Parentage unknown) H: W. Lindsay (1997), G: W. Lindsay (2000), N: D. Lindsay (2002), REG: D. Lindsay (2002). Inside lemon-yellow; outside lemon-yellow with tan stripe along midribs; spots maroon and faint red brushmarks (more on inner petals); nectaries green; anthers purple with tangerine pollen; stigma light yellow and red. Fls 150 mm wide, slightly scented; petals 80 × 35 mm, margins very slightly wavy, tips slightly recurved. Lvs alternate, 70-135 × 9-12 mm. Stems green,

with up to 23 fls (including secondaries). Mid July to early August. (Etymology: named in memory of the raiser. Nomenclatural standard: colour print provided by registrant (WSY 0034923).)

VII(a-b/-) 'Wellington'

cv. (Parentage unknown) REG: Vletter & Den Haan Beheer B.V. (2003). Inside and outside yellowish white (155D); unspotted, papillae present; nectaries green; pollen red-brown; stigma yellow-green. Petal margins strongly ruffled, tips strongly recurved. Midseason to late.

I(a/b) 'White Breeze'

cv. (unnamed seedling × ('Duet' × 'Symphony')) H: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1993), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2001), REG: Bischoff Tulleken Lelies B.V. (2002). Inside pale orange-yellow (19D), petals with pale yellow (19C) margin, throat light greenish yellow (145D); outside pale yellowish pink (27D) with a stripe of light yellow-green (145C) along midribs; spots and papillae absent; nectaries strong yellow-green (145A); pollen vivid reddish orange (34B); stigma light yellowish pink (29C). Fls 165 mm wide; petals 95 × 30 mm, margins smooth, tips slightly recurved. Lvs alternate, 115 × 15 mm. Stems 0.46 m, green with darker stripes, with c.13 fls. June.

VII(a/b) 'White House'

cv. (('Allegra' × 'Star Gazer') × unnamed seedling) H: Bischoff Tulleken Lelies B.V. (1989), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2002). Inside yellowish white (155D); outside yellowish white (155D), each petal suffused with light yellow-green (145C) at base; spots yellowish white (155D); papillae present; nectaries strong yellow-green (144C); pollen brownish orange (171B); stigma strong violet (86B). Fls 230 mm wide, scented; petals 145 × 75 mm, margins ruffled, tips recurved. Lvs alternate, 140 × 53 mm. Stems 0.75 m, green, with c.3 fls. July.

V(a-b/a) 'Whitney'

cv. (Parentage unknown) N: Van den Bos Breeding B.V. (1999), REG: Van den Bos Breeding B.V. (2003). Inside and outside yellowish white (155D); spots and papillae absent; nectaries green; pollen yellow; stigma white. Petal margins slightly ruffled, tips recurved. Lvs dark green. Stems 0.25 m, dark green with c.5 fls. Midseason to late.

I(c/d) 'Wiener Walzer'

cv. (Feldmaier Asiatic seedling Fe 4 × Neumann Asiatic seedling NN C7.44) H: G. Steinbrück (1989), G: G. Steinbrück (1993), N: G. Steinbrück (1998), I: G. Steinbrück (1998), REG: G. Steinbrück (2003). Inside moderate reddish orange (178C) shading to moderate purplish pink (54D) at tips; outside deep purplish pink (58D), with strongly developed pale orange-beige midribs; spots few, tiny, dark brown, at the base of each petal; nectaries pale pink, continued at apex into soft orange strips; filaments soft pink; pollen dark reddish orange (173A); style soft pink; stigma dark red (59A). Fls 120 mm wide; petals 70 × 35 mm, margins slightly waved, tips strongly recurved; pedicels long, dark. Lvs alternate, 90 × 13 mm. Stems 0.7 m, black-violet, with c.8 fls. Early July. (Published in ELG sales list, 2000. Nomenclatural standard: colour print provided by registrant (WSY 0038748).)

VI(b-c/b) 'Winning Spirit'

cv. ('White Henryi' × yellow-flowered Trumpet seedling) H: C. Helsley (1988), G: C. Helsley (1991), N: C. Helsley (2003), REG: C. Helsley (2003). Inside pale yellow (20D), throat strong orange (25B); outside light green; unspotted; nectaries olive-green; pollen golden; stigma light green. Fls 150 mm wide, strongly scented; petals 130 mm long, outer 50 mm wide, inner 25 mm wide, margins smooth, tips slightly recurved. Lvs alternate, 120 × 18 mm. Stems 1.25 m, green, lightly dotted with dark reddish green, with c.8 fls. Late June.

VIII(a/b) 'Yellow Bride'

New name for 'Yellow Sun' (of World Breeding)

VIII(a/b) 'Yelloween'

cv. (Seedling 91-30-00-2 × seedling 90-058-1) H: World Breeding B.V., REG: Liliande B.V. (2003). Inside yellow (12B), throat light green (145A); outside yellow (8A), midribs light green (145A); spots and papillae absent; nectaries light green (145A); pollen dark purple-red (185A); stigma light green (145A). Fls 210 mm wide; petals 130-140 × 40-60 mm, margins slightly ruffled. Lvs 100-150 × 15-30 mm, green. Stems 1.2 m, green, with 4-8 fls.

VIII(a/c) 'Yellow Fellow'

cv. (Yellow-flowered seedling × ('Aristo' × *longiflorum*)) H: Bischoff Tulleken Lelies B.V. (1992), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2002). Inside light greenish yellow (6D) each petal with brilliant yellow (7A) midvein and margin, throat yellowish white (155D); outside light greenish yellow (5D), each petal with pale yellow-green (4D) base and brilliant greenish yellow margin; spots dark red (59A); papillae present; nectaries pale yellow-green (4D); pollen vivid orange (28A); stigma brilliant yellow (7A), edged with orange-yellow (21A). Fls 230 mm wide; petals 135 × 65 mm, margins smooth, tips slightly recurved. Lvs alternate, 190 × 18 mm. Stems 0.94 m, green, with c.4 fls. June. (A *longiflorum*/Asiatic hybrid.)

I(a/b) 'Yellow Sun'

cv. (Parentage unknown) R: Jan de Vries, REG: De Vries Veredeling B.V. (2003). Inside between vivid orange-yellow (23A) and strong orange (24a); outside vivid yellow (17B/C); spots present; papillae very few; nectaries green; pollen light brown; stigma orange-yellow. Petal margins slightly ruffled; tips very slightly recurved. Stems of medium height to tall. Early to midseason. (This cv. was granted European PBR in January 2002, despite the name Yellow Sun already having been used for another lily: this has now been renamed 'Yellow Bride')

VIII(a/b) 'Yellow Sun' (of World Breeding B.V.)

Syn. of 'Yellow Bride'.

('Yellow Sun' has been renamed 'Yellow Bride' because in 2002 European PBR were granted under this name to another lily.)

VIII(a/b) 'Zanlabia'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside strong purplish pink (63C), throat light yellow-green (150D); outside deep purplish pink (64D); spots and papillae absent; nectaries strong

purplish pink (63C); pollen moderate reddish brown (175A); stigma light orange-yellow (23C). Fls 140 mm wide; petals 105 × 50 mm, margins smooth, tips slightly recurved. Lvs alternate, 165 × 22 mm. Stems 1.06 m, green with darker markings at base, with c.6 fls. (*A longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Zanlabizet'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside light purplish pink (63D) with pale purplish pink (62D) along midveins (young fls deep pink to strong red (51C/51A)), throat pale purplish pink (62D); outside moderate purplish pink (62B), each petal with strong purplish pink (62A) margins; spots and papillae absent; nectaries strong yellow-green (142A); pollen moderate reddish orange (173B); stigma very pale purple (69B). Fls 210 mm wide; petals 115 × 75 mm, margins slightly ruffled, tips recurved. Lvs alternate, 155 × 23 mm. Stems 1.32 m, green with darker markings, with c.4 fls. Midseason. (*A longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Zanlacato'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside pale yellow-green (4D) at base, shading upwards to strong purplish pink (62A), throat light purplish pink (62C); outside strong purplish pink (63C); spots absent; papillae present; nectaries strong violet (90B); pollen almost absent; stigma light yellow-green (154D). Fls 150 mm wide; petals 105 × 60 mm, margins smooth, tips slightly recurved. Lvs alternate, 175 × 21 mm, light green. Stems 1.3 m, light green, with c.7 fls. Midseason. (*A longiflorum*/Asiatic hybrid.)

VIII(b/b) 'Zanlaitro'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside pale yellow (18C) shading into deep pink (48B), each petal with deep pink (50B) margin, throat deep pink (50B); outside deep pink (48A); spots and papillae absent; nectaries moderate red (180A); pollen vivid orange (28A); stigma strong yellowish pink (37A). Fls 150 mm wide; petals 110 × 60 mm, margins smooth, tips strongly recurved. Lvs alternate, 205 × 20 mm. Stems 1.29 m, light green, with c.6 fls. (*A longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Zanlalce'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside yellowish white (155B) at base, each petal with margins and tips moderate purplish pink (62B), throat light yellow-green (145C); outside light purplish pink (65B), each petal with deep purplish pink (66C) margins; spots and papillae present; nectaries pale yellow-green (157B); pollen greyish brown (166A); stigma light green. Fls 185 mm wide; petals 115 × 45 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 115 × 25 mm. Stems 1.23 m, green with dark spots, with c.3 fls. Midseason. (*A longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Zanlanza'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside yellowish white (155D); outside light yellow-green (142D) at base, flushed with greyish red (182B), shading to yellowish white (155B) above and yellowish white (155D) towards petal-margins, midribs sometimes flushed greyish red (182B); spots absent; papillae present; nectaries brilliant yellow-green (149B); pollen moderate reddish brown (174A); stigma moderate purplish red (64A). Fls 200 mm wide; petals 135 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 150 × 26 mm. Stems 1.6 m, green with darker markings, with c.4 fls. Midseason. (A *longiflorum*/Asiatic hybrid.)

VIII(a/b-c) 'Zanlasic'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside pale yellow-green (155A), throat brilliant yellow-green (142B); outside pale yellow-green (155A), midribs light yellow-green (150D); spots and papillae absent; nectaries light yellow-green (142D); pollen moderate brown (165A); stigma brilliant yellow-green (150C). Fls 190 mm wide; petals 105 × 53 mm, margins smooth, tips slightly recurved. Lvs alternate, 120 × 20 mm. Stems 1.1 m, green, with c.6 fls. (A *longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Zanlatet'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside pale yellow-green (155A), throat strong yellow-green (145A); outside pale yellow-green (155A); spots and papillae present; nectaries greenish white (155C); pollen dark reddish orange (173A); stigma light yellow-green (145C). Fls 200 mm wide; petals 125 × 53 mm, margins smooth, tips recurved. Lvs alternate, 158 × 23 mm. Stems 1.27 m, green with dark markings, and with c.5 fls. Midseason. (A *longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Zanlatto'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside pale orange-yellow (16D), each petal with light orange-yellow (16B) margin, throat light yellow-green (145D), outside pale yellow (158A), each petal with light yellow (18A) margin; spots and papillae absent; nectaries yellowish grey (156A); pollen dark reddish orange (173A); stigma light orange (29B). Fls 200 mm wide; petals 120 × 50 mm, margins smooth, tips slightly recurved. Lvs alternate, 150 × 20 mm. Stems 1.3 m, dark, with c.6 fls. Midseason. (A *longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Zanlauss'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside strong purplish pink (63C) at first, ageing to moderate purplish pink (62B), throat yellowish white (155B); outside light

purplish pink (63D), each petal with strong purplish red (63B) margin; spots and papillae present; nectaries pale purplish pink (62D); pollen deep orange-yellow (163A); stigma pale yellow-green (4D) and brilliant greenish yellow (6B). Fls 180 mm wide; petals 125 × 45 mm, margins smooth, tips slightly recurved. Lvs alternate, 140 × 38 mm. Stems 1.2 m, green with darker markings at base, with c.3 fls. Midseason. (A *longiflorum*/Asiatic hybrid.)

VIII(a/b) 'Zanlazart'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside brilliant yellow (7A), throat light yellow-green (150D); outside brilliant greenish yellow (6C), each petal with brilliant greenish yellow (6A) margin; spots few; papillae absent; nectaries pale greenish yellow (1D); pollen moderate orange (167A); stigma brilliant orange (29A). Fls 225 mm wide; petals 115 × 42 mm, margins smooth, tips recurved. Lvs alternate, 200 × 28 mm. Stems 1.33 m, the lower two-thirds dark, shading into green above, with c.4 fls. Midseason. (A *longiflorum*/Asiatic hybrid.)

VIII(b/b) 'Zanlophator'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1994), G: Van Zanten Flowerbulbs B.V. (1996), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside vivid purplish red (57C), each petal shading to yellowish white (155D) at tip and margin, throat strong yellow-green (144C); outside yellowish white (155D); spots and papillae absent; nectaries strong yellow-green (144C); pollen moderate orange (172D); stigma pale yellow-green (149D). Fls 260 mm wide; petals 195 × 65 mm, margins smooth, tips strongly recurved. Lvs alternate, 230 × 35 mm. Stems 1.4 m, green, with c.3 fls. Midseason. (A *longiflorum*/Oriental hybrid.)

VII(a/b) 'Zantriana'

cv. (Unnamed seedling × unnamed seedling) H: Koninklijke Van Zanten B.V. (1993), G: Van Zanten Flowerbulbs B.V. (1995), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2002). Inside strong purplish red (61B/64B), throat strong yellow-green (144B); outside strong purplish red (64B), midribs yellowish white (155C) at base, shading into deep purplish pink (64D) and strong yellow-green (144B) at tip; spots absent; papillae present; nectaries yellowish white (155D); pollen strong reddish orange to strong orange (169A/B); stigma pale yellow-green (149D). Fls 200 mm wide; petals 130 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 145 × 40 mm. Stems 1.1 m, dark, with c.2 fls. Midseason.

VIII(a-b/b-c) 'Zaragoza'

cv. (Seedling PG 95-62 × seedling A 4 B) H: Vletter & Den Haan Beheer B.V., N: Vletter & Den Haan Beheer B.V. (2000), REG: Vletter & Den Haan Beheer B.V. (2003). Inside brilliant yellow (7B), midveins brilliant yellow (7A), throat pale yellow-green (4D); outside: inner petals brilliant yellow (10A) with greenish white (155A) midribs, outer petals pale yellow-green (155A) with light greenish yellow light greenish yellow (7D) margin, midribs moderate yellow-green (143D) with a small strong yellow-green (143A) spot at top; spots and papillae brilliant yellow (7A); nectaries strong yellow-green (144B); pollen strong reddish orange (169A); stigma dark purple (79A). Fls 290 mm wide, slightly fragrant; petals 155 × 75 mm,

margins slightly ruffled, tips recurved. Lvs 190 × 45 mm, dark green. Stems 1.2 m, green with darker spots, with c.3 fls. (An Orienpet lily.)

I(a/c) ‘Zarte Pankowerin’

cv. (‘Sterling Star’ × ‘Brushstroke’) H: G. Steinbrück (1988), G: G. Steinbrück (1991), N: G. Steinbrück (2000), I: G. Steinbrück (2001), REG: G. Steinbrück (2003). Inside creamy white at first, rapidly becoming pale yellow-green (155A), suffused with greenish white at base of petals; outside pale yellow-green (155A), with soft green midribs; spots numerous, medium-sized, deep purplish red (71A) on basal half of each petal; nectaries pale yellow (158A), hoary, continued as forked lines the same colour as the spots; pollen strong orange (168A); stigma greyish reddish orange (174B). Fls 125 mm wide; petals 60 × 35 mm, margins smooth, tips not recurved. Lvs alternate, 120 × 10 mm. Stems 0.7 m, pale green, with 8-10 fls. Early to mid July. (Etymology: see ‘Pankower Revue’. Published in ELG sales list, 2001. Nomenclatural standard: colour print provided by registrant (WSY 0038747).)

II(c/d) ‘Zvaigžņu Vārti’

cv. (Parentage unknown) R: D. Hercbergs, G: D. Hercbergs (1998), N: D. Hercbergs (2002), I: D. Hercbergs (2002), REG: D. Hercbergs (2003). Inside white, throat greenish; outside white, midribs green; spots cherry-red; nectaries green; pollen dark orange; stigma cherry-red. Fls 55 mm wide; petals 40 × 17 mm, margins smooth, tips slightly recurved. Lvs whorled, 130 × 50 mm. Stems 1.4 m, green, darker in upper part, with c. 22 fls. Mid to late June. (Etymology: Latvian for ‘star gates’. Raised from seed obtained from NALS seed exchange.)

II(c/d) ‘Zvanu Tornis’

cv. (Parentage unknown) H: D. Hercbergs (1993), G: D. Hercbergs (1997), N: D. Hercbergs (2002), I: D. Hercbergs (2002), REG: D. Hercbergs (2003). Inside pink-orange, lighter at tips, throat lighter, midveins greenish; outside orange-pink, midribs pink; spots cherry-red on yellow-orange flush; pollen orange. Fls 50 mm wide; petals thick, 45 × 16 mm, margins smooth, tips strongly recurved. Lvs whorled with c.20 lvs in each whorl, to 200 × 55 mm, dark green. Stems 1.8 m, green, darker in upper part, with c.24 fls. Mid to late June. (Etymology: Latvian for ‘bell tower’.)

LIST OF RAISERS, REGISTRANTS AND INTRODUCERS

(† = deceased)	
AGRICULTURAL RESEARCH ORGANISATION	Bet Dagan, Israel
BERG, M.A. van den	't Zand, The Netherlands
BERG, P.N.A. van den	't Zand, The Netherlands
BISCHOFF TULLEKEN LELIES B.V.	Wieringerwerf, The Netherlands
BLAY, J.W. & V.M.	Glengarry Gardens, Kaiapoi, New Zealand
BOS BREEDING B.V., Van den	Honeslorsdijk, The Netherlands
BOTTEMA, G.	Honeslorsdijk, The Netherlands
BOTTEMA-LELIE B.V.	Berkhout, The Netherlands
BRUNDRETT, Gwynedd	Baden, Ontario, Canada
BUITENHUIS, Albert & T.	Monbulk, Victoria, Australia
CEBECO LILIES, INC.	Honselersdijk, The Netherlands
COCKER, Ruth & Hugh	Rochester, Minnesota, USA
COHEN, A.	Nes Ziona, Israel
COMBINATIE STRIJWACO	Sint Pancras, The Netherlands
† CRAIG, William T.	Formerly of Battle Creek, MI, USA
DE LIJSTER EXPORT B.V.	Hillegom, The Netherlands
DE VRIES, Jan	Breezand, The Netherlands
DE VRIES VEREDELING B.V.	Breezand, The Netherlands
EURO LELIE B.V.	Schagerbrug, The Netherlands
FOX, Eugene E.	Millet, Alberta, Canada
FOX LILY RANCH	Millet, Alberta, Canada
GRIESBACH, Dr Robert J.	Belavan, Wisconsin, USA
HARTLE-GILMAN GARDENS	Owatonna, MN, USA
HELSLEY, Calvin	Ozark Mountain Lilies, Mansfield, Missouri, USA
HERCBERGS, Dāvids	Vecumnieki, Latvia
HOFFGAARDE B.V.	Steenbergen, The Netherlands
HOUDIJK & Zn., Fa. W.F.	Breezand, The Netherlands
JONG LELIES HOLLAND B.V., De	Andijk, The Netherlands
KONINKLIJKA VAN ZANTEN B.V.	Hillegom, The Netherlands
KOVÁŘ, J.	Volyně, Czech Republic
KUHNE, Holger	Leisnig, Germany
LICO COMPANY B.V.	Andijk, The Netherlands
LILIANDE B.V.	't Zand, The Netherlands
LINDSAY, D.	Saskatoon, Canada
† LINDSAY, W.	Formerly of South Saskatoon, Canada
MAK-LEEK, INC.	Anna Paulowna, The Netherlands
MAK 'T ZAND B.V.	't Zand, The Netherlands
MARTSCHINKE, N.	Suligen, Germany
MÍČULKA, Břetislav	Velehrad, Czech Republic
MIYOSHI & CO. LTD	Tokyo, Japan
ONINGS BLOEMBOLLENBEDRIJF B.V., P.F.	Poeldijk, The Netherlands
OZARK MOUNTAIN LILIES	Mansfield, Missouri, USA
PEACOCK B.V.	Rijnsburg, The Netherlands
PROCHASKA, Richard	New Prague, MN, USA
† ROBINSON, Ed	Formerly of Gaybird Nursery, Wawanese, Manitoba, Canada

SALM BULBFARM, INC., Van der	Woodland, Washington, USA
SALM, J.A. Van der	't Zand, The Netherlands
SALM DE GOEDE, Van der	't Zand, The Netherlands
SALMON CLASSIC GROUP	Breezand, The Netherlands
SIBERIA ORIËNTAL B.V.	't Zand, The Netherlands
STEINBRÜCK, Gerhard	Berlin, Germany
SUMMERS, W.S.	Tolland, Connecticut, USA
SYLVESTER, Donna	Tonasket, Washington, USA
VLETTER & DEN HAAN	Rijnsburg, The Netherlands
BEHEER B.V.	
WERELD B.V., J.W.A. van der	Breezand, the Netherlands
† WOODRIF, L.	Formerly of McKinleyville, California, USA
WORLD BREEDING B.V.	Breezand, The Netherlands
ZABO PLANT	't Zand, The Netherlands
ZANTEN FLOWERBULBS B.V., Van	Hillegom, The Netherlands
ZWET, Fa. J.A. van der	Roelofarendsveen, The Netherlands