

THE INTERNATIONAL LILY REGISTER & CHECKLIST

TWENTY-THIRD SUPPLEMENT

The following list contains details of lilies whose epithets were registered between 1 October 2003 and 30 September 2004. In addition there are details of a few lilies whose epithets have not been registered: these form part of the Checklist function.

Raisers and introducers are urged to ensure that all their plants have been registered and are reminded that registration should take place before a plant is released. Registration forms can be obtained from the International Lily Registrar (address below), or downloaded from the RHS website (www.rhs.org.uk).

The International Cultivar Registration Authority (ICRA) is indebted to the regional representatives for the effort they make to obtain and pass on information about lily cultivars. They are as follows:

Regional representative: Australia

Neil Jordan, 27 Scarfe Street, Camdale, Tasmania 7320, Australia.

Regional representative: Czech Republic

Ing. Břetislav Mičulka, 687 07 Velehrad 225, Czech Republic.

Regional representative: The Netherlands

Saskia Bodegom, Koninklijke Algemeene Vereeniging voor
Bloembollencultuur (Royal General Bulbgrowers' Association),
Postbus 175, 2180 AD Hillegom, The Netherlands.

Regional representative: New Zealand

Mrs Merle I. Lepper, P O Box 1394, Christchurch, New Zealand.

Regional representative: North America

Mrs Kathy Anderson, 7 Perth Drive, Wilmington, DE 19803, USA.

In addition, the ICRA is grateful to the many other correspondents who have brought new lilies to its attention.

This Supplement continues the use of a dual subdivision for every entry. Thus, both flower aspect (up-, out- or down-facing) and flower form (trumpet, bowl, flat or recurved) are indicated for each entry when this information is available. The existing lettering is retained, with flower aspect given first, separated from the flower form by a slash mark (/). An entry such as I(b/c) 'Aloft' therefore indicates that this is an Asiatic lily with out-facing, flat flowers. It is not a requirement that dual subdivisions should be used at all times. The way in which the information is presented means that, where it is necessary for a particular purpose, one (or both) can be ignored. Their inclusion, however, together with the division number, helps to present in an abbreviated form a quick 'picture' of the flower concerned. For a full account of any plant it is necessary to refer to the description.

Victoria Matthews, International Lily Registrar, 13 Chatsworth Close, Market Deeping, Peterborough PE6 8AZ, United Kingdom. Tel: +44 (0)1778 380 256. E-mail: victoriamatthews@rhs.org.uk

VII(b-c/b) 'Agrā Liesma'

cv. (White-flowered seedling × 'Liesma') R: D.-V. Šķīmele (1995), G: D.-V. Šķīmele (1999), N: D.-V. Šķīmele (2001), REG: D.-V. Šķīmele (2004). Inside red, each petal with a dark red ray, throat green; outside yellowish white, midribs yellow; spots dark red, medium sized, on three-quarters of each petal; nectaries green; pollen brown; stigma violet. Fls 200 mm wide, slightly scented; petals 105 × 50 mm, margins ruffled, tips slightly recurved. Lvs alternate, 150 × 30 mm. Stems 1.1 m, green, with c.6 fls. Late July.

I(a/b) 'Airisa'

cv. (Unnamed seedling × 'Monte Rosa') R: D.-V. Šķīmele (1995), G: D.-V. Šķīmele (1998), N: D.-V. Šķīmele (2000), REG: D.-V. Šķīmele (2004). Inside soft pink, each petal with a paler margin and darker base, and with a narrow vivid pink ray; outside pale pink, midribs greenish brown; spots brown, tiny, in centre; nectaries white; pollen brownish orange; stigma maroon. Fls 140 mm wide; petals 80 × 50 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 40 × 10 mm. Stems 0.6 m, dark green, with c.7 fls. Mid July.

I(c/d) 'Akane'

cv. ('Josef Matásek' × 'Tigrimount') R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside dark crimson-red, shiny, petal-tips paler; outside with petals paler in centre, midribs brownish; spots brown-black, moderately numerous, on half of each petal; nectaries greyed brown, crimson-granulated, partly open; filaments dark red; pollen red-brown; style dark red; stigma crimson. Fls 105 mm wide; petals 75 × 33 mm, very strongly recurved, margins slightly wavy; pedicels 95 mm long, thick, dotted with dark brown, with secondary buds. Lvs alternate, 90 × 8 mm, dull mid green. Stems 0.95 m, slender, rigid, dark brown. Late June.

VII(b/b) 'Ance'

cv. (Parentage unknown) R: Ē. Ieviņa (1994), G: R. Krūmiņš (1998), N: R. Krūmiņš (2003), REG: Liliūm Balticum Association (2004). Inside reddish pink, petals with white margin; outside pale pink, midribs greenish; spots and papillae reddish brown; nectaries light green; pollen brown; stigma light grey. Fls 190 mm wide; petals 130 × 65 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 150 × 52 mm. Stems 1 m, green, with 5-6 fls. Early August.

I(a-b/b) 'Andrea Vavilov'

cv. (*lanceifolium* × Pink Perfection Group) R: A.M. Fedorov (1985), G: A.M. Fedorov (1987), N: A.M. Fedorov, I: A.M. Fedorov (1990), REG: A.M. Fedorov (2004). Inside mid pink, throat ruby-red; outside brownish red; spots and papillae absent; nectaries brown-red; pollen brown-red; stigma brown-red. Fls 130 mm wide; petals 80 × 15-30 mm, margins smooth, tips slightly recurved. Lvs alternate, 120 × 15 mm. Stems 1 m, green, with 5-7 fls. July. (The fls tend to fade in sun.)

VII(a/-) 'Aranal'

cv. (Parentage unknown) R: Sande B.V., REG: Sande B.V. (2004). Inside deep red to strong purplish red (60A/B), each petal lighter towards tip and margins; outside between moderate purplish red (186B) and strong purplish red (60D); spots dark purple-red, many, large; papillae present; nectaries purple-red changing to yellow-green; pollen red-brown; stigma dark purple. Petals medium sized, margins slightly ruffled, tips recurved. Lvs medium to long. Stems tall, with darker markings. Midseason to late.

II(c/d) 'Aspen Gold'

cv. (Parentage unknown) R: H. Cocker, G: H. Cocker, N: Hartle-Gilman Gardens (2004), I: Hartle-Gilman Gardens (2004), REG: M. Hartle (2004). Inside yellow-green (145), throat brilliant yellow (14C); outside light orange-yellow (24C), midribs green; spots dark reddish orange (173A), in a pattern that starts in the centre quarter of each petal, with many smaller spots towards edge, giving the petal the appearance of having a yellow margin; nectaries green-yellow; pollen moderate reddish orange (173B). Fls slightly scented; petals 62 × 7 mm, margins smooth, tips strongly recurved. Lvs 148 × 42 mm. Stems 1.35 m, with 18-19 fls.

VII(a-b/b) 'Atlantic Pearl'

cv. ('Sorbonne' × 'Tiber') R: De Jong Lelies Holland B.V. (1995), G: De Jong Lelies Holland B.V. (1997), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2001), REG: De Jong Lelies Holland B.V. (2003). Inside moderate purplish pink (66D), throat yellowish white (155D), petal-margins and tips yellowish white (155D), with light greenish yellow (3C) along each midvein for two-thirds of its length; outside moderate purplish pink (66D), each petal with yellowish white (155D) margin, along midribs moderate yellow-green (143D) changing into pale yellow-green (4D), at top strong yellow-green (143A); spots deep purplish red (59B); papillae yellowish white (155D); nectaries strong yellow-green (144B) surrounded by light greenish yellow (3C); pollen vivid yellowish pink (28A); stigma pale yellow-green (193D). Fls 195 mm wide, slightly fragrant; petals 118 × 63 mm, margins slightly ruffled, tips slightly recurved. Lvs 145 × 28 mm. Stems 1.1 m, green, with c.5 fls.

VII(a-b/b) 'Atlantic White'

cv. (Little Rascal Group with yellow fls × unnamed seedling) R: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (2001), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside and outside yellowish white (155D); midribs light yellow-green (145C) with strong yellow-green (144A) at top; spots and papillae yellowish white (155D); nectaries strong yellow-green (144B); pollen reddish orange (169A); stigma deep reddish purple (77A). Fls 125 mm wide, slightly fragrant; petals 80 × 50 mm, margins smooth, tips slightly recurved. Lvs alternate, 95 × 45 mm, dark green. Stems 0.4 m, green, with 7 fls. July.

VIII(a/b) 'Autumn Blaze'

cv. (Parentage unknown) REG: World Flower B.V. (2003). Inside and outside moderate red (179A/B), midveins strong red (46A) at base; spots few; papillae present; nectaries orange-yellow; pollen red-brown; stigma orange. Petal-margins very slightly ruffled, tips slightly recurved. Stems c.1.45 m, with 5-8 fls. Early to midseason. (*A longiflorum*/Asiatic hybrid.)

VII(a/b) 'Baikal Pearl'

cv. ('Simplon' × 'Canada') R: De Jong Lelies Holland B.V. (1996), G: De Jong Lelies Holland B.V. (1998), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2003). Inside yellowish white (155D), midveins with a light greenish yellow (8B) patch towards base; outside yellowish white (155D), midribs strong yellow-green (144B) at base flushed with vivid purplish red (57B), strong greenish yellow (151B) towards top with strong yellow-green (144A) tip; spots and papillae brilliant yellow (8A); nectaries strong yellow-green (144C); pollen strong reddish orange (169A); stigma dark purple (79A). Fls 230 mm wide, fragrant; petals 160 × 70 mm, margins smooth, tips recurved. Lvs 200 × 46 mm. Stems 1.2 m, green with darker markings, and with c.3-5 fls.

VII(a-b/b-c) 'Baltimore'

cv. ('Cascade' × 'Muscadet') R: Sande B.V., REG: Sande B.V. (2003). Inside and outside greenish white (155C), petal-tips flushed with strong purplish red (55B); spots absent; papillae present; nectaries light green; pollen orange-brown; stigma light purple. Petals medium length, margins ruffled, tips recurved. Stems tall to very tall. Midseason.

VII(b/b) 'Beiza'

cv. (Parentage unknown) R: Ē. Ieviņa (1992), G: Ē. Ieviņa (1995), N: R. Krūmiņš (2001), REG: Liliūm Balticum Association (2004). Inside deep pink, shaded with violet, petal-margins c. 5 mm wide, white; outside pink with white midribs; papillae cherry-red on four-fifths of each petal; nectaries light green; pollen brown; stigma light greenish grey. Fls 220 mm wide, slightly scented; petals 125 × 65 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 190 × 60-70 mm. Stems 1.1 m, green, with 7-8 fls. Late July. (Named after a TV serial.)

I(b/c-d) 'Berta'

cv. ('Līvija Stepīte' × 'Peaceful') R: D.-V. Šķimele (1994), G: D.-V. Šķimele (1997), N: D.-V. Šķimele (2000), REG: D.-V. Šķimele (2004). Inside soft apricot, each petal darker at base and with apricot-pink margins; outside apricot, midribs yellowish pink; spots dark red, few, inconspicuous, on a third of each petal; nectaries greenish yellow; pollen orange; stigma violet. Fls 150 mm wide; petals 80 × 50 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 80 × 10 mm. Stems 1.1 m, brownish green, with c. 15 fls. Mid July.

VII(a/b) 'Best Friend'

cv. (Unnamed seedling × ('Journey's End' × 'Star Gazer')) R: Bischoff Tulleken Lelies B.V. (1989), G: Bischoff Tulleken Lelies B.V. (1993), N: Bischoff Tulleken Lelies B.V. (1999), I: Bischoff Tulleken Lelies B.V. (2003), REG: Bischoff Tulleken Lelies B.V. (2003). Inside moderate purplish pink (66D), midveins yellowish white (155D) at base, deep purplish pink (66C) at top, throat yellowish white (155D); outside moderate purplish pink (70D), midribs yellowish white (155D), light yellow-green (144D) at top; spots vivid purplish red (57B); papillae yellowish white (155D); nectaries light yellow-green (144D); pollen moderate reddish orange/brownish orange (171A/B); stigma very pale green (130D). Fls 250 mm wide, fragrant; petals 155 × 73 mm, margins ruffled, tips recurved. Lvs alternate, 170 × 37 mm, green. Stems 1.1 m, green with anthocyanin, with c.6 fls. July.

I(b/b) 'Blankenfelder Juwel'

cv. ('Snowcap' × mixed pollen from 'Limpopo', 'Brushstroke' and 'Impact') R: G. Steinbrück (1991), G: G. Steinbrück (1994), N: G. Steinbrück (2003), I: G. Steinbrück (2004), REG: G. Steinbrück (2004). Inside yellowish white (158D), throat light orange (28C); outside very pale yellow, midribs green; spots numerous, large, dark purple (79A), on lower half of each petal; nectaries white-hoary; pollen greyish reddish brown (200B); stigma yellowish white (156D). Fls 140 mm wide; petals 70 × 40 mm, margins strongly ruffled, tips strongly recurved. Lvs alternate, 95 × 16 mm. Stems 1 m, dark green, with up to 14 fls. Early July.

VI(b-c/b) 'Bohyně Nemesis'

Syn. of 'Nemesis'.

VII(a-b/b-c) 'Broadway'

cv. ((Little Rascal Group × 'Star Gazer') × ('Allegra' × 'Star Gazer')) R: Bischoff

Tulleken Lelies B.V., N: Bischoff Tulleken Lelies B.V. (1995), I: Bischoff Tulleken Lelies B.V., REG: Rooyakkers (2004). Inside very pale purple (75D), very pale purple (76D) around the nectaries and in throat; outside very pale purple (75D), midribs very pale purple (76D) in lower third, strong yellow-green (143C) at base, strong yellow-green (143B) at top; spots strong purplish red (60B); papillae very pale purple (76D); nectaries moderate yellow-green (143D); pollen strong reddish orange (169A); stigma dark purple (79A). Fls 220 mm wide, slightly fragrant; petals 115 × 50 mm, margins smooth or very slightly ruffled, tips recurved. Lvs 115 × 35 mm, dark green. Stems 1.1 m, green, with c.5-7 fls. Midseason.

I(a/b-c) 'Brushmarkfeuer'

cv. ('Dawn Star' × 'Artistik') R: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2003), I: G. Steinbrück (2004), REG: G. Steinbrück (2004). Inside pale yellow-green (157C), throat white tinged with soft orange; outside white; spots large, oval, deep purplish red, on three-quarters of each petal; brushmark strong red (46A); nectaries moderate yellow-green (138B); filaments soft yellow; pollen deep red (185A); stigma deep red (185A). Fls 150 mm wide, slightly scented; petals 70 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 80 × 10 mm. Stems 0.8 m, green, with 5-7 fls. Late June.

VII(c/b) 'Cam Comet'

cv. ('Joy' (syn. 'Le Rêve') × ? *japonicum*) G: N. Jordan (1997), N: N. Jordan (2004), REG: N. Jordan (2004). Inside white, each petal with a vivid yellow (9A) band; outside white, strong purplish red (63A) near base; papillae soft golden brown; nectaries green; pollen bright red-brown; stigma greyed purple. Fls 205 mm wide, strongly scented; petals 155 × 60 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 155 × 45 mm. Stems 1.3 m, green/brown, with c.7 fls. Early February (Tasmania). (Grown from seed (contributor unknown) from NZLS Seed List 1994.)

I(a-b/b) 'Caramella'

cv. (Parentage unknown) REG: World Breeding B.V. (2003). Inside strong orange-yellow to moderate yellow (163B/C), lower part of petals moderate red (179A); outside moderate to light yellow (163C/D); spots absent; papillae very few; nectaries green; pollen red-brown; stigma orange-yellow. Petals short, margins hardly ruffled, tips slightly recurved. Stems medium to tall, with c.6 fls. Early to midseason. (Said to be a *longiflorum*/ Asiatic hybrid.)

VII(a/c) 'Caribbean Pearl'

cv. ('Tiber' × 'Bernini') R: De Jong Lelies Holland B.V. (1995), G: De Jong Lelies Holland B.V. (1997), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2001), REG: De Jong Lelies Holland B.V. (2003). Inside vivid purplish red (61C), deep purplish pink (66C) towards petal-margins, throat greenish white (155C); outside of petals deep purplish pink (66C) in upper two-thirds, yellowish white (155D) in lower third, midribs light yellow-green (144A), strong yellow-green (144D) at top; spots and papillae strong purplish red (60B); nectaries strong yellow-green (143C); pollen dark reddish orange (172B); stigma pale green (189B). Fls 235 mm wide, slightly fragrant; petals 130 × 70 mm, margins slightly ruffled, tips slightly recurved. Lvs 160 × 47 mm. Stems 1.1 m, green with darker markings, with c.4 fls.

VIII(a/b) 'Carmine Diamond'

cv. (Seedling LA 93007-18 × Mixed Asiatic pollen) R: De Jong Lelies Holland B.V. (1997), G: De Jong Lelies Holland B.V. (1999), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V.

(2003). Inside moderate red (180C/181C), midveins moderate red (180B), throat yellowish white (158D); outside greyish red (182B), midribs greyish red (184A), petal-margins moderate red (180B); spots dark red (183A), few; papillae deep pink (180D); nectaries deep pink (180D); pollen greyish brown (166A); stigma moderate purplish red (184C). Fls 220 mm wide; petals 122 × 60 mm, margins smooth, tips recurved. Lvs 170 × 25 mm. Stems 0.9-1.2 m, green with darker markings, with c.4 fls. Late June to July. (*A. longiflorum*/Asiatic hybrid.)

VII(a/b) ‘Casa Grande’

cv. ((*speciosum* × ‘Star Gazer’) × (‘Allegra’ × ‘Star Gazer’)) R: Bischoff Tulleken Lelies B.V., N: Bischoff Tulleken Lelies B.V. (1992), REG: Rooyakkers (2004). Inside very pale purple (69A), around nectaries and along midveins yellowish white (155D), throat yellowish white (155D); outside of outer petals light purplish pink (62C), along midribs moderate purplish pink (62B), strong yellow-green (141D) at base and strong yellow-green (144A) at top, outside of inner petals very pale purple (69D), along midribs yellowish white (155D) at base, with base of midrib light yellow-green (144D); spots and papillae yellowish white (155D); nectaries strong yellow-green (144B); pollen moderate reddish orange (171A); stigma moderate purple (79D). Fls 250 mm wide, fragrant; petals 145 × 75 mm, margins ruffled, tips recurved. Lvs 237 × 64 mm. Stems 1.3 m, green, with c.7 fls. Midseason.

VIII(a/b) CORELLI

Trade designation of ‘Zanlarelli’.

VII(a-b/b-c) ‘Corvara’

cv. (Seedling 89200 × seedling 86119-27) R: Sande B.V., REG: Sande B.V. (2003). Inside dark red/deep red (187C/53A); outside between deep purplish pink (66C) and moderate purplish red (186B); spots and papillae present; nectaries dark red; pollen red-brown; stigma purple. Petals medium to long, margins ruffled, tips strongly recurved. Stems 1-1.3 m, with some darker markings. Midseason to late. Trade designation: RIO NEGRO.

I(a/b) ‘Costa del Sol’

cv. (Parentage unknown) R: Laan Lelie, N: Lily Company B.V. (2000), REG: Lily Company B.V. (2004). Inside with each petal brilliant yellow (13C) in lower half and deep pink (47C) in upper half; outside of inner petals strong pink (50C), deep pink (47D) towards edges, outer petals deep pink/moderate red (48A/181B), midribs deep pink (47D); spots dark red (187A) on lower part of petals; papillae absent; nectaries yellowish white (155D); pollen brownish orange/moderate orange (164A/167A); stigma moderate red (179A). Fls 130 mm wide; petals 72.5 × 30-40 mm, margins smooth, tips slightly recurved. Lvs 87.5 × 15 mm, light green. Stems 0.6 m, with some darker markings, with c.11 fls.

VIII(a/b) COUPLET

Trade designation of ‘Zanlacoup’.

I(-/b) ‘Cuban Night’

cv. (Seedling of *clauricum* × red-flowered seedling) R: Bischoff Tulleken Lelies B.V. (1992), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2001), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Outside deep red/strong red (53A/46A), deep red (60A) towards petal-margins, throat strong red (46A); outside moderate red (181A), deep red (53A) towards petal-margins, with a small orange brown stripe (170B) with a dark green

(141A) spot at petal-tips; spots dark red (187A); papillae absent; pollen moderate reddish orange (173B); stigma dark purple (79A). Fls 180 mm wide; petals 113 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 125 × 20 mm, green. Stems 1.3 m, green, with 5 fls. June.

I(a/b-c) 'Cyberspace'

cv. (('Gran Paradiso' × 'Compass') × unnamed seedling) R: BischoffTulleken Lelies B.V. (1992), G: BischoffTulleken Lelies B.V. (1995), N: BischoffTulleken Lelies B.V. (2000), I: BischoffTulleken Lelies B.V. (2003), REG: BischoffTulleken Lelies B.V. (2003). Inside strong orange (25B), throat strong orange-yellow (24B); outside strong orange-yellow (24B), strong orange (25B) towards petal-margins, midribs strong greenish yellow (151B); spots absent; papillae strong orange (25A); nectaries moderate yellow-green (139C); pollen moderate reddish brown (174A); stigma brilliant orange (25C). Fls 225 mm wide; petals 120 × 60 mm, margins smooth, tips recurved. Lvs alternate, 130 × 19 mm, green. Stems 1.5 m, green with anthocyanin at base, and with 7 fls. June.

VII(b/c) 'Dačuks'

cv. (Parentage unknown) R: Ē. Ieviņa (1994), G: R. Krūmiņš (1998), N: R. Krūmiņš (2000), REG: Liliūm Balticum Association (2004). Inside pink; outside whitish pink, midribs brownish green to pale green; spots cherry-red, on two-thirds of each petal; nectaries light greyish green; pollen yellowish brown; stigma greyish green. Fls 230 mm wide; petals 150 × 65 mm, margins slightly ruffled, tips recurved. Lvs alternate, 230 × 50 mm. Stems 1.1-1.2 m, green, with 8-9 fls. Late July.

I(a/b) 'Dalibor'

cv. ((unknown × 'Monte Rosa') × ('Accent' × 'Windahloo')) R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside rich pink, base of throat paler; outside hairy, petal-centres paler, midribs green-yellow; spots pale brown, small, moderately numerous, on two-fifths of each petal; nectaries white-granulated; filaments crimson; pollen apricot-brown; style brown; stigma brownish. Buds hairy. Fls 140 mm wide; petals 82 × 36 mm, margins up-turned, tips slightly recurved; pedicels 45 mm long, green. Lvs alternate, 115 × 9 mm, dull mid green. Stems 0.75 m, green, thick, with a medium-sized infl. Early June.

VI(b/a) 'Daugava'

cv. ('Damson' × seedling L-27) R: Ā. Zorgevics (1980), G: Ā. Zorgevics (1984), N: Ā. Zorgevics (2004), I: Ā. Zorgevics (2004), REG: Ā. Zorgevics (2004). Inside light purple (78C), throat strong yellow-green (141D), each petal with a spear-shaped sulphur spot near the base; outside mid purple; nectaries whitish; pollen light orange; stigma brownish purple. Fls 140 mm wide, strongly scented; petals 130 × 40 mm, margins smooth, tips slightly recurved. Lvs whorled, 70 × 10 mm. Stems 1.2 m, grey-green, with c.9 fls. Bulbs purple. Late July to early August. (The Daugava is a Latvian river.)

II(c/c) 'Dewberry'

cv. (Pink-flowered seedling × ('Roja' × 'Morning Melody')) R: E.E. Fox (1993), G: E.E. Fox (1998), N: E.E. Fox (1999), I: Fox Lily Ranch (2004), REG: E.E. Fox (2004). Inside moderate purplish red (59C), throat strong purplish red (58C); outside white over pink with strong purplish red petal-edges (59D); spots dark red (187B), small, scattered on lower third of each petal; nectaries light orange-yellow (23C); pollen strong orange (170A); stigma white tinged with green. Fls 76 mm wide; petals 38 × 20 mm, margins smooth, tips not recurved. Lvs whorled, 140 × 62 mm. Stems 1.4 m, light green, with 14-18 fls. Late June to early July. (Named after a small town in Alberta, Canada.)

VI(b-c/c) 'Doctor Dale Cleary'

cv. (*rosthorrii* × 'Buttercurls') R: K. Swoszowski-Tran, G: K. Swoszowski-Tran, N: K. Swoszowski-Tran, REG: K. Swoszowski-Tran (2004). Inside melon-orange, deeper orange towards centre of each petal; outside yellow-orange becoming lighter (banana-yellow) towards petal-edges; spots nutmeg- or cinnamon-coloured; papillae pronounced; nectaries greenish yellow; pollen cinnamon-red; stigma pale green. Fls 110 mm wide, slightly scented; petals 95 × 25 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 145 × 14 mm. Stems 0.75 m, apple-green, with c.8 fls in a pyramidal infl. July. (Published in *Lilies and related plants 2003-04*: 105, 112 (2004).)

VIII(a/b) 'Double Whisky'

cv. (Seedling of 'Sinai' × (*longiflorum* × 'Aristo')) R: Bischoff Tulleken Lelies B.V. (1991), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (2001), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside strong orange-yellow (22A), light orange-yellow (22B) towards petal-margins, tips strong orange (25A), midveins light orange-yellow (22B); outside brilliant yellow (20B), petal-margins brilliant orange-yellow (21B), tips strong orange-yellow (24B) with a small strong reddish orange (34C) spot; nectaries moderate yellowish green (137D); pollen dark reddish orange (178B); stigma dark red (59A). Fls semi-double, 150 mm wide; petals 105 × 55 mm, margins smooth to very slightly ruffled, tips slightly recurved. Lvs alternate, 120 × 25 mm, green. Stems 1.2 m, green with anthocyanin, with 7-9 fls. June. (A *longiflorum*/Asiatic hybrid.)

VII(b/c) 'Ekstera'

cv. (Parentage unknown) R: Ē. Ieviņa, G: Ē. Ieviņa, N: Ē. Ieviņa (pre 1997), REG: Lilium Balticum Association (2004). Inside white; outside with light yellowish brown to white midribs; papillae white; nectaries greyish green; pollen reddish brown; stigma violet. Fls 170 mm wide; petals 100 × 53 mm, margins ruffled, tips recurved. Lvs alternate, 140 × 30 mm. Stems 0.85 m, green, with 7-8 fls. July to August.

I(a/c) 'Elgersburg'

cv. ('Red King' × unnamed Asiatic hybrid) R: G. Steinbrück (1990), G: G. Steinbrück (1993), N: G. Steinbrück (2003), I: G. Steinbrück (2004), REG: G. Steinbrück (2004). Inside strong orange (169C) tinged with red, petal-tips and throat light purplish pink (63D); outside yellow-orange, midribs green-yellow; spots large, oval, deep purplish red (71a), on three-quarters of each petal; nectaries yellow-orange; pollen moderate red (181A); style soft orange; stigma dark reddish orange (175C). Fls 125 mm wide; petals 62 × 36 mm, margins smooth, tips slightly recurved. Lvs alternate, 105 × 10 mm. Stems 0.75 m, violet, with c. 12 fls. Early July.

I(a/b) 'Elodie'

cv. (Parentage unknown) R: Testcentrum voor Siergewassen (1998), G: (2002), N: Marklily (2001), I: Marklily (2003), REG: Marklily (2003). Inside pale purplish pink (65D) with some moderate purplish pink (65A) stripes, throat yellowish white (155D); outside moderate purplish pink (65A), midribs light purplish pink (65B) flushed with moderate yellow green (147D) at top; spots dark red (59A), large; papillae absent; nectaries moderate yellow green (143D); pollen absent; stigma strong purplish red (61B). Fls double, 175 mm wide; petals 90 × 46 mm, margins slightly ruffled, tips recurved, narrow, elongated. Lvs 140 × 16 mm. Stems 1-1.4 m, dark, with c.7 fls. June.

VII(a-b/b) 'E-mail'

cv. ('Star Gazer' × unnamed seedling) × 'Kissproof') R: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (2000), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside deep red (60A), petal-margins, tips and throat yellowish white (155D), above nectaries and along midveins dark red (59A); outside the outer petal strong purplish red (59D) with whitish spots, midribs strong yellow-green (145A) at base, strong yellow-green (144A) at top, inner petals moderate purplish pink (66D) with whitish spots; spots and papillae dark red (59A); nectaries strong yellow-green (143C); pollen strong reddish orange (169A); stigma light greenish grey (188C). Fls 215 mm wide, slightly fragrant; petals 120 × 60 mm, margins ruffled, tips slightly recurved. Lvs alternate, 140 × 40 mm, green. Stems 1.1 m, light green, with 7 fls. July.

I(b-c/d) 'Epifanija'

cv. ('Nata' × mixed pollen from Tango Group) R: D.-V. Šķimele (1991), G: D.-V. Šķimele (1994), N: D.-V. Šķimele (1997), REG: D.-V. Šķimele (2004). Inside dark purplish pink with dark brownish marbling over half of each petal; outside purplish pink, midribs green; nectaries green; pollen brown; stigma dark red-brown. Fls 100 mm wide; petals 80 × 30 mm, margins smooth, tips strongly recurved. Lvs alternate, 50 × 8 mm. Stems 0.85 m, dark green, with c.14 fls. Mid July.

VII(b-c/b) 'Ērika'

cv. (Parentage unknown) R: Ē. Ieviņa (1991), G: Ē. Ieviņa (1995), N: R. Krūmiņš (2001), REG: Liliūm Balticum Association (2004). Inside white; outside white with brown midribs; papillae white, on half of each petal; pollen light brown; stigma violet. Fls to 240 mm wide, scented; petals 145 × 65 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, to 200 × 70 mm. Stems 1.3-1.4 m, green, with 12-14 fls. July to August.

VII(-/-) 'Erna'

cv. (Parentage unknown) R: R. Krūmiņš (1997), G: R. Krūmiņš (2000), N: R. Krūmiņš (2003), REG: Liliūm Balticum Association (2004). Inside light violet-pink, midveins dark violet-pink, each petal with white tip and margin; outside brownish pink, midribs brown to green; spots cherry-red, on half of each petal; pollen reddish brown; stigma grey-green. Fls 240 mm wide; petals 145 × 60 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, up to 220 × 75 mm. Stems 1 m, with 7-9 fls. Early August.

VII(a/b) 'Eternity'

cv. (Unnamed seedling × 'Royal Class') R: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (1999), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside light purplish pink (68D/73C), midveins yellowish white (155D), throat yellowish white (155D); outside very pale purple (73D), yellowish white (155D) at base, moderate yellow-green (139D) along midribs changing into light purplish pink (73C); spots and papillae yellowish white (155D); nectaries strong yellow-green (143C); pollen vivid yellowish pink (28A); stigma light greenish blue (122B). Fls 200 mm wide; petals 133 × 39 mm, margins slightly ruffled, tips recurved. Lvs alternate, 210 × 57 mm, green. Stems 1.1 m, green with anthocyanin, and with 5 fls. July.

VII(a/b-c) 'Fairy Tale'

cv. (Parentage unknown) R: Testcentrum voor Siergewassen (1998), G: (2000), N:

Marklily (2000), I: Marklily (2002), REG: Marklily (2003). Inside strong reddish purple (70B), throat greenish white (155C), with moderate purplish red (58A) along midveins, petal-margins and tips greenish white (155C); outside light reddish purple (74C), midribs pale yellow (11D); spots dark red (59A); papillae present; nectaries (145A), pale greenish yellow (10D) along edges; pollen strong brown (172A); stigma light greenish grey (188B), flushed with light reddish purple (74C). Fls 240 mm wide; petals 125 × 37 mm, margins ruffled, tips strongly recurved. Lvs 195 × 50 mm. Stems 1.1 m, light green, with c.4 fls.

VIII(a/c) 'Fancy Crown'

cv. ('Trance' × mixed pollen of diploid Asiatic hybrids) R: De Jong Lelies Holland B.V. (1991), G: De Jong Lelies Holland B.V. (1997), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2001), REG: De Jong Lelies Holland B.V. (2003). Inside deep red (53A), throat yellow-green, each petal strong reddish orange (31A) above nectaries and brilliant greenish yellow (3A) at margins and tip; outside dark reddish orange (178B) with vivid yellow (13A) petal-margins, midribs strong yellow-green (143A) at top; spots dark red (59A), numerous; papillae brilliant greenish yellow (3A); nectaries strong yellow-green (144C); pollen moderate reddish brown (175A); stigma greyish reddish orange (174D). Fls 165 mm wide; petals 85 × 30 mm, margins slightly ruffled, tips strongly recurved. Lvs 115 × 22 mm. Stems 1.3 m, green with darker markings, with c.14 fls.

VII(a/b) 'Fatal Attraction'

cv. (Unnamed seedling × ('Merci' × 'Freedom')) R: Bischoff Tulleken Lelies B.V. (1991), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2001), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside yellowish white (155D), very light purple (75C) towards petal-margins and tips, midveins brilliant yellow (11A); outside with outer petals light purple (75B), up to half the petal-margin yellowish white (155D), midribs yellowish white (158D), inner petals yellowish white (155D), very pale purple (75D) towards margins and tips, midribs light purple (75B); spots brilliant yellow (11A); papillae yellowish white (155D); nectaries strong yellow-green (144C); pollen vivid yellowish pink (28A); stigma moderate purplish red (59C). Fls 240 mm wide, slightly fragrant; petals 140 × 68 mm, margins slightly ruffled, tips recurved. Lvs alternate, 190 × 53 mm, green. Stems 1.3 m, green with anthocyanin, and with 5 fls. July.

I(a-b/b-c) 'Fiška'

cv. (('Nakts Tango' × 'Provincial') × seedling BM9 (yellow-flowered with brushmarks)) R: D. Hercbergs (1995), G: D. Hercbergs (1997), N: D. Hercbergs (1998), I: D. Hercbergs (2000), REG: D. Hercbergs (2004). Inside moderate orange (170D); spots cherry-red, on a third of each petal; pollen brown. Fls 140 mm wide; petals 75 × 30-35 mm; pedicels to 220 mm long. Lvs alternate. Stems 1.1 m, green, with c.12 fls. July.

I(b/b) 'Flying Wing'

cv. (Parentage unknown) R: Laan Lelie, N: Lily Company B.V. (2000), REG: Lily Company B.V. (2004). Inside strong reddish orange (169A), each petal edged moderate red (180A) in lower part; outside vivid reddish orange (34B), strong orange (169B) towards petal-tip; spots dark red (187A) on lower quarter of petals; papillae moderate red (180A); nectaries moderate red (180A); pollen strong brown/strong reddish orange (172A/169A); stigma strong orange (169A). Fls 155 mm wide; petals 90-95 × 30-48 mm, margins smooth, tips recurved. Lvs 95 × 10 mm, light green. Stems 1 m, with darker markings, with c.8 fls.

I(a-b/b-c) 'Fredrijs'

cv. (('Nakts Tango' × 'Provincial') × seedling BM9 (yellow-flowered with brushmarks)) R: D. Hercbergs (1995), G: D. Hercbergs (1997), N: D. Hercbergs (1998), I: D. Hercbergs (2000), REG: D. Hercbergs (2004). Inside and outside strong orange (25A); spots brown, on a third of each petal. Fls 140 mm wide; petals 75 × 30-35 mm, margins smooth, tips slightly recurved; pedicels to 200 mm long. Lvs alternate. Stems 1.1 m, green, with c.12 fls. July.

VIII(a/b) 'Fuego Crown'

cv. ('Miami' × 'Gloria') R: De Jong Lelies Holland B.V. (1996), G: De Jong Lelies Holland B.V. (1998), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2003). Inside strong yellowish pink (34D), each petal brilliant greenish yellow (6B) above nectaries, margins and upper part of midveins brilliant greenish yellow (5B), throat pale greenish yellow (1D); outside moderate red (179A), base moderate purplish red (58A), midribs dark yellowish green (139C), petal-margins and tip brilliant yellow (11A); spots dark red (59A); papillae brilliant greenish yellow (6B); nectaries strong yellow-green (143C); pollen moderate red (179B); stigma dark red (59A). Fls 115 mm wide, slightly fragrant; petals 85 × 36 mm, margins smooth, tips slightly recurved. Lvs 170 × 26 mm. Stems 1.2 m, green, with c.8 fls.

VII(b/b) 'Gaida'

cv. (Parentage unknown) R: Ē. Ieviņa, G: Ē. Ieviņa, N: Ē. Ieviņa (pre 1997), REG: Liliūm Balticum Association (2004). Inside and outside white, midribs light greenish yellow; papillae white; nectaries light green; pollen brown; stigma violet. Fls 220 mm wide; petals 135 × 68 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, up to 175 × 75 mm. Stems up to 1.1 m, green, with 6-7 fls. Early autumn.

VII(a-b/b-c) 'Giallisa'

cv. ((Little Rascal Group yellow × 'Star Gazer') × seedling of *auratum*) R: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1993), N: Bischoff Tulleken Lelies B.V. (2000), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside greenish white (155C), midveins light yellow (10B), throat pale yellow-green (155A); outside pale yellow-green (155A), flushed with pale yellow-green (4D); spots vivid yellow (13A); papillae present; nectaries strong yellow-green (144C); pollen moderate reddish orange (171A); stigma dark red (187A). Fls 260 mm wide; petals 125 × 40 (outer) or 60 (inner) mm, margins smooth, tips recurved. Lvs alternate, 160 × 35 mm, green. Stems 1.1 m, light green with anthocyanin, with c.7 fls. July.

I(a/b) 'Golem'

cv. (('Zephyr' × 'Twilight') × white-flowered tetraploid) × 'Nove Cento') R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside orange-red, petal-tips tinged with brownish, centre and throat bright yellow; outside orange-red, midribs brown; spots absent; nectaries white-granulated; filaments pale yellow; pollen dark orange-brown; style brownish; stigma pale orange. Fls 145 mm wide; petals 100 × 47 mm, scarcely recurved (outer slightly more so); pedicels 50 mm long, very thick, densely dotted with dark brown. Lvs alternate, 125 × 20 mm, dull pale green. Stems 0.85 m, very thick, dark brown, with medium-sized infl. Late June.

VI(b-c/a) 'Henena'

cv. ('Svētdienas Rīts' × unknown) R: I. Zilgalvis (1996), G: I. Zilgalvis (1998), N:

I. Zilgalvis (1999), REG: I. Zilgalvis (2004). Inside white, throat green; outside white-green; spots absent; nectaries green; pollen dark red-brown; stigma green. Fls 150 mm wide; petals 150 × 45 mm, margins smooth, tips slightly recurved. Lvs 100 × 9 mm. Stems 1.4 m, dark green, with 7-8 fls. Late July. (Henena is a Latvian female name.)

I(a-b/c) 'Hille'

cv. (Parentage unknown) R: D.-V. Šķimele (1996), G: D.-V. Šķimele (1998), N: D.-V. Šķimele (2001), REG: D.-V. Šķimele (2004). Inside soft apricot, each petal with darker base and paler tip; outside soft apricot, midribs light green; spots absent; nectaries cream; pollen bright orange-red; stigma dark brownish red. Fls 145 mm wide; petals 75 × 45 mm, margins smooth, tips slightly recurved. Lvs alternate, 60 × 10 mm. Stems 0.7 m, green, with c.8 fls. Mid July.

VII(b/b) 'Hostese'

cv. (Parentage unknown) R: Ē. Ieviņa (1992), G: Ē. Ieviņa (1995), N: R. Krūmiņš (2001), REG: Liliūm Balticum Association (2004). Inside pink, each petal with a white margin 3-4 mm wide; outside whitish pink, midribs yellowish pink; papillae red; nectaries greenish white; pollen brown; stigma light greyish green. Fls 190 mm wide; petals 105 × 50 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 150 × 47 mm. Stems 0.9-1 m, green, with 7-8 fls. July to August.

I(a/c) 'Humoreska'

cv. (Parentage unknown) R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside salmon-pink, petal-centres brown-pink, throat pink; outside of petals with yellow edges and pink centres, midribs brownish; spots crimson-black, moderately numerous, small, on a fifth of each petal; nectaries white-ciliate; filaments pale pink; pollen red-brown; style beige; stigma dark brown-purple. Fls 135 mm wide; petals 80 × 38 mm, scarcely recurved, the outer slightly more so; pedicels 65 mm long, strongly dotted dark brown. Lvs alternate, 90 × 9 mm, dull dark green. Stem 0.75 m. Mid June.

VII(a-b/b) 'Inta'

cv. (Parentage unknown) R: R. Krūmiņš (1997), G: R. Krūmiņš (2001), N: R. Krūmiņš (2003), REG: Liliūm Balticum Association (2004). Inside light violet-pink, midveins darker, tip and margin of each petal white, throat yellowish green; outside greyish pink, midribs brownish green; spots cherry-red; pollen light brown; stigma greyish yellow. Fls 230 mm wide; petals 155 × 70 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 240 × 60 mm. Stems 1 m, greyish green, with 5-6 fls. Late July.

VII(b/c) 'Ivija'

cv. (Parentage unknown) R: Ē. Ieviņa, G: Ē. Ieviņa, N: Ē. Ieviņa (pre 1996), REG: Liliūm Balticum Association (2004). Inside white; outside white, midribs pale greyish brown to pale yellow; papillae white; nectaries light green; pollen reddish brown; stigma violet-grey. Fls 200 mm wide; petals 130 × 45-50 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 180 × 45 mm. Stems 1 m, green, with 6-7 fls. Early August.

I(a/c) 'Jansen's Supreme'

Correct name for 'Jansen's Surprise'.

I(a/c) 'Jansen's Surprise'

This name was published in the 22nd *Supplement* and was an error for 'Jansen's Supreme'.

VII(b/c) 'Jasmine-D'

cv. (('Radiance' × 'Wildfire') × seedling 92-7-35) × 'Madame Pompadour' R: J. Hoell (1992), G: J. Hoell (1996), N: B. Dutton (2004), REG: B. Dutton (2004). Inside vivid red (45B), each petal with a strong red (46A) ray, throat strong red (50A); outside deep purplish pink (55A); spots and papillae strong red (46A); nectaries light green (130B); pollen moderate brown (200D); stigma dark red (59A). Fls 185 mm wide, strongly scented; petals 92 × 52 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 210 × 42 mm. Stems 1.2 m, green, with c.8 fls.

VII(a/b) 'Java Pearl'

cv. ('Etude' × 'Vittorea') R: De Jong Lelies Holland B.V. (1994), G: De Jong Lelies Holland B.V. (1998), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2001), REG: De Jong Lelies Holland B.V. (2003). Inside deep purplish pink (70C), throat yellowish white (158D), midveins strong purplish red (71D), each petal light yellow (12C) above nectary; outside light purplish pink (65B); spots deep purplish red (61A); papillae present; nectaries strong yellow-green (144B); pollen strong brown (172A); stigma light purple (77C). Fls 230 mm wide; petals 120 × 70 mm, margins of outer petals slightly ruffled, tips recurved. Lvs 190 × 40 mm. Stems 0.9 m, light green with darker markings, with 3-8 fls.

I(a-b/b-c) 'Javorina'

cv. (('Rosita' × unknown) × 'Windahloo') × ('Matador' × 'Amorette') R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside yellow, petal-centres apricot, throat pale yellow; outside pale yellow, midribs greenish; Spots moderately numerous, on a quarter of each petal; nectaries green, white-granulated; filaments pale yellow; pollen dark brown; style yellow-green; stigma pale yellow. Fls 115 mm wide; petals 80 × 37 mm, margins slightly ruffled, tips moderately recurved; pedicels 55 mm long, abundantly dotted, slightly hairy. Leaves alternate, 95 × 10 mm, slightly glossy dark green. Stems 0.75 m, thick, slightly brown-dotted, with a short infl. Early June.

VII(b/b) 'Jelgavas Zeltene'

cv. (Parentage unknown) R: Ē. Ieviņa (1995), G: R. Krūmiņš (1998), N: R. Krūmiņš (2000), REG: Liliūm Balticum Association (2004). Inside white, midveins yellow; outside with pale greenish yellow midribs; papillae reddish brown, on four-fifths of each petal; nectaries green; pollen brown; stigma violet. Fls 200 mm wide; petals 140 × 55 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 150 × 43 mm. Stems 1.1-1.2 m, green, with 7-8 fls. Late July.

VII(b/b) 'Jelgavniece'

cv. ('Āfrikāniete' × a Dutch Oriental) R: Ē. Ieviņa (1995), G: R. Krūmiņš (1998), N: R. Krūmiņš (2000), REG: Liliūm Balticum Association (2004). Inside pink, each petal with cherry-red centre; outside pink, midribs green; papillae cherry-red, on three-quarters of each petal; nectaries green; pollen brown; stigma greyish violet. Fls up to 200 mm wide; petals 120 × 65 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, up to 170 × 65 mm. Stems 1 m, green, with c.9 fls. Late July.

I(a-b/b) 'Jordán'

cv. (('Odysseus' × 'Preview') × ('Windahloo' × 'Endeavor')) R: B. Mičulka, G: B.

Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside golden yellow; outside hairy, midribs pink and green, brownish at base; brushmarks mahogany, diffuse; spots large, dark violet-brown, moderately numerous, on three-fifths of each petal; nectaries white-granulated; filaments yellow; pollen brown; style yellow; stigma brownish. Fls 125 mm wide; petals 85 × 40 mm, margins weakly wavy, tips slightly recurved; pedicels 55 mm long, thick, pale green, hairy, with secondary buds. Lvs alternate, 105 × 18 mm, dull dark green, hairy. stems thick, pale green, hairy. Early June.

I(a/b) 'Kalapa'

cv. ('Avignon' × red-flowered tetraploid seedling) R: D. Hercbergs (1995), G: D. Hercbergs (1998), N: D. Hercbergs (2000), I: D. Hercbergs (2001), REG: D. Hercbergs (2004). Inside and outside vivid reddish orange (30B), throat orange-yellow; spots dark, small, over lower quarter of each petal; nectaries orange; pollen brown. Fls 145 mm wide; petals 80 × 50 mm, margins smooth, tips not recurved. Lvs alternate, 110 × 15 mm. Stems 1.2 m, dark green, with c.10 fls. Mid July. (Kalapa is the capital city of the Buddhist kingdom of Shambhala.)

I(b/c) 'Karavan'

cv. (((('Nutmegger' × 'Connecticut Red') × (Hallmark Group × ('Nutmegger' × 'Abendglühen')))) × 'Majáles') R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside golden yellow, petal-tips and throat paler; outside pale yellow, petal-tips green, midribs deeper yellow; spots numerous, small, dark brown, on half of each petal; nectaries partly open, white-granulated; filaments pale yellow; pollen apricot-brown; style pale yellow; stigma brown. Fls 125 mm wide; petals 75 × 36 mm, margins slightly wavy, tips slightly recurved; pedicels 70 mm long, thick, dark green. Lvs alternate, 70 × 12 mm, dull dark green. Stems 0.75 m, thick, brown-dotted. Early June.

I(a/b-c) 'Kilián'

cv. (((('Hornback's Gold' × 'Tabasco') × 'Tetra Nutmegger') × white-flowered tetraploid) R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside lemon-yellow, throat paler; petals with pale yellow centres outside, midribs greenish yellow, brownish at base; spots numerous, large, oval, dark brown-crimson, on half of each petal; nectaries green, white-granulated and with hairy papillae; filaments yellow; pollen apricot-brown; style pale yellow-green; stigma pale yellow. Fls 115 mm wide; petals thick, 78 × 35 mm, tips slightly recurved; pedicels 70 mm, very thick, heavily brown-dotted. Lvs alternate, dull mid green. Stems 1.15 m, very thick, heavily dotted with pale brown. Late June.

VI(b/a) 'Kiwitahi'

cv. ('Anaconda' × unknown) × unknown R: (1993), G: M. Liddell (1996), N: M. Liddell (2002), I: M. Liddell (2002), REG: M. Liddell (2004). Inside pure white with the outside colour showing through, throat lemon-yellow; outside bright pink-red-mauve; spots absent; nectaries green; pollen deep yellow; stigma green. Fls 145 mm wide; petals 140 × 50 mm, margins smooth, tips slightly recurved. Lvs alternate, 90 × 6 mm, mid green. Stems 0.6-0.8 m, green to bronze, with 5-8 fls. December (New Zealand).

VI(b/a) 'Lachsaurelian'

cv. (Parentage unknown) R: H. Böhm (pre 1985). Fls dark salmon-pink.

VIII(a-b/b) 'Le Monde'

cv. (Parentage unknown) REG: World Breeding B.V. (2003). Outside vivid yellow (13A) at base, becoming brilliant yellow (10A) towards petal-tips; outside brilliant yellow (10A); spots absent; papillae few; nectaries green; pollen orange-brown; stigma green. Petal-margins slightly ruffled, tips strongly recurved. Stems tall, with anthocyanin, fls few. Midseason. (An Orienpet (OT) lily.)

I(a/b) 'Letuška'

cv. (('Rusalka' × 'Bianca') × ('Orion' × ('Parfait' × 'Wattle Bird')) R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside pale beige-apricot, petal-tips paler; outside paler, midribs pinkish; spots small, dark brown, on two-fifths of each petal; nectaries open, olive-green and light violet, white-granulated; filaments pale apricot; pollen orange-brown; style brownish; stigma brown-pink. Fls 110 mm wide; petals 65 × 36 mm, tips scarcely recurved; pedicels 80 mm, dark green with light brown dots. Lvs alternate, glossy dark green, slightly drooping. Stems 0.75 m, dark green. Mid June.

VI(b-c/a) Liddell Group

grp (Orange-flowered trumpet × yellow-flowered trumpet) R: (1989), G: M. Liddell (1990), N: M. Liddell (2003), REG: M. Liddell (2004). Inside lemon-yellow to gold or orange; outside gold to orange, with slight bronze coloration at base; spots absent; nectaries green; pollen orange; stigma bronze. Fls 140 mm wide; petals 130 × 55 mm, margins smooth, tips slightly recurved. Lvs alternate, 100 × 15 mm, dark green. Stems 1-1.5 m, green to bronze, with 6-10 fls. December to February (New Zealand).

II(b/d) 'Lightning Bug'

cv. ('Corniel's Yellow' × *isingtauense*) R: E.E. Fox (1988), G: E.E. Fox (1995), N: E.E. Fox (2000), I: Fox Lily Ranch (2004), REG: E.E. Fox (2004). Inside vivid orange-yellow (21A), with strong orange-yellow (22A) near the throat, throat brilliant orange-yellow (23B); outside light yellow (17D); spots absent; nectaries strong orange-yellow (22A); anthers vestigial, lacking pollen; style not straight, but with 1-2 kinks; stigma brilliant yellow (14C). Fls 55 mm wide; petals 30 × 15 mm, margins smooth, tips slightly recurved. Lvs whorled, 150 × 40 mm. Stems 1.3 m, green, with c.12 fls. Late June to early July. (Named in allusion to the fls being the colour of lightning flashes.)

VIII(a-b/b) 'Maranello'

cv. (('Pepper' × 'Firecracker') × (*longiflorum* × 'Aristo')) R: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1992), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside vivid red (46B), strong red (45D) towards petal-margins, throat pale yellowish pink (27D); outside pale purplish pink (62D), vivid reddish orange (42A) towards petal-margins; spots and papillae present; nectaries (28C); pollen dark reddish orange (172B); stigma deep yellowish pink (41D). Fls 170 mm wide; petals 125 × 42 mm, margins smooth, tips slightly recurved. Lvs alternate, 140 × 21 mm, green. Stems 0.85 m, green, with 3-4 fls. June. (A (*longiflorum*)/Asiatic hybrid.)

VI(c/a) 'Mäte Terēze'

cv. ('Zeltene' × unnamed seedling) R: I. Zilgalvis (1993), G: I. Zilgalvis (1995), N: I. Zilgalvis (1996), REG: I. Zilgalvis (2004). Inside yellow and creamy white, throat yellow; outside light green and creamy white; spots absent; nectaries green; pollen red-brown; stigma yellow-green. Fls 180 mm wide, strongly scented; petals 200 ×

51 mm, margins smooth, tips strongly recurved. Lvs 100 × 11 mm. Stems 1.85 m, green, with c.8 fls. Mid July.

I(a-b/b) 'Matrix'

cv. (Parentage unknown) R: Bischoff Tulleken Lelies B.V., N: Coop. Kwekersvereniging "The Originals" U.A. (2002), REG: Coop. Kwekersvereniging "The Originals" U.A. (2004). Inside vivid red (44A), midveins vivid yellowish pink (28A) at base; outside vivid reddish orange (34A); spots and papillae present; nectaries red; pollen orange-brown; stigma purple-red. Fls 120 mm wide; petals short, margins very slightly ruffled, tips slightly recurved. Lvs short to medium. Stems 0.5 m, green with darker spots and stripes.

I(a/b) 'Medaine'

cv. ('Zanda' × 'Ringla') R: D.-V. Šķimele (1994), G: D.-V. Šķimele (1996), N: D.-V. Šķimele (1998), REG: D.-V. Šķimele (2004). Inside vivid yellow, petals with paler tips; outside yellow, midribs green; spots absent; brushmarks brown-red, on a third of each petal; nectaries green; pollen dark brown; stigma light brown. Fls 160 mm; petals 90 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 90 × 10 mm. Stems 0.8 m, brownish green, with c.9 fls. Mid July.

VII(a-b/b) MILKA

Trade designation of 'Zanlorlika'.

VIII(a-b/a-b) 'Miyabi'

cv. (Parentage unknown) REG: World Breeding B.V. (2003). Inside and outside deep purplish red (187D); spots and papillae absent; nectaries purple-red on a greenish ground; pollen orange-brown; stigma orange-yellow. Petal-margins slightly ruffled, tips slightly recurved. Stems 0.7-1.1 m, with few fls. Midseason.

VII(a/b-c) 'Mojave'

cv. (Seedling 89230 × Seedling LR 40) R: Sande B.V., REG: Sande B.V. (2003). Inside strong to light purplish pink (73B/C), midveins brilliant yellow (13C) in lower third, strong red (53B/C) in upper two-thirds; outside light purplish pink/very pale purple (73C/D), outer petals also strong red (53B) along midribs; spots and papillae present; nectaries green; pollen red-brown; stigma grey-green. Petals medium-sized, margins ruffled, tips recurved. Stems tall, with c.6 fls. Early to midseason.

I(a/b-c) 'Moravanka'

cv. (('Heureka' × unknown) × ('Rosita' × unknown)) R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside salmon-pink, petals deep orange-apricot in centre and with pink tips, throat red-brown; outside pale pink and salmon-apricot, midribs greenish, brownish at base; moderately numerous, large brown-red spots over two-thirds of each petal; nectaries rather open, white-granulated; filaments pale apricot; pollen brown-red; style brown; stigma red-brown. Fls 105 mm wide; petals 63 × 31 mm, boat-shaped, tips slightly recurved; pedicels 65 mm, slender, brown-dotted. Lvs 80 × 9 mm, dull deep yellowish green. Stems thick, brown-dotted. Early June.

I(a/c) 'Musik der Nacht'

cv. ('Byam's Ruby' × 'Impact') R: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2003), I: G. Steinbrück (2004), REG: G. Steinbrück (2004). Inside strong red (53D), throat tinged with light yellow (17D); outside strong red to yellow-orange; oval spots and brushmarks deep purplish red (71A); nectaries violet,

somewhat hoary; filaments pink; pollen orange; style long, black-red; stigma beige. Fls 140 mm wide; petals 70 × 40 mm, margins smooth, tips not recurved. Lvs alternate, 55 × 17 mm. Stems 0.95 m, mid green, c.12 fls. Late June. (Sister to Steinbrück's 'Kleine Nachtmusik'.)

VI(b-c/a) 'My A'

cv. ('Sapņojums' × lavender-bronze-flowered seedling) R: I. Zilgalvis (1992), G.: I. Zilgalvis (1994), N: I. Zilgalvis (1996), REG: I. Zilgalvis (2004). Inside greenish white-lavender, throat green; outside lavender-brown; spots absent; nectaries green; pollen orange; stigma yellow-green. Fls 160 mm wide; petals 170 × 50 mm, margins smooth, tips strongly recurved. Lvs 100 × 9 mm. Stems 1.5 m, dark green, with c.8 fls. Mid July.

VI(c/a) 'My Regina'

cv. ('Svētdienas Rīts' × white-flowered seedling) R: I. Zilgalvis (2000), G: I. Zilgalvis (2002), N: I. Zilgalvis (2003), REG: I. Zilgalvis (2004). Inside and outside white, throat yellow; spots absent; nectaries green; pollen dark red-brown, style and stigma green. Fls 140 mm wide; petals 200 × 45 mm, margins smooth, tips slightly recurved. Lvs 120 × 10 mm. Stems 1.85 m, green, with c.10 fls. Late July

I(a/b) 'Nameja Gredzens'

cv. ('Herta Rozentāle' × 'Mirage') R: D.-V. Šķimele (1994), G: D.-V. Šķimele (1997), N: D.-V. Šķimele (1999), REG: D.-V. Šķimele (2004). Inside brownish orange-red with a golden yellow ring, throat red; outside orange-red, midribs green; spots dark brown, small, on half of each petal, nectaries white; pollen brown; stigma red-brown. Fls 160 mm wide; petals 90 × 40 mm, margins smooth, tips not recurved. Lvs alternate, 80 × 10 mm. Stems 0.7 m, green, with c. 6 fls. Mid July.

VI(b-c/b) 'Nemesis'

cv. (('Gold Eagle' × 'Lachsaurelian') × 'Gelber Schnabel') × ('Damson' × unknown)) H.: J. Kovář (1996), G: J. Kovář (2002), N: J. Kovář (2002), I: J. Kovář (2002), REG: J. Kovář (2004). Inside cream, throat ivory; outside with yellow showing though, outer petals light pinkish; spots absent; nectaries green, narrow; filaments light yellow-green; pollen ochre-yellow; style yellow-green; stigma pinkish grey. Fls 140 mm wide, somewhat pendant; petals 130 × 45 mm, tips not recurved; pedicels 80 mm, dotted with dark brown. Lvs 80 × 12 mm, mid green, rather shiny. Stems 1.3 m, dotted with dark violet-brown. Early July. Syn: 'Bohyně Nemesis'.

I(c/c) 'Nissouri Blush'

cv. ('Sonic Whirlaway' × 'Pink Moire') R: E. Horner (1994), G: E. Horner (1996), N: E. Horner (2003), I: Horner Lilies (2004), REG: E. Horner (2004). Inside cream overlaid with strong red (53C), petal-tips deep pink (51C), throat strong orange (25B); outside deep pink (51C), midribs strong orange (25B); spots dark red (183A), small, some elongated, on lower third of each petal. Nectaries light orange-yellow (24C); pollen moderate reddish orange (171A); stigma blue (115). Fls 115 mm wide; petals 72 × 33 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 100 × 20 mm, dark green. Stems 1.6 m, brown, with c.21 fls plus secondaries. Mid July.

II(c/d) 'Northern Explorer'

cv. (Unnamed seedling × unnamed seedling) R: F. Tarlton (pre 1985), G: F. Tarlton, N: F. Tarlton (2003), I: Estate Perennials (2004), REG: E.E. Fox (2004). Inside moderate purplish pink (66D), throat white, each petal with narrow white rim with tiny deep purplish red (71A) spots; outside moderate purplish pink (66D), midribs

very pale purple (73D); spots deep purplish red (71A) with a white halo, on lower two-thirds of each petal; nectaries pale orange-yellow (19D); pollen moderate red (179B); stigma dark red (187C). Fls 76 mm wide; petals 38 × 14 mm, margins smooth, tips slightly recurved. Lvs whorled, 140 × 35 mm. Stems 1.45 m, mid green, with c.18 fls. Early July. (Named in honour of Canadian explorers.)

I(b/b) 'Novakars'

cv. (Parentage unknown) R: D.-V. Šķimele (1994), G: D.-V. Šķimele (1996), N: D.-V. Šķimele (1999), REG: D.-V. Šķimele (2004). Inside dark purplish red, each petal with a little white ray, paler at tip, throat dark red; outside dark purplish red, midribs brownish; spots black, medium sized, few, on half of each petal; nectaries violet; pollen black; stigma violet. Fls 95 mm wide; petals 50 × 20 mm, margins smooth, tips slightly recurved. Lvs alternate, 105 × 5 mm. Stems 1.5 m, brown tinged with greenish, with c.12 fls. Mid July.

I(a-b/b-d) 'Olinka'

This is the new name for 'Vlad'ka', raised by B. Mičulka, which was published in the *21st Supplement*. Mičulka discovered that the name 'Vlad'ka' had already been used for a lily that had been raised in 1994, predating his 2002 cv. To avoid confusion, Mičulka requested that his 'Vlad'ka' should be re-named.

VII(b/b) 'Opuss Divi'

cv. (Parentage unknown) R: Ē. Ieviņa (1994), G: R. Krūmiņš (1997), N: R. Krūmiņš (2001), REG: Liliu Balticum Association (2004). Inside light reddish brown, midveins darker, petals with narrow white margins; outside light reddish brown, midribs greenish brown; papillae reddish brown, on three-quarters of each petal; nectaries light green; pollen light green; stigma grey-green. Fls 220 mm wide; petals 130 × 50 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 190 × 45 mm. Stems 1 m, green, with c.8 fls. Late July.

VI(b-c/a) 'Orangade'

cv. (Orange-flowered seedling × orange-flowered seedling) R: I. Zilgalvis (1993), G: I. Zilgalvis (1995), N: I. Zilgalvis (1996), REG: I. Zilgalvis (2004). Inside deep orange; outside orange-green; spots absent; nectaries green; pollen dark red-brown; stigma green. Fls 140 mm wide, slightly scented; petals 160 × 45 mm, margins smooth, tips slightly recurved. Lvs 120 × 9 mm. Stems 1.7 m (under glass), green, with c.9 fls. Late July.

I(b-c/b) 'Orange Twinkle'

cv. (Parentage unknown) R: Laan Lelie, N: Lily Company B.V. (2000), REG: Lily Company B.V. (2004). Inside vivid yellowish pink (28A), throat light orange (28D); outside of outer petals strong reddish orange (31A), outside of inner petals vivid orange (28B), midribs moderate red (181A) at base, strong yellow-green/dark red (144B/187A) at top; spots dark red (187A); papillae vivid orange (28B); nectaries pale yellowish pink (29B); pollen dark red (183A); stigma dark red (187A). Fls 90-125 mm wide; petals 80 × 35-45 mm, margins smooth, tips recurved. Lvs 80 × 10 mm, light green. Stems 0.8 m, with some dark markings, with c.9 fls.

VIII(a/b) 'Orange Tycoon'

cv. (Parentage unknown) R: Testcentrum voor Siergewassen (1998), G: (2000), N: Marklily (2002), I: Marklily (2002), REG: Marklily (2003). Inside strong orange-yellow (24B), throat light orange-yellow (25D), midveins and petal-margins strong orange (25A); outside light orange-yellow (24C), midribs flushed with light yellow-

green (144D), petal-margins strong orange (25A); spots dark red (59A); papillae strong orange-yellow (24B); nectaries vivid orange (28B); pollen greyish red (176A); stigma vivid yellowish pink (28A). Fls 205 mm wide; petals 130 × 70 mm, margins smooth, tips recurved. Lvs 155 × 17 mm. Stems 1.1 m, green, with c.3 fls. (*A longiflorum*/Asiatic hybrid.)

I(a-b/b) 'Ortija'

cv. (Unnamed seedling × unnamed seedling) R: D.-V. Şkimele (1993), G: D.-V. Şkimele (1996), N: D.-V. Şkimele (1999), REG: D.-V. Şkimele (2004). Inside creamy yellow, each petal yellow and green at base, paler at tip, throat cream; outside cream, midribs brownish green; spots and stripes dark brown, few, medium sized, on half of each petal; nectaries greenish white; pollen dark brown; stigma light brown. Fls 140 mm wide; petals 80 × 40 mm, margins smooth, tips not recurved. Lvs alternate, 110 × 10 mm. Stems 1.5 m, dark brown, with c.12 fls. Early July.

VII(a/b) 'Pacific Pearl'

cv. ('Abruzzo' × 'Barbaresco') R: De Jong Lelies Holland B.V. (1995), G: De Jong Lelies Holland B.V. (1997), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2003). Inside vivid purplish red (57C), throat yellowish white (155D), light greenish yellow (4C) above nectaries and along midveins; outside of outer petals vivid purplish red (57C), strong yellow-green (144C) at base, midribs yellowish white (155D) for half way, outside of inner petals vivid purplish red (57C), midribs vivid purplish red (57B), spots and papillae moderate purplish red (58A); nectaries strong yellow-green (144C); pollen moderate reddish orange (171A); stigma pale yellow-green (157C). Fls 240 mm wide, slightly fragrant; petals 155 × 69 mm, margins slightly ruffled, tips recurved. Lvs 180 × 33 mm. Stems 1.1 m, green with darker markings, with c.4 fls.

I(a/b) 'Pardomas'

cv. ('Erlina' × 'Blinklicht') R: D.-V. Şkimele (1993), G: D.-V. Şkimele (1996), N: D.-V. Şkimele (1998), REG: D.-V. Şkimele (2004). Inside smoky red with a brownish tint, each petal with a paler tip and a short yellow mark, throat dark red; outside brownish red, midribs green; spots absent; nectaries white; pollen orange; stigma greenish brown. Fls 200 mm wide; petals 110 × 50 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 100 × 20 mm. Stems 1.2 m, green, with c.11 fls. Late July.

I(a/b) 'Partnerka'

cv. (('Moon Shadow' × ('Korál' × ('Mirabel' × unknown))) × ('Korál' × (('Mirabel' × unknown) × (('Mohykán' × unknown) × ('Rusalka' × unknown)))) R: B. Mićulka, G: B. Mićulka, N: B. Mićulka, I: B. Mićulka (2003), REG: B. Mićulka (2003). Inside whitish with beige tint, centre of petals apricot, throat whitish; outside with greenish and brownish midribs; brushmarks red-brown, not prominent; spots dark brown, on a quarter of each petal; papillae many, in the throat; nectaries green, white-granulated; filaments whitish; pollen apricot-brown; style brown; stigma dark violet-brown. Fls 95 mm wide; petals 70 × 31 mm, parts of margins rolled back, tips slightly recurved; pedicels 70 mm, with small brown dots. Lvs alternate, 70 × 13 mm, dull yellowish green. Stems 0.75 m, thick, with small brown dots. Late May.

VIII(a/b) 'Party Diamond'

cv. (Mixed Asiatics × Mixed Asiatic pollen) R: De Jong Lelies Holland B.V. (1997), G: De Jong Lelies Holland B.V. (1999), N: De Jong Lelies Holland B.V. (2003), I:

De Jong Lelies Holland B.V. (2003), REG: De Jong Lelies Holland B.V. (2003). Inside light purple (75B), ageing to very pale purple (69D), each petal with white spot at base, throat brilliant yellow-green (142B); outside very pale purple (69B), midribs moderate yellow-green (147D); spots deep purplish red (71A), few; papillae absent; nectaries strong yellow-green (143C); pollen strong orange (25A); stigma light yellow-green (154D). Fls 195 mm, slightly fragrant; petals 125 × 65 mm, margins smooth, tips slightly recurved. Lvs 165 × 19 mm. Stems 0.9-1.3 m, green with darker markings, with c.8 fls. Late June to July. (A *longiflorum*/Asiatic hybrid.)

I(a/b) 'Paula Sarma'

cv. ('Venta' × 'Dove of Peace') R: D.-V. Šķimele (1996), G: D.-V. Šķimele (1999), N: D.-V. Šķimele (2001), REG: D.-V. Šķimele (2004). Inside white with slight pink flush, throat greenish white; outside white, midribs yellowish pink; spots tiny, dark brownish red, on a third of each petal; nectaries greenish white; pollen brownish orange; stigma green. Fls 140 mm wide; petals 75 × 35 mm, margins smooth, tips slightly recurved. Lvs alternate, 60 × 10 mm. Stems 0.75 m, dark green, with c.11 fls. Mid July.

I(a/b) 'Pink Drink'

cv. (Unnamed tetraploid seedling × mixed tetraploid pollen) R: D. Hercbergs (1995), G: D. Hercbergs (1998), N: D. Hercbergs (1999), I: D. Hercbergs (2000), REG: D. Hercbergs (2004). Inside strong red (41B) changing to moderate yellowish pink (33D) at petal-tips; outside light yellowish pink (38C); spots very dark, large, on centre of each petal; nectaries greenish with orange-yellow blush above; pollen dark orange; stigma violet-brown. Fls 160 mm wide; petals 90 × 50 mm, margins smooth, tips slightly recurved. Lvs alternate, glossy, 140 × 20 mm. Stems 1.1 m, green, with c.12 fls and secondary buds. July.

VIII(a/b) 'Pink Legend'

cv. (Unnamed seedling × (*longiflorum* × 'Snowstar')) R: Bischoff Tulleken Lelies B.V. (1992), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2001), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside light purplish pink (62C), throat yellowish white (155D); outside very light purple (75C), at base moderate yellow-green (143D); spots dark red (59A); papillae yellowish white (155D); nectaries strong yellow-green (143C); pollen brownish orange (164A); stigma green. Fls 180 mm, slightly fragrant; petals 122 × 60 mm, margins smooth, tips recurved. Lvs alternate, 170 × 25 mm, green. Stems 1.1 m, green, with 10 fls. June. (A *longiflorum*/Asiatic hybrid.)

I(a-b/b) 'Premiantka'

cv. (((('Rusalka' × unknown) × ('Dawn Star' × 'Parfait')) × 'Geneve') R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside pale pink, petal-tips white; outside pink, midribs deep pink and brownish; spots medium-sized, dark brown-pink, on half of each petal; nectaries cream-granulated; filaments pinkish; pollen apricot-brown; style brownish and greenish; stigma brownish. Fls 130 mm wide; petals 80 × 37 mm, firm and thick, tips slightly recurved; pedicels 65 mm, lightly brown-dotted. Lvs alternate, 135 × 24 mm, dull dark green, slightly drooping. Stems 1.15 m, dark green. Late June.

VIII(a/c) 'Red Sign'

cv. (('Firecracker' × *dauricum*) × red-flowered seedling) R: Bischoff Tulleken Lelies B.V. (1992), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2000), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies

B.V. (2003). Inside vivid reddish orange (43A), throat strong reddish orange (31A); outside vivid reddish orange (34B), vivid reddish orange (34A) towards petal-margins and tips, midribs vivid red (45C); spots many, dark red (59A); papillae strong reddish orange (31A); nectaries strong reddish orange (31A); pollen moderate red (179A); stigma dark red (187A). Fls 185 mm wide; petals 100 × 60 mm, margins smooth, tips recurved. Lvs alternate, 120 × 18 mm, green. Stems 1.1 m, green, with 5 fls. June. (*A longiflorum*/Asiatic hybrid.)

I(a/b) 'Reklāma'

cv. ('Liara' × 'Endeavor') R: D.-V. Šķimele (1994), G: D.-V. Šķimele (1997), N: D.-V. Šķimele (2000), REG: D.-V. Šķimele (2004). Inside deep orange with paler petal-tips, throat light orange; outside orange, midribs yellow; dark red pencil brushmark over half of each petal; nectaries yellow; pollen brown; stigma purplish pink. Fls 150 mm wide; petals 75 × 30 mm, margins smooth, tips not recurved. Lvs alternate, 70 × 10 mm. Stems 1.15 m, green with brownish spots, with c.9 fls. Mid July.

VI(b-c/d) 'Remus'

cv. (((*henryi* × 'Gold Eagle') × 'Toni') × unknown) R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside white with beige tint, petal centres and throat with beige-apricot rays; outside with apricot shining through, midribs deep green; spots sparse, cinnamon; nectaries deep green; filaments pale green; pollen chocolate-brown; style and stigma green. Fls 125 mm wide; petals 95 × 33 mm, margins slightly waved, tips strongly reflexed; pedicels 85 mm long, pale brown-dotted. Lvs 135 × 23 mm, dull yellowish green. Stems 1.05 m, thick, rigid, brown-dotted, with a medium-sized infl. Mid July.

VII(a-b/b-c) RIO NEGRO

Trade designation of 'Corvara'.

VII(a-b/b) 'Risabonne'

cv. (Parentage unknown) REG: Sande B.V. (2004). Inside strong purplish pink (68B), each petal lighter towards tip, margin nearly white, midveins purple-red at base; outside strong/moderate purplish pink (68B/C); spots and papillae present; nectaries light green; pollen orange-brown; stigma purple. Petals medium to long, margins ruffled, tips moderately to strongly recurved. Stems tall. Early to midseason.

VII(b-c/b) 'Rosaliene'

cv. (Parentage unknown) R: Testcentrum voor Siergewassen (1998), G: (2000), N: Marklily (2001), I: Marklily (2003), REG: Marklily (2003). Inside light purple (75B), throat pale yellow-green (155A), with light purple (75A) along two-thirds of each midvein; outside very light purple (75C), petal-tips light purple (75B); spots moderate purplish red (58A); papillae present; nectaries light yellow green (144C); pollen strong orange (168B); stigma light yellowish green (136D). Fls 270 mm; petals 140 × 65 mm, margins ruffled, tips recurved. Lvs 185 × 40 mm. Stems 1 m, light green, with c.3 fls.

I(a/b) 'Runcis Renārs'

cv. ('Peach Delight' × 'Menton') R: D.-V. Šķimele (1996), G: D.-V. Šķimele (1999), N: D.-V. Šķimele (2001), REG: D.-V. Šķimele (2004). Inside orange-yellow, petals a little paler; outside orange-yellow, midribs greenish orange; spots absent; nectaries greenish yellow; pollen dark brown; stigma vivid orange. Fls 180 mm wide; petals 95 × 55 mm, margins smooth, tips slightly recurved. Lvs alternate, 90 × 15 mm. Stems 0.6 m, green with brown markings, with c.6 fls. Mid July. Tetraploid.

I(b-c/c) 'Salmon Twinkle'

cv. (Parentage unknown) N: Lily Company B.V. (2002), REG: Lily Company B.V. (2004). Inside of each petal light orange-yellow/vivid yellow (16C/A) in lower third, changing into moderate purplish pink (186D) above, midveins dark purplish pink (186C), throat moderate purplish pink (186D) on a yellow ground; outside moderate purplish pink (186D), pale orange-yellow at the base, midribs moderate red (181A/B); spots dark red (187A) on lower third of each petal; papillae absent; nectaries moderate purplish pink (186D); pollen strong to moderate reddish orange (169A/171A); style green; stigma dark red (187A). Fls 90-160 mm wide; petals 85 × 25-35 mm, margins slightly ruffled, tips recurved. Lvs 115 × 15 mm. Stems 1-1.3 m, with some darker markings, with c.13 fls. July.

VIII(a-b/b) 'Salt Lake City'

cv. ('Sahara' × (*longiflorum* × 'Aristo')) R: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1992), N: Bischoff Tulleken Lelies B.V. (2000), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside and outside light yellow (10C), petal-margins and tips vivid yellow (13A), ageing to pale orange-yellow (19D), midveins strong yellow-green (144C), throat pale yellow-green (4D); spots moderate red (181B); papillae light yellow (10C); nectaries pale yellow-green (4D); pollen dark red (183A/187A); stigma brilliant orange-yellow (21B). Fls 190 mm wide; petals 130 × 65 mm, margins smooth, tips slightly recurved. Lvs alternate, 170 × 20 mm, green. Stems 1.2 m, green with anthocyanin at base, and with 4-6 fls. June. (A *longiflorum*/Asiatic hybrid.)

VII(a/b) SANNA

Trade designation of 'Zanlorsanna'.

I(a/b) 'San Pablo'

cv. ((*dauricum* × 'Symphony') × seedling of 'Sahara') R: Bischoff Tulleken Lelies B.V. (1993), G: Bischoff Tulleken Lelies B.V. (1996), N: Bischoff Tulleken Lelies B.V. (1997), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside vivid yellow (9A), with a vivid yellow (14A) patch above each nectary, throat brilliant greenish yellow (2B); outside light greenish yellow (7D); spots few, dark red (59A); papillae (14A); nectaries strong yellow-green (143B); pollen strong orange (168A); stigma dark red (59A). Fls 175 mm wide; petals 100 × 55 mm, margins smooth, tips recurved. Lvs alternate, 80 × 15 mm, dark green. Stems 1.1 m, green with anthocyanin, with c.8 fls. June.

VI(b-c/a) 'Sapnojuims'

cv. ('Ave Sol' × lavender-flowered seedling) R: I. Zilgalvis (1999), G: I. Zilgalvis (2000), N: I. Zilgalvis (2001), REG: I. Zilgalvis (2004). Inside light lavender, throat green; outside light lavender; spots and papillae absent; nectaries green; pollen yellow; stigma green. Fls 120 mm wide, slightly scented; petals 140 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 110 × 8 mm. Stems 1.7 m (under glass), green.

VII(b/b) 'Sārtā'

cv. (Unnamed seedling × red-flowered Dutch Oriental) R: Ē. Ieviņa (1994), G: R. Krūmiņš (1997), N: R. Krūmiņš (2001), REG: Liliūm Balticum Association (2004). Inside cherry-red; outside brownish red, midribs light green; papillae dark red-brown, over a third of each petal; nectaries green; pollen dark brown; stigma greenish grey. Fls to 220 mm wide; petals 125 × 55 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 160 × 60 mm. Stems 0.9-1 m, green, with c.7 fls. Late July.

I(b/c) 'Seidenschimmer'

cv. ('Pohls Weinrote' × mixed pollen from seedling St. 33/1/88 and a yellow-flowered Asiatic seedling with red brushmarks) R: G. Steinbrück (1991), G: G. Steinbrück (1994), N: G. Steinbrück (2003), I: G. Steinbrück (2004), REG: G. Steinbrück (2004). Inside moderate orange-yellow (168D), throat somewhat darker; outside soft pink and yellow; spots many, medium-sized, dark purple, on the lower half of each petal, those along centre of petal more linear; nectaries white, tinged with soft pink, running into black at top; pollen greyish brown (166A); stigma brownish orange. Fls 140 mm wide, slightly scented; petals 70 × 15 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 70 × 15. Stems 0.75 m, dark green marbled violet, with c.8 fls. Late June to early July.

VIII(a-b/b) 'Shocking'

cv. (Parentage unknown) REG: World Breeding B.V. (2003). Inside light greenish yellow (4B/4C), midveins strong red (46A); outside light greenish yellow/pale yellow-green (4C/4D); spots red; papillae present; nectaries yellow-green; pollen dark red-brown; stigma purple with green star. Fls 210 mm wide, slightly fragrant; petal-margins slightly ruffled, tips recurved. Stems 1.3 m, with c.7 fls. Late to very late. (An Orienpet (OT) lily.)

I(b/b) 'Sissy'

cv. ('Fedorov' × *candidum*) R: A.M. Fedorov (1995), G: A.M. Fedorov (1998), N: A.M. Fedorov (2000), I: A.M. Fedorov (2000), REG: A.M. Fedorov (2004). Fls yellow; spots red-orange, on the lower one third to two-thirds of each petal; nectaries yellow; pollen red-orange; stigma red. Fls 60-65 mm wide; petals 50 × 15 mm, margins smooth, tips slightly recurved. Lvs alternate, 60 × 5 mm. Stems 0.5 m, green, with 4-6 fls. July.

I(c/c) 'Small Red Hat'

cv. ('Fedorov' × 'Sfinks') R: A.M. Fedorov (1995), G: A.M. Fedorov (1997), N: A.M. Fedorov (2000), I: A.M. Fedorov (2000), REG: A.M. Fedorov (2004). Fls bright red; spots black, on lower half of each petal; nectaries dark; pollen light red and orange; stigma salmon-orange. Fls 60-75 mm wide; petals 65 × 20 mm, margins smooth, strongly recurved in upper half. Lvs alternate, 110 × 7 mm. Stems green with 3-5 fls. July to August.

VII(a/b) 'Snow Lake'

cv. (('Star Gazer' × 'Merci') × ('Sans Souci' × 'Star Gazer') × 'Casa Blanca') R: Bischoff Tulleken Lelies B.V. (1991), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2000), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside and outside yellowish white (155D), midribs light yellow-green (145C) at base, brilliant greenish yellow (151D) at top, with strong yellow-green (144A) tip; spots and papillae yellowish white (155D); nectaries light yellow-green (145C); pollen strong reddish orange (169A); stigma dark purple (79B). Fls 230 mm wide, fragrant; petals 155 × 70 mm, margins ruffled, tips recurved. Lvs alternate, 212 × 37 mm, dark green. Stems 1.2 m, green, with 4 fls. July.

I(a/b) 'Soaring'

cv. (Seedling 93.10.450 × seedling 93.10.661-1) R: World Breeding B.V., N: World Breeding B.V., REG: World Breeding B.V. (2004). Inside vivid orange-yellow (21A), petal-margins more red; outside brilliant orange to light orange-yellow (25C/D); spots few; papillae absent; nectaries orange, with red spot at base; pollen orange;

stigma pink-red. Petals small to medium sized, margins slightly ruffled, tips moderately to strongly recurved. Stems tall to very tall, green with darker spots and stripes.

VII(a/c) 'Solomon Pearl'

cv. ('Bernini' × 'Abruzzo') R: De Jong Lelies Holland B.V. (1996), G: De Jong Lelies Holland B.V. (1998), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2003). Inside vivid purplish red (57D), throat yellowish white (155D), yellowish white (155D) above nectaries and on lower half of midveins; outside strong purplish pink (73B), yellowish white (155D) at base and on lower third of midribs; spots vivid red (57A); papillae yellowish white (155D); nectaries strong yellow green (144C); pollen moderate reddish orange (171A); stigma light yellow green (150D). Fls 260 mm wide, slightly fragrant; petals 147 × 65 mm, margins slightly ruffled, tips recurved. Lvs 180 × 38 mm. Stems 1.1 m, green with darker markings, with c.5 fls.

VII(a/b-c) 'Space Star'

cv. (Dwarf red-flowered seedling × 'All Right') R: Bischoff Tulleken Lelies B.V. (1991), G: Bischoff Tulleken Lelies B.V. (1995), N: Bischoff Tulleken Lelies B.V. (2003), I: Bischoff Tulleken Lelies B.V. (2003), REG: Bischoff Tulleken Lelies B.V. (2003). Inside strong purplish red (60C), paler strong purplish red (60D) towards greenish white (155C) petal-margins and tips, throat greenish white (155C); outside moderate purplish pink (66D), petal-margins and tips greenish white (155C), midribs a little greenish white (155C) with light yellow-green (145C) at top; spots (187A); papillae present; nectaries strong yellow-green (145A); pollen moderate reddish brown (166B); stigma dark red (59A). Fls 210 mm wide; petals 100 × 45 mm, margins ruffled, tips recurved. Lvs alternate, 175 × 46 mm, green. Stems 0.7 m, light green, with 6 fls. July.

I(a/b) 'Sternregen'

cv. ('Aelita' × 'Rubinstern') R: G. Steinbrück (1989), G: G. Steinbrück (1992), N: G. Steinbrück (2003), I: G. Steinbrück (2004), REG: G. Steinbrück (2004). Inside light orange (28D), throat orange with reddish sheen; outside light orange to soft cream; spots many, medium-sized, oblong, moderate violet (86A), on three-quarters of each petal; nectaries white with small black spots towards top; filaments beige; pollen greyish red (178A); style pink below, beige above; stigma violet. Fls 140 mm wide; petals 80 × 29 mm, margins smooth, tips slightly recurved. Lvs alternate, 62 × 19 mm. Stems 1.1 m, dark green, slightly hairy, with c.6 fls. Late July.

VI(a/-) 'Stowport Big Pink'

cv. (Pink Perfection Group × McLaren seedling) G: L.C. Bligh (1998), N: L.C. Bligh (2004), I: L.C. Bligh (2004), REG: L.C. Bligh (2004). Inside moderate purplish pink (70D), throat vivid yellow (12A); outside dark red to deep purplish red (59A-B); spots absent; nectaries green; pollen strong orange (24A). Fls 130 mm wide; petals 100 × 52 mm, margins smooth, tips slightly recurved; pedicels long. Lvs alternate, 230 × 19 mm, mid green. Stems 2.2 m, green, with c.18 fls in a pyramidal infl. Early January (Tasmania).

VII(b/b) 'Stowport Candy'

cv. (('Red Sun' × *auratum*) × ('Wildfire' × 'Valley Opal')) G: L.C. Bligh (2000), N: L.C. Bligh (2004), REG: L.C. Bligh (2004). Inside at first pale purplish pink (65C), darkening to deep purplish pink (70C), each petal with a strong purplish pink (63A) band; outside pale purplish pink (65C); papillae red; nectaries green; pollen golden

brown. Fls 215 mm wide, slightly scented; petals 120 × 57 mm, margins smooth, tips slightly recurved. Lvs alternate, 154 × 55 mm. Stems 1.46 m, brown/green, with c.10 fls. Early February (Tasmania).

VI(b/a) ‘Stowport CN’

cv. (‘Stowport Big Pink’ × *regale*) G: L.C. Bligh (2000), N: L.C. Bligh (2004), REG: L.C. Bligh (2004). Inside pale greenish yellow (10D), throat brilliant orange-yellow (23B); outside strong purplish red (59D); nectaries green; pollen strong orange-yellow (163B); stigma brown. Fls 140 mm, strongly scented; petals 140 × 50 mm, margins smooth, tips slightly recurved. Lvs alternate, 190 × 23 mm. Stems 1.72 m, maroon/green, with c.24 fls. Late January (Tasmania).

VI(b/a) ‘Stowport Elegance’

cv. (Unnamed yellow-flowered trumpet × *regale*) R: L.C. Bligh (1999), G: L.C. Bligh (2001), N: L.C. Bligh (2004), REG: L.C. Bligh (2004). Inside pale yellow (18D) flushed with pale purplish pink (62D); outside moderate purplish pink (59C); nectaries green; pollen soft brown; stigma brown. Fls 140 mm wide, slightly scented; petals 130 × 47 mm, margins smooth, tips slightly recurved. Lvs alternate, 155 × 11 mm. Stems 1.82 m, green, with c.26 fls in a pyramidal infl. Late January (Tasmania).

VII(b/b) ‘Stowport Heart Starter’

cv. (*auratum* ‘Golden Dancer’ × ‘Snowfall’) R: M. Simpson (1997), G: L.C. Bligh (2000), N: L.C. Bligh (2004), REG: L.C. Bligh (2004). Inside and outside white, throat light greenish yellow (3C); papillae maroon; nectaries green; pollen strong reddish orange (42B). Fls 170 mm, moderately scented; petals 120 × 45 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 145 × 30 mm. Stems 1.83m, green, with c.17 fls. Early February (Tasmania).

VI(b/a) ‘Stowport Lemon Delight’

cv. (Aurelian × Aurelian) G: L.C. Bligh (2000), N: L.C. Bligh (2004), REG: L.C. Bligh (2004). Inside and outside pale greenish yellow (2D), with a trace of burgundy towards base outside; nectaries green; pollen golden brown. Fls 125 mm wide, scented; petals 90 × 38 mm, margins smooth, tips slightly recurved. Lvs alternate, 165 × 38 mm. Stems 1.64 m, green, with c.14 fls. Early February (Tasmania).

VI(b/a) ‘Stowport Lemon Squash’

cv. (Aurelian hybrid × Aurelian hybrid) R: L.C. Bligh (1999), G: L.C. Bligh (2002), N: L.C. Bligh (2004), REG: L.C. Bligh (2004). Inside and outside light yellow-green (2C); nectaries green; pollen orange. Fls 133 mm wide, scented; petals 123 × 45 mm, margins smooth, tips not recurved. Lvs alternate, 150 × 12 mm. Stems 1.83 m, green, with c.20 fls. Early February (Tasmania).

VII(b/b) ‘Stowport Lolita’

cv. ((‘Red Sun’ × *auratum*) × ‘Casa Blanca’) G: L.C. Bligh (2000), N: L.C. Bligh (2004), REG: L.C. Bligh (2004). Inside pale purplish pink (65C) at first, changing to light purplish pink (65B) to light yellow-green (2C); outside pale purplish pink (65D); papillae mid rose-pink; nectaries green; pollen golden brown; stigma green. Fls 210 mm wide, slightly scented; petals 120 × 52 mm, margins smooth, tips slightly recurved. Lvs alternate, 132 × 55 mm. Stems 1.54 m, green, with c.13 fls. Early February (Tasmania).

I(a/b) ‘Sun Club’

cv. (Seedling 90208-15 × seedling 92214) R: Sande B.V., N: Sande B.V. (2002),

REG: Sande B.V. (2003). Inside and outside vivid yellow (12A/13A), each petal vivid orange-yellow (23A) at base inside; spots absent; papillae present; nectaries yellow-green; pollen brown; stigma purple. Petals very short, margins slightly ruffled, tips recurved. Stems tall, with darker markings, with c.7 fls. Early.

VII(a-b/b-c) 'Sunpearl'

cv. (Parentage unknown) R: Sande B.V., N: Sande B.V. (2002), REG: Sande B.V. (2003). Inside greenish white (155C), midveins brilliant greenish yellow (6A); outside of inner petals greenish white (155C); spots brilliant greenish yellow (6A); papillae present; nectaries green; pollen red-brown; stigma purple. Petals long, margins ruffled, tips strongly recurved. Stems tall. Early to midseason.

I(b-c/c) 'Sweet Surrender'

cv. (Parentage unknown) N: Lily Company B.V. (2000), REG: Lily Company B.V. (2004). Inside pale yellow-green (4D), throat strong yellow-green (144B); outside light greenish yellow (4C), changing to pale yellow (8D) towards edges of each petal, midribs light greenish yellow (1C) with a little moderate red (180C) at the base; spots dark red (187A); papillae absent; nectaries yellowish white (155D); pollen strong orange (169B); stigma strong orange (169D) with a little yellow. Fls 140 mm wide; petals 75 × 25-35 mm, margins smooth, tips recurved. Lvs 70 × 10 mm. Stems 0.8-0.9 m, with some dark markings, with c.11 fls. Early. (This lily originated in the USA, but the raiser is unknown.)

I(b-c/d) 'Tallun'

cv. ('Talisman' × 'Lunetka') R: J. Kovář (1996), G: J. Kovář (2004), N: J. Kovář (2004), I: J. Kovář (2004), REG: J. Kovář (2004). Inside buff-apricot, midveins mid red-pink, petal-tips shaded pink; outside with pink-red midribs; spots crimson-brown, small, elongated, fairly dense, on three-quarters of each petal; nectaries buff; filaments buff; pollen rather meagre, orange-brown; style reddish apricot; stigma crimson-pink. Fls 80 mm wide; petals 70 × 28 mm, very recurved; pedicels 80 mm, dark violet-brown. Lvs 120 × 18 mm, somewhat shiny mid green. Stems 1 m, rigid, spotted with dark violet-brown. Early July.

VII(b/c) 'Tara-D'

cv. ('Wildfire' × 'Valley Sunburst') R: J. Hoell (1993), G: J. Hoell (1996), N: B. Dutton (2004), REG: B. Dutton (2004). Inside greenish white (155C), each petal with a deep purplish pink (55A) band, throat strong purplish pink (55B); outside yellowish white (155D); purple spots and papillae on all but the petal-tips; nectaries brilliant yellow-green (149A); pollen moderate brown (200C); stigma dark red (187B). Fls 162 mm wide, strongly scented; petals 70 × 40 mm, margins strongly ruffled, tips strongly recurved. Lvs alternate, 165 × 43 mm. Stems 1.8 m, purple, with c.10 fls. (Named after the registrant's granddaughter.)

VI(b/a) 'Tautas Dziesma'

cv. ('Zeltite' × Golden Splendor Group) R: Ā. Zorgevics (1985), G: Ā. Zorgevics (1990), N: Ā. Zorgevics (2004), I: Ā. Zorgevics (2004), REG: Ā. Zorgevics (2004). Inside brilliant yellow (8A), throat light yellow-green (150D); outside sulphur; spots and papillae absent; nectaries whitish; pollen light brown; stigma greenish brown. Fls 170 mm wide, strongly scented; petals 120 × 40 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 90 × 7 mm. Stems 1.3 m, green, with c.7 fls. Bulbs purple. Late July to early August. ('Tautas Dziesma' is the name of a folksong.)

VII(b/b) 'Tekla'

cv. (Parentage unknown) R: Ē. Ieviņa (1994), G: R. Krūmiņš (1997), N: R. Krūmiņš (2001), REG: Liliūm Balticum Association (2004). Inside light purplish pink, midveins darker; outside with brownish pink midribs; spots cherry-red, on two-thirds of each petal; pollen brown; stigma light violet. Fls 210 mm wide; petals 130 × 65 mm, margins slightly ruffled, tips strongly recurved. Lvs alternate, 150 × 50 mm. Stems 1.05 m, green with up to 15 fls. Early August.

I(b/b) 'Tenira'

cv. (('Kytice' × unknown) × ('Parfait' × unknown)) × ('Oregon Candlelight' × 'Windahloo') R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside creamy yellow, petals with yellowish centres; outside with brown-pink midribs; spots absent; nectaries olive-green; filaments white; pollen brown; style brown-green; stigma red-brown. Fls 120 mm wide; petals 80 × 33 mm, margins smooth, tips moderately recurved; pedicels 50 mm long, rather thick, slightly brown-dotted. Lvs alternate, 115 × 20 mm, dull mid green. Stems 0.95 m, thick, green. Mid June.

I(b-c/b) 'Tēvzemes Balva'

cv. ('Maple Cream' × 'Princese Gundega') R: D.-V. Šķimele (1995), G: D.-V. Šķimele (1997), N: D.-V. Šķimele (1999), REG: D.-V. Šķimele (2004). Inside soft creamy pink, petals creamy yellow at base, throat creamy pink; outside creamy pink, midribs green; spots absent; nectaries white; pollen bright orange-red; stigma dark brown. Fls 150 mm wide; petals 75 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 40 × 10 mm. Stems 0.85 m, bright green, with c.11 fls. Early July.

VI(b/a) 'Tēvzemīte'

cv. ('Spītņiece' × seedling L-21) R: Ā. Zorgevics (1982), G: Ā. Zorgevics (1990), N: Ā. Zorgevics (2004), I: Ā. Zorgevics (2004), REG: Ā. Zorgevics (2004). Inside vivid yellow (9B), throat brilliant yellow-green (150A); outside shaded with snuff-brown; spots and papillae absent; pollen light brown; stigma greenish brown. Fls 170 mm wide, strongly scented; petals 130 × 40 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 70 × 10 mm. Stems 1.4 m, green, with c.8 fls. Bulbs purple. Mid July to early August. (Epithet is Latvian for 'fatherland'.)

I(a/b-c) 'Traviata'

cv. (('Ohnivāk' × ('Chinook' × 'Wattle Bird')) × (((*lancifolium* var. *flaviflorum* × *wilsonii* var. *flavum*) F2 × 'Red Knight') × 'Bold Knight') R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside deep pink, petals with narrow white edges and deeper pink centres, throat paler at base; outside with greenish midribs; spots dark brown, very small, on a third of each petal; nectaries open, olive-green. White-granulated; filaments pink; pollen brown-orange; style pale brown; stigma whitish. Fls 115 mm wide; petals 60 × 31 mm, boat-shaped, scarcely recurved; pedicels 50 mm long, slender, green. Lvs alternate, 80 × 11 mm, dull dark green. Stems 0.55 m, green. Mid June.

I(a-b/b-c) 'Trofej'

cv. (('Heureka' × ('Rozárka' × 'Dagmar')) × (('Quinella' × unknown) × (('Juno' × 'Honey Crème') × 'Endeavor')) R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside lemon-yellow, petal-centres deeper, throat paler; outside paler yellow, midribs brownish; brushmarks rather faint, dark red-brown; nectaries white-granulated; filaments pale yellow; pollen brown; style brownish; stigma pale yellow. Fls 125 mm wide; petals 70 × 33 mm, tips slightly

recurved; pedicels 45 mm long, slightly brown-dotted. Lvs alternate, 90 × 8 mm, slightly glossy dark green. Stems 0.85 mm, thick, dark green. Mid June.

I(a/b) 'Trojanka'

cv. (Unknown × (('Sonnenkönigin' × 'Bellona') × 'Picasso')) R: B. Mičulka, G: B. Mičulka, N: B. Mičulka, I: B. Mičulka (2003), REG: B. Mičulka (2003). Inside apricot, petal tips and centres beige-apricot, tips pinkish; outside pale pink, midribs beige and green; spots present; nectaries partly open, white-granulated; filaments pale pink; pollen brown; style light brown; stigma brown. Fls 125 mm wide; petals 75 × 35 mm, tips not recurved; pedicels 70 mm long, slightly brown-dotted. Lvs alternate, 20 × 6 mm, dull deep yellowish green. Stems 0.7 m, thick, slightly dotted. Mid June.

VIII(a/b) 'Tropic Diamond'

cv. (Seedling LA 93064-26 × Mixed Asiatic pollen) R: De Jong Lelies Holland B.V. (1997), G: De Jong Lelies Holland B.V. (1999), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2003). Inside strong purplish red (60C/D), throat light yellow-green (145C); outside strong purplish red (60D), strong yellow-green (143C) at base, midribs strong purplish red (60C); spots and papillae absent; nectaries strong yellow-green (143B); pollen moderate reddish brown (176B); stigma pale purplish pink (65D). Fls 145 mm wide; petals 135 × 60 mm, margins smooth, tips slightly recurved. Lvs 165 × 18 mm. Stems 1-1.3 m, green, with c.5 fls. Late June to July. (*A longiflorum*/Asiatic hybrid.)

VII(a/b) 'True Love'

cv. (Unnamed seedling × ('Allegra' × 'Star Gazer')F2) R: Bischoff Tulleken Lelies B.V. (1990), G: Bischoff Tulleken Lelies B.V. (1994), N: Bischoff Tulleken Lelies B.V. (2001), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside moderate purplish pink (65A), midveins pale yellow-green (155A), throat, petal-margins and tips pale yellow-green (155A); outside very pale purple (69C), midribs pale yellow-green (4D); spots strong purplish red (71B); papillae present; nectaries strong yellow-green (145A); pollen strong reddish orange (169A); stigma greyish reddish brown (200B). Fls 215 mm wide; petals 110 × 65 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 185 × 45 mm, green. Stems 1.2 m, light green with anthocyanin, with c.4 fls. July.

VIII(a/b) 'Twilight Diamond'

cv. (Seedling LA 93007-18 × (seedling 2008 RS × seedling 2519 RS)) R: De Jong Lelies Holland B.V. (1996), G: De Jong Lelies Holland B.V. (1998), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2003). Inside light orange-yellow (22D), each petal with strong orange-yellow (22A) towards top, throat pale yellow (20D); outside pale yellow (19C), base and midribs moderate reddish orange (42D) becoming moderate pink (35D), petal-margins brilliant yellow (21C), tips strong yellowish green (141C); spots dark red (59A); papillae light yellow-orange (22D); nectaries greyish yellow-green (191A); pollen strong brown (172A); stigma strong purplish red (58B). Fls 200 mm wide; petals 105 × 57 mm, margins smooth, tips recurved. Lvs 160 × 25 mm. Stems 1.3 m, green, with c.6 fls. (*A longiflorum*/Asiatic hybrid.)

I(a/b) 'Ugunigā'

cv. ('Diana' × seedling L-32-8) R: Ā. Zorgevics (1990), G: Ā. Zorgevics (1994), N: Ā. Zorgevics (2004), I: Ā. Zorgevics (2004), REG: Ā. Zorgevics (2004). Inside vivid reddish orange (32A), throat strong yellowish pink (32D); outside vivid red (46C); spots dark brown at the base of each petal; nectaries orange; pollen dark brown;

stigma pale. Fls 110 mm wide; petals 75 × 40 mm, margins smooth; tips slightly recurved. Lvs alternate, 90 × 10 mm, glossy. Stems 1.1 m, dark green, with c.9 fls. Bulbs white. Early to mid July.

I(a-b/b) 'Vālodzīte'

cv. ('Dzintars' × seedling 4-21-4) R: Ā. Zorgevics (1985), G: Ā. Zorgevics (1990), N: Ā. Zorgevics (2004), I: Ā. Zorgevics (2004), REG: Ā. Zorgevics (2004). Inside and outside vivid reddish orange (33B), throat moderate yellowish pink (33D); spots dark red towards base of each petal; pollen brown-orange; stigma brown. Fls 110 mm; petals 60 × 30 mm, margins slightly ruffled, tips slightly recurved. Lvs whorled, 90 × 12 mm, glossy. Stems 1 m, brownish green, with c.9 fls. Bulbs white. Late July to early August. (Etymology: name of a bird.)

VII(b/c) 'Veltījums Baiba'

cv. ('Āfrikāniete' × a Dutch Oriental lily) R: Ē. Ieviņa (1995), G: R. Krūmiņš (1998), N: R. Krūmiņš (2000), REG: Liliūm Balticum Association (2004). Inside cherry-red, midveins darker, each petal with light lavender margin; outside greenish pink, midribs greenish; papillae deep reddish brown; pollen light brown; stigma grey. Fls 220 mm wide, slightly scented; petals 135 × 70 mm, margins slightly ruffled, tips slightly recurved.

I(a/b) 'Vlad'ka'

cv. ('Red Fortune' × 'Firebrand') R: Šlechtitelská stanice Heřmanův Městec (1994). Fls dark red, throat deep orange; spots medium-sized, on a third of each petal. Fls 130 mm wide; petal-margins slightly ruffled, tips recurved. Lvs alternate, glossy dark green. Stems 0.65 m, thick, rigid, with abundant brown-red marks. Late July. (This cv. no longer exists.)

I(b/c) 'White Pillar'

cv. (White-flowered Ray Elders Asiatic seedling × 'Indian Princess') R: E.E. Fox (1990), G: E.E. Fox (1992), N: E.E. Fox (1994), I: Fox Lily Ranch (2004), REG: E.E. Fox (2004). Inside white, throat light orange-yellow (23C); outside dull white, midribs moderate reddish orange (178C); spots dark red (59A) on lower third of each petal; nectaries light orange-yellow (23C); filaments white; pollen strong orange (169B); stigma moderate purplish red (185C). Fls 110 mm wide; petals 60 × 36 mm, margins smooth, tips strongly recurved. Lvs alternate, 175 × 22 mm. Stems 1 m, mid green, with 20-28 fls. Late July.

IX(b/a) 'White Shot'

cv. (*longiflorum* 'Lorina' × *longiflorum* 'Avita') R: De Jong Lelies Holland B.V. (2000), G: De Jong Lelies Holland B.V. (2002), N: De Jong Lelies Holland B.V. (2003), I: De Jong Lelies Holland B.V. (2002), REG: De Jong Lelies Holland B.V. (2003). Inside and outside yellowish white (155D); spots and papillae absent; nectaries strong yellow-green (144C); pollen vivid yellow (12A); stigma pale yellow-green (4D). Fls 165 mm wide, slightly fragrant; petals 185 × 58 mm, margins smooth, tips slightly recurved. Lvs 182 × 22 mm, light green. Stems 1.4-1.5 m, light green, with c.4 fls. Late June to July.

VII(b/b) 'White Snow'

cv. (Unnamed seedling × 'White Star Gazer') R: Bischoff Tulleken Lelies B.V. (1988), G: Bischoff Tulleken Lelies B.V. (1992), N: Bischoff Tulleken Lelies B.V. (2002), I: Bischoff Tulleken Lelies B.V. (2002), REG: Bischoff Tulleken Lelies B.V. (2003). Inside yellowish white (155D); outside yellowish white (155D), vivid purplish red (57D) at base, midribs flushed greenish; spots and papillae yellowish white (155D);

nectaries strong yellow-green (144C); pollen strong brown (172A); stigma deep reddish purple/strong purple (77A/B). Fls 210 mm wide, fragrant; petals 120 × 62 mm, margins slightly ruffled, tips recurved. Lvs 160 × 54 mm, green. Stems 1 m, light green, with 5-8 fls. July.

I(a-b/b) ‘Yellow Baby’

cv. (Parentage unknown) REG: World Breeding B.V. (2003). Inside strong orange-yellow/vivid yellow (17A/B); outside vivid yellow (17B); spots and papillae present; nectaries orange-yellow; pollen orange-brown; stigma purple. Petal-margins very slightly ruffled, tips recurved. Stems short. Early.

VII(a-b/b) ‘Zagora’

cv. (Parentage unknown) REG: World Breeding B.V. (2003). Inside and outside pale greenish yellow (10D), each petal with a deep red (53A) flame along midvein; spots few; papillae present; nectaries green; pollen red-brown; stigma dark purple. Fls 240 mm wide; petal-margins very slightly ruffled, tips recurved. Lvs narrow. Stems 1.5 m, green, with c.4 fls. Late.

I(a/b) ‘Zanda’

cv. (‘Andrea’ × ‘Willow Wood’) R: G. Steinbrück (1990), G: D.-V. Şkimele (1993), N: D.-V. Şkimele (1995), REG: D.-V. Şkimele (2004). Inside clear yellow; outside bright yellow; each petal with a few tiny, dark red spots near nectaries and a dark red pencil brushmark; nectaries yellow; pollen brown; stigma light brown. Fls 150 mm wide; petals 80 × 35 mm, margins smooth, tips slightly recurved. Lvs alternate, 50 × 15 mm. Stems 0.9 m, greenish brown, with c.8 fls. Mid July. (Zanda is a Latvian female name.)

VIII(a/b) ‘Zanlacoup’

cv. (Parentage unknown) R: Van Zanten Flowerbulbs B.V. (1997), G: Van Zanten Flowerbulbs B.V. (1999), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2003). Inside deep purplish pink (64D) above throat, each petal very pale purple (69D) in lower half, moderate purplish pink (70D) in upper half, throat yellowish white (155D); outside of outer petals light purple (75B) with light reddish purple (74C) margins and strong yellow-green (143C) tips, inner petals yellowish white (155D) with light purple (75B) flame at top; spots dark red (59A), few; papillae absent; nectaries strong yellow-green (143C); pollen deep orange-yellow (163A); stigma pale orange-yellow (159B). Fls 155 mm wide; petals 110 × 55 mm, margins very slightly ruffled, tips slightly recurved. Lvs 110 × 23 mm, green. Stems 1.1 m, green with darker markings, with 5-7 fls. Trade designation: COUPLET. (A *longiflorum*/Asiatic hybrid.)

VIII(a/b) ‘Zanlarelli’

cv. (Parentage unknown) R: Van Zanten Flowerbulbs B.V., G: Van Zanten Flowerbulbs B.V. (1998), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2003). Inside vivid purplish red (57D), vivid purplish red (57C) towards margins of each petal, throat pale greenish yellow (2D); outside pale purplish pink (65C/B), midribs flushed with greyish yellow-green (148D), light yellow-green (144C) at top; spots few, dark red (59A); papillae absent; nectaries strong yellow-green (143C); pollen moderate reddish brown (166B); stigma light yellowish pink (36D). Fls 180 mm wide; petals 115 × 60 mm, margins smooth or very slightly ruffled, tips recurved. Lvs 85 × 23, green. Stems 1.1 m, green with darker markings, with c.3-5 fls. Trade designation: CORELLI. (A *longiflorum*/Asiatic hybrid.)

VII(a-b/b) 'Zanlorlika'

cv. (Parentage unknown) R: Van Zanten Flowerbulbs B.V. (1995), G: Van Zanten Flowerbulbs B.V. (1998), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2003). Inside very pale purple (69B), midveins light purplish pink (73C), throat deep purple (79C); outside very pale purple (69B), midribs light purplish pink (73C) and strong yellow-green (144A) at top; spots absent; papillae present; nectaries strong yellow-green (144C); pollen strong brown (172A); stigma pale yellow-green (157A). Fls 200 mm wide; petals 125 × 65 mm, margins ruffled, tips recurved. Lvs 153 × 40 mm, light green. Stems 1.2 m, light green, with c.4 fls. Trade designation: MILIKA.

VII(a/b) 'Zanlorsanna'

cv. (Parentage unknown) R: Van Zanten Flowerbulbs B.V. (1996), G: Van Zanten Flowerbulbs B.V. (1999), N: Van Zanten Flowerbulbs B.V. (2002), I: Van Zanten Flowerbulbs B.V. (2002), REG: Van Zanten Flowerbulbs B.V. (2003). Inside vivid purplish red/strong purplish red (57D/63C), throat yellowish white (155D); outside very light purple (75C), each petal with light purple (75B) margins and strong yellow-green (143B) tip, midribs yellowish white (155B) at base; spots strong purplish red (60B); papillae yellowish white (155D); nectaries strong yellow-green (144C); pollen strong orange (24A); stigma vivid yellow-green (154A). Fls 200 mm wide; petals 120 × 54 mm, margins slightly ruffled, tips recurved. Lvs 135 × 35 mm, green. Stems 1.2 m, light green with darker markings, with c.6 fls. Midseason. Trade designation: SANNA.

I(a-b/b) 'Zidtaurenis'

cv. (Unnamed seedling × 'Monte Rosa') R: D.-V. Šķimele (1995), G: D.-V. Šķimele (1997), N: D.-V. Šķimele (1999), REG: D.-V. Šķimele (2004). Inside soft pink, midveins cream, throat purplish pink; outside pink, midribs greenish yellow; spots absent; nectaries white; pollen bright orange; stigma pink. Fls 140 mm wide; petals 70 × 40 mm, margins smooth, tips slightly recurved. Lvs alternate, 80 × 20 mm. Stems 0.6 m, dark green, with c.8 fls. Early July. (The epithet is Latvian for 'silk butterfly'.)

VII(b/b) 'Ziedonis'

cv. (Parentage unknown) R: Ē. Ieviņa (1994), G: R. Krūmiņš (1997), N.: R. Krūmiņš (2001), REG: Lilium Balticum Association (2004). Inside light pink, darker in the centre, midveins cherry-red; outside greyish white; papillae brown-red, over half of each petal; nectaries light green; pollen red-brown; stigma blue-green. Fls 220 mm wide; petals 125 × 55 mm, margins slightly ruffled, tips slightly recurved. Lvs alternate, 200 × 60 mm. Stems 1 m, green, with 8-9 fls. Late July.

VII(a-b/b) 'Zodiac'

cv. ('Vedeā' × 'Santa Fé') R: Sande B.V., N: Sande B.V. (1997), REG: Sande B.V. (2003). Inside and outside yellowish white (155D); spots absent; papillae present; nectaries green; pollen red-brown; stigma purple. Petals medium sized, margins ruffled, outer more so, tips strongly recurved. Stems 1 m, with c.6 fls. Early to midseason.

LIST OF RAISERS, REGISTRANTS AND INTRODUCERS

(† = deceased)

BISCHOFF TULLEKEN LELIES B.V.	Wieringerwerf, The Netherlands
BLIGH, L.C. (Ned)	Burnie, Tasmania, Australia
COCKER, Hugh	Rochester, Minnesota, USA
COOP. KWEKERSVERENIGING "The Originals" U.A.	Sint Maartensvlotbrug, The Netherlands
DUTTON, Brian	Penguin, Tasmania, Australia
ESTATE PERENNIALS	Spruce Grove, Alberta, Canada
FEDOROV, Andrea Mikhailovich	Volzhsk, Mary-El Republic, Russia
FOX, E. Eugene	Millet, Alberta, Canada
FOX LILY RANCH	Millet, Alberta, Canada
HARTLE, Marsha	Owatonna, Minnesota, USA
HARTLE-GILMAN GARDENS	Owatonna, Minnesota, USA
HERCBERGS, Dāvids	Vecumnieki, Latvia
HOELL, Joe	Georgetown, Tasmania, Australia
HORNER, Estelle	Thorndale, Ontario, Canada
HORNER LILIES	Thorndale, Ontario, Canada
† IEVIŅA, Ērika	Riga, Latvia
JONG LELIES HOLLAND B.V., De	Andijk, The Netherlands
JORDAN, Neil	Camdale, Tasmania, Australia
KOVÁŘ, J.	Volnyč, Czech Republic
KRŪMIŅŠ, Rolands	Jelgava, Latvia
LAAN LELIE	Zwaagdijk, The Netherlands
LIDDELL, Margaret	Morrinsville, New Zealand
LILIUM BALTICUM ASSOCIATION	Latvia
LILY COMPANY B.V.	Andijk, The Netherlands
MARKLILY	Lisse, The Netherlands
MIČULKA, Břetislav	Velehrad, Czech Republic
ROOYAKKERS	Breezand, The Netherlands
SANDE B.V.	't Zand, The Netherlands
ŠĶIMELE, Dēzija-Violeta	Ogre, Latvia
ŠLECHTTITELAKÁ STANICE HEŠMANUV MĚSTEC	Czech Republic
STEINBRÜCK, Gerhard	Berlin, Germany
SWOSZOWSKI-TRAN, Kristin	Plymouth Meeting, Pennsylvania, USA
TARLTON, Fred	Edmonton, Alberta, Canada
TESTCENTRUM VOOR SIERGEWASSEN	Hillegom, The Netherlands
WORLD BREEDING B.V.	Breezand, The Netherlands
WORLD FLOWER B.V.	Breezand, The Netherlands
ZANTEN FLOWERBULBS B.V., Van	Hillegom, The Netherlands
ZILGALVIS, Ivars	Vecumnieki, Latvia
ZORGEVICS, Ādolfs	Riga, Latvia